# 1952 AUTO THRIFT BOOK



Empire Auto Supply Co.Ltd.

CANADA'S LEADING AUTO ACCESSORY STORES

1832 11th. AVENUE - PHONE - REGINA SASK-

### EMPIRE RADIO AND AUTO SUPPLY STORES

## 33 Years of Service and Satisfaction

### TO RESIDENTS OF SASKATCHEWAN

Please add to your order the amount of tax imposed by your province on taxable items.

Accelerator Foot Rests	C
Aerials, Auto	C
Aerial Streamer	Co
Air Scoops	C
Alemite Zerk Tool	C
Aluminum Paint	Ci
Acrials, Auto. 32 Aerials Booster 32 Aerial Booster 32 Aerial Booster 23 Aerial Streamer 12 Air Cleaners 23 Air Scoops 9 Alemite Fittings & Guns 30 Alemite Zerk Tool. 22 Allen Key Wrench Set 19 Aluminum Paint 10 Ammeters 18 Ammeter Connector 15 Ammunition Order Form Anti-Rattlers 9–22 Anti-Shimmy Devices 22 Armstures and Parts 14 Arms, Windshield Wiper 22 Asbestos Wick Packing 16 Ashtrays. 7	000000000000000000000000000000000000000
Anti-Rattlers9-22 Anti-Shimmy Devices22	Ci
Armatures and Parts14 Arms, Windshield Wiper22	Ci
Asbestos Wick Packing16 Ashtrays	Ci
Auto Fans	C
Ashtrays. 7 Auto Fans. 5 Auto Radios. 32 Automatic Choke Repair. 23 Axie Shafts. 21	D
Baby Seats	D
Baby Seats         11           ack-up Lamps         13           Bag, Clothes         7           Balls, Gearshift         12           Batteries, Flashlight         7           Batteries, Badio         32	D
Batteries Padie 7	DDD
Batteries, Radio	D
Batteries, Frashight. 7 Batteries, Radio. 32 Batteries, Storage. 3 Battery Booster and Parts. 31 Battery Box. 31 Battery Cables. 31 Battery Carrier Straps. 31 Battery Clips. 31 Battery Fillers. 31	DDD
Battery Carrier Straps 31	D
Battery Fillers 31	D
Battery Post Shims 31	D
Battery Terminals 31	B
Bearing Blue	D
Bendix Drive	D
Blades, Windshield Cleaner22	D
Blue Light Non-Glare 12	D
Battery Carrier Straps. 31 Battery Cilps. 31 Battery Fillers. 31 Battery Holdown Clamps. 31 Battery Holdown Clamps. 31 Battery Forther Carrier Straps. 31 Battery Term. Puller. 22 Battery Terminals. 31 Battery Testers. 31 Bearing Blue. 25 Bearing Blue. 25 Bendix Drive. 31 Bearing Blue. 25 Bendix Drive. 31 Bendix Drive. 31 Bendix Springs and Parts. 31 Blades, Windshield Cleaner. 22 Blankets. Auto. 5 Blowtorches. 20 Blue Light, Non-Glare. 13 Bolts and Nuts. 6–25 Bolts, Spring Centre. 25 Botts, Tire. 4 Bouncing Bird Ornament. 12 Box Wrenches. 28 Bracket, License Plate. 7 Bracket, License Plate. 7	D
Boots, Tire	E
Box Wrenches	E
Bracket, Tractor Spotlight	E
Bouncing Bird Ornament	E
Brake Fluid	E
Brake Fluid	F
Brake Parts17-26-27-29 Brake Spring Pliers17	Fe
Breaker Points, Distributor18 Breaker Point Stone & File18	Fe
Brushes, Auto Wash	Fe
Brushes: Paint & Varnish10	Fi
Brushes, Starter	Fi
Bulbs, Auto	Fi
Bulbs, Auto         13           Bulbs, Flashlight         7           Bulb Kit         13           Bulb Kit         13           Bulbs, Radio Dial         18           Bumper Jacks         5           Buttons, Horn         9	Fi
	Fi
Pable, Battery 31	FI
Camp Stove	FI
Caps: Radiator, Gas & Hub12 Caps: Valve and Dust	FI
Carburetors and Parts23 Carburetor Repair Kits23	FO
Carriers, Battery	F
Celluloid	Fo
Cement, Iron and Metal20 Cement, Radiator	F
Cement, Rubber Patching 4 Cement, Running Board 6	F
Chains, Tire	Fi
Channel Felt	G
Chevrolet Engine Parts 26	G
Bumper Jacks 9 Duttons, Horn 9 Duttons, Horn 9 Dable, Battery 31 Dable, Ignition and Light 15 Camp Stove 32 Caps: Radlator, Gas & Hub 12 Caps: Valve and Dust 7 Carburetors and Parts 23 Carburetor Repair Kits 23 Carriers, Battery 31 Carriers, Luggage 6 Celluloid 11 Cellulose Sponge 10 Cement, Iron and Metal 20 Cement, Iron and Metal 20 Cement, Rubber Patching 4 Cement, Rubber Patching 4 Cement, Rubber Patching 4 Cement, Ruber Patching 5 Chains, Tire 8 Chains, Tire 8 Chains, Tire 8 Channel Felt 8 Channel Felt 9 Chevrolet Engine Parts 26 Chevrolet Engine Parts 26 Chevrolet Engine Parts 26 Chevrolet Engine Parts 10 Chinome Wheel Rings 9 Cigar Lighters 7 Circuit Breaker 14 Clamps, Hood 22	GG
Cigar Lighters	G
Clamps, Hood 22 Clamps, Hose 8-16	GGG
Clamps, Muffler 21 Clearance Lamps 12	GGGGG
Clips, Bug Screen	GG
Clothes Carrier and Racks 7 Clut h Plates and Facings 23	G
Coat Hangers	0000
Chrome Wheel Rings         9           Cigar Lighters         7           Circuit Breaker         14           Clamps, Hood         22           Clamps, Hooe         8-16           Clamps, Muffler         21           Clearance Lamps         12           Clips, Bug Screen         6           Cloth, Pollshing         10           Clothes Carrier and Racks         7           Clut b Plates and Facings         23           Dost Hangers         14-18           Compass, Auto         32           Compressors, Ring         19           Connecting Rods         25	G
Connecting Rods	G

l Satisfact	i
Copper Terminals14 Copper Tubing20	10
Cork Gaskets	0
Cork Gaskets         24           Cork Sheet         24           Cotter Pin Puller         25           Cottor Waste         30           Couplings         25           Covers         26           Covers         21           Cowl Ventilator         19           Crankcase Ventilator         22           Crankshaft Pulley         Ford         22-27           Crescent Pattern Wrenches         28           Crib         Auto         11	0
Cotton Waste30	0
Couplings, Brass20 Covers, Seat11	0
Cowl Ventilator Gasket19 Crankcase Ventilator22	0
Crankshalt Pulley, Ford22-27 Crescent Pattern Wrenches28	0
Cross Chains 8	0
Criscent Pattern Wrenenes. 28 Crib, Auto 11 Cross Chains 8 Cup Grease. 30 Curb Signals. 16 Curtain Fastener: 11 Cushions, Wedge 11 Cutouts, Generator. 18 Cylinder Heads 26–27 Cyl. Head Gaskets 24	C
Cushions, Wedge	ŀ
Cylinder Heads26-27	I
	F
Vash Control         23           Dash Lamps         13           Dash Starter Kit         18           Dash Trays and Fence         6           Deflector, Bug         9           Diaphragm, Fuel Pump         23           Dimmer Switch         15           Directional Signals         32           Distributor Parts         14-18-22           Door And Trunk Rubber         9           Door-Ease Grease Stick         9           Door Handles         15           Door Handles Springs         15           Door Lock Knobs         15           Door Locks         15           Door Scuff Pads         11           Door Silencers         9	I
Dash Trays and Fence	F
Diaphragm, Fuel Pump	HH
Directional Signals32	H
Door and Trunk Rubber 9	H
Door Handles	F
Door Lock Knobs	E
Door Scuff Pads11 Door Silencers 9	E
Door Weatherstrip	HHHH
Door Scuff Pads	100
Drive Gears 24 Drive Shafts 21	1
Drive Shaft Housing Support22 Driving Lamps13	I
Dry Cells 32 Dry Cleaner, Upholstery 10 Dual Ignition Plates 18 Dulux Enamel 10	I
Dual Ignition Plates	I
	1
Emery Cloth Order Form Emery Cloth 10 Enamels, Auto & Home 10 Engine Supports 22-26-27 Engine Valves 20 Exhaust Extension 22 Exhaust Pipes 21 Exhaust Pipe Repair Flange 22	1
Engine Supports22-26-27 Engine Valves. 20	J
Exhaust Extension	F
Exhaust Pipe Repair Flange22	F
Fan Auto	F
Felt Mats	L
Felt Washers	L
Fender Splash Guards	Ī
Fibre Seat Covers	ILLI
Files & Stones, Ignition 14 Filter Bowl Gasket 23	T
Files & Stones, Ignition 14 Filter Bowl Gasket 23 Filter Bowls 23 Filters, Gasoline 23 Filters, Oil 30 Fittings, Brass. 20 Fittings, Grease 30 Figure 6	I
Fittings, Brass	1
Flaps, Tire	Z
Flashlight Holder 7	I
Float, Hydrometer31	IN
Fittings. Brass. 20 Fittings. Brass. 20 Fittings. Grease. 30 Flaps. Tire 6 Flashlight and Parts. 7 Flashlight Holder. 7 Flexible Shaft Drive Unit. 29 Float, Hydrometer 31 Floor Mats. Felt. 8 Fluid for Gas Gauges. 23 Flywheel Gears. 24 Fog Horn. 9 Fog Lamps. 13 Foglight Switch. 15 Foot Rest, Accelerator. 15 Ford A, B & V-8 Parts. 22-27 Ford Fender Ornaments. 6 Ford T Parts. 17-25 Frames, License Plate. 7 Fuel Lines. 23 Fuel Pumps and Repairs. 23 Fuel Pumps and Repairs. 23 Fuse Cilp. 14 Fuses, Auto. 14 Garment Bags. 7 Gas Door Guards. 12	MANANAMANAMANAMA
Fog Horn 9	17
Foglight Switch 15	IN
Ford A, B & V-8 Parts22-27	17.
Ford T Parts	N
Fuel Lines	IN
Fuse Clip	N
Garment Bags	P
Gas Filters 23 Gas Gauge Fluid 22	1 00000
Gas Lines23 Gas Tank Caps12	(
Gasometer	0
Gasket Cutter Set	0
Gaskets & Compound24 Gauges, Oil22	1
Gauges, Thickness	-
Gears, Drive & Timing24	t
Fuses, Auto. 14  Garment Bags. 7 as Door Guards. 12 Gas Filters. 23 Gas Filters. 23 Gas Gauge Fluid. 23 Gas Lines. 23 Gas Lines. 24 Gas Lines. 24 Gaswet Cuter Set. 24 Gasket Coment & Shellac. 24 Gasket Cuter Set. 24 Gasket Goo. 24 Gasket Goo. 24 Gauges, Oil. 22 Gauges, Oil. 22 Gauges, Tire. 7 Gear Lubricants. 30 Gears, Drive & Timing. 24 Gear Puller. 22 Gearshift Balls. 12 Gearshift Balls. 22	I.
Gear Puller       22         Gearshift Balls       12         Gearshift Grease Guard       22         Gearshift Repair, Chev       21         Generator Bearings       14	P du
Generator Bearings14	I

et	ion L	
14	Generator Cutout	i
24	Generator Cutout 18 Generators & Parts 14-26-27 Glass Cleaner 10 Glass, Tall Lamp 13 Glass, Windshield & Door 5 Graphite Olls 30 Graphite Spray Gun 30 Grayel Deflectors 8	ı
25	Glass, Windshield & Door 5 Graphite Oils	ı
	Graphite Spray Gun	ı
11	Grayel Deflectors 8 Grease 30 Grease Guns 30 Grease Ram 30 Grease Retainers 30 Grille Guards 32 Grille Raddator 6	
-27 -28	Grease Retainers 30	
11	Grille Radiator 6 Grinding Compound 20 Grip Lock Plier Wrench 29 Guide, Valve Grinding 20	
30	Grip Lock Plier Wrench29 Guide, Valve Grinding 20	
11	Hack Saws and Blades 29 and Choke Adapter 23 Hand Spotlight 14	
18 -27 24	Hand Spotlight 14 Handles, Door 15	
31	Handles, Door 15 Hanger, Tail Pipe 21 Headlamp Indicator 13 Headlamp Parts 13-15-22 Headlamp Relay 13 Headlight Anti-Clare Shields 13 Headlight Switch	
23 13 18	Headlamp Relay	
6	Headlight Switch	
23 15 32 -22	Head Glauge	
32	Hood Anti-rattlers	
9	Hood Lacing 11 Horns and Accessories 9	
15	Hose & Clamps, Radiator16	
11	Hot Patches	
9	Hub Caps	
9 13 20	Hydrometers and Floats31	
orm	Ignition Cable Sets	
24 21 t22 13 32	Ignition Rain Guards	
32	Ignition Wrench Sets14-28 Initials	
18	Inside Door Handles 15	
orm	Insulators, Electric Fencer Order Form Order Form Order Form	
10 10 -27	Jacks Car and Truck	
20		
22	Key Chains 5 iddy Seats 11 King Bolts & Bushings 16-26-27	
5	Kleenex Dispenser	
8	amp Bulbs7-13	
9	amp Bulbs	
13	License Bolts, Jewel	
11	License Card Holders	ı
14	Light Switches     15-18-29       Lining, Brake     17       Lining, Transmission     17       Locking Gas Tank Caps     12       Lock Washers     25       Luggage Carriers     6       Machine Oil     30       agnetic Dash Trays     6       Magnetic Memo Pad     19       Magnetic Thermometer     19       Manifold Gaskets     24       Mat Cutter Set     24       Mats, Floor     8	
23	Locking Gas Tank Caps12 Lock Washers25	l
30	Luggage Carriers	
6	Magnetic Dash Trays	
6	Manifold Gaskets	
7 29 31	Mat Cutter Set	
	Matting, Running Board 6 Memo Pad, Magnetic	
13	Miracle Adhesive	
12	Monogram Initials 7 Mop, Car Wash 10	ı
. 6	Motor Oils	ı
7	Moulding, Running Board 6 Muffler Clamps 21	ı
23	Mufflers and Pipes21 Muffler Repair Kit21	ı
7	Multiple Connector	I
12	Nuts and Bolts, Wheel	
23	0il and Grease30 il Filters and Parts30	I
20	Oil Pan Gaskets 24	
7 12 23 23 23 20 24 24 24 24 24 24 22 14 27	Multiple Connector	
24	packing, Valve Stem20	
14	Packing, Valve Stem	I
24	Replacement parts shown throughout this book are fully Guaranteed to give satis- factory service. Made by inde- pendent manufacturers and no-	١
24	factory service. Made by inde- pendent manufacturers, and not by nor represented to be, the	I
21	by nor represented to be, the product of any carmanufacturer	۱
-		ĺ

Paint Sprayers         10           Paints & Brushes         10           Parking Lights         13           Patch Kit         4           Patches, Tube & Tire         4           Patching Cement, Rubber         4           Pedal Pads         12           Pedal Pads         12           Pedal Pads         12           Penetrating Oils         30           Perfect Circle Rings         19           Piston Ring Tools         19           Piston Rings 19; Skid         19           Pistons and Pins         25           Platte Wood         9           Pilers         14-29-31           Plugs, Lamp         13-15           Plugs, Tire Repair         4           Polish: Auto Body & Metal         10           Port Holes, Fender         6           Pump Conn. & Leathers         5           Pump Hose & Clamps         5           Pump S, Tire         5           Pyroll         30
Radiator Caps
Rugs, Auto. 5 Running Board Matting. 6 Rafety Razor Blade Scraper. 22 Sandpaper. 10 Screw Drivers. 29 Screwstarter. 23 Scuff Mats. 8 Scuff Pads, Door. 11 Seal Beam Connector. 13 Sealed Beam Connector. 13 Sealed Beam Adapter Kit. 13 Sealed Beam Adapter Kit. 13 Sealed Beam Lamp Unit. 13 Sealed Beam Lamp Unit. 13 Sealed Beam Lamp Unit. 14 Sheat Covers & Fasteners. 11 Shafts, Axle & Drive. 21 Shims, Axle. 24 Shellac, Gasket. 24 Shellac, Gasket. 24 Shims, Axle. 21 Shims, Battery. 31 Shook Absorber Bushings. 16 Shook Absorber Bushings. 16 Shook Absorber Fluid. 16 Shook Absorber Shushings. 11 Side Wall Patter. 11 Side Wall Patter. 11 Side Wall Patter. 11 Side Wall Patter. 12 Socket Wrenche Sets. 28 Socket Wrenches. 28 Socket Wrenches. 15 Solder and Paste. 14 Spark Plug Gap Tool. 14 Spark Plug Gap Tool. 14 Spark Plug Grap Tool. 14 Spark Plug Grap Tool. 14 Spark Plug Grap Tool. 14 Spark Plug Wrenches. 14 Spar
Sets

THE RESERVE AND DESCRIPTION OF THE PERSON OF
Sun Visors 9 Switches 9-14-15-18-29
Tacks
Tire Paint
Universal Joint Boots
Visors, Sun. 9 Vulcanizing Patches. 9 Vulcanizing Patches. 9 Vulcanizing Patches. 25 Washer, Pump 5: Lock. 25 Washer, Windshield. 32 Waste. Cotton. 30 Waterpump Piers. 29 Washing Mit. 10 Water Pump Packing. 16 Water Pump Packing. 16 Water Pumps and Repairs. 16–26–27 Weatherstrip, Rubber. 9 Wedges, Spring. 22 Welding Goo, Pep. 6 Wheel Pullers. 19 Wheel Rings. 9 White Sidewall Paint. 10 Wind Deflectors. 9 White Sidewall Paint. 10 Wind Deflectors. 9 Window Anti-Rattlers. 9 Window Channel Strips. 5 Window Regulator Repair Kit 5 Window Regulator Repair Kit 5 Windshield Washer. 32 Windshield Wiper, Electric. 22 Wiper Blades, A m & Hose. 24 Wiper Blades, A m & Hose. 24 Wiper Blades, A m & Hose. 24 Wiper Blades, A m & Hose. 25 Wiper Blades, A m & Hose. 24 Wiper Blades, A m & Hose. 25 Wiper Blades

2 Free Delivery

We prepay batteries (page 3), tires and tubes (page 4), also all items marked postpaid or any order amounting to \$25.00 except radiators (page 16), springs (page 23), oils (page 30). If you want order rushed we will ship by express and allow you what freight charges would be. PRICES—We will try to maintain prices no higher than shown in this catalog, but unsettled conditions may compel us to change prices on some items. All prices are subject to changes beyond our control. If prices increase, we will write you before shipping, if decreased we will refund the difference. We will do our best to maintain lowest prices, as always.

Choose from THREE price groups—Glasliner month—Wizard 24 month—Empire 20 month—all built to rigid specifications to insure highest quality and best value in their respective groups.

OUR GUARANTEE RATING IS VERY CONSERVATIVE — WITH REASONABLE CARE THEY WILL GIVE MUCH LONGER SERVICE. SIZE FOR SIZE THERE ARE NO BATTERIES MORE POWERFULLY BUILT

New in design and construction—2 additional over-size plates in each cell. GREATER RESERVE! EXTRA CAPACITY! LARGER PLATES! No battery can surpass the remarkable performance of WIZARD "SUPER POWER" Batteries.

EXTRA SIZE — Larger plates than so-called standard deliver extra amperage to assure a constant reserve of power.

EXTRA PLATES — Two additional over - size plates in each cell. Now—15 plates instead of usual 13. 17 plates instead of the usual 15.

EXTRA POWER — Extra reserve power for Heaters, Radios, Stiff Motors, etc. Larger plates carry higher than average amperage.

EACH PLATE is approximately 20% larger and contains 20% more active, power-producing material. Gives quick, positive starting in the



SUPER POWER "GLAS-LINER", our top quality batteries, have fibre glass insulation, as well as cedar, and carry a 36 month guarantee.

### Super Power "Glas-Liner" 36-MONTH GUARANTEE

## Long Life Batteries

An amazing improvement! Acid resistant fibrous glass mats prevent shedding of active material; keeps it in proper position on the plate grids even after years of use. Greatly increases normal life of battery and insures constant full power.

L3-HTG17-120 ampere hour, 17 Plate (51 plates-per battery) High

type, heavy duty for cars in 

L3-LG19-110 ampere hour, 19 Plate (57 plates per battery) for cars in Group 2L ......\$21.50

L3-PLG19-130 ampere hour, Heavy 19

Plate (57 plates per battery) 191/4" long, for cars in Group

\$23.75

### BATTERY GUARANTEE

If a defect should develop within 90 days, we will replace Free of Charge — after 90 days any defective battery will be repaired or replaced, charging only for service received.

### SUPER WIZARD POWER

### MONTH GUARANTEE Adjustment Period

L3-S15-100 ampere hour, 15 Plate (45 plates per battery)

for cars in group 1 ...........\$17.45 L3-SP17-110 ampere hour, 17 Plate

(51 plates per battery) oversize for cars in Group

1 ......\$19.25

L3-S17-115 ampere hour, Heavy 17 Plate (51 plates per battery) for cars in Group

2 ......\$19.95

L3-S9-12 Volt 54 Plate, for all English cars. Size 11 3/4" long, 7" wide, 87/8" high..................................\$23.50

### GROUP LISTINGS

GROUP 1-91/8" long.
Fits following cars:

Fits following cars:

Buick, standard 6's
Buick, small 8's
Chev. '19-36 & '40-51
Chrysler 4 and '31-36
De Soto 6's
Dodge, small 6's
Essex, all except '32
Ford, '22-32
Ford, '22-32
Ford, '24-37 and
'49-50
Stude. med. 6's & 8's
Whippet, all 4's
Willys 4, '33-51
Graham Paige, small
Nash, std. 6's

Also fits all tractors using this size. GROUP 2-10%" long.
Fits following cars:

Buick, Master 6
Buick, light & med. 8
Chrysler, 6 and 8
De Soto, 8, '35-51
Dodge 4, 1927-28
Dodge, Large 6 & 8
Essex, all 32
Graham Paige
Hudson, (except 31)

Also fits all tractors using this size.

GROUP 2L-Low Type.

Fits following cars:
Ford V-8, '33-39 also Special '41-48;
Hudson 6, '35-51; Chevrolet, '37-39; Lincoln
Zephyr, '36-39; Terraplane, '34-39.

GROUP 2E—19¼"long.
Fits following cars:
Buick, 1938-51; Oldsmobile, 1938-49;
Pontiac 8, 1939-51; Pontiac 6, 1941-48.

GROUP 2F-Fits following cars:
Ford, Mercury, Meteor and Monarch,
Custom and Deluxe, and Lincoln, 1940-51.

## EMPIRE 20 Month BATTER

### "DOUBLE

These are replacements for standard equipment on many cars, but are superior to standard in quality, and service. They are equal to our Super Power line in all details except plates, these being standard size. Our 20-month guarantee is very conservative; with reasonable care, they will give much longer service.

Plate (45 plates per battery). Standard for cars in Group 1 .......\$14.95

L3-L17-100 ampere hour, 17 Plate (51 plates per battery). Standard for cars in 

L3-A15-90 ampere hour, 15 | L3-PL17-110 ampere hour, 17 Plate (51 plates per battery). 191/4" long,

Standard for cars in Group 2E...\$19.95

L3-F17-120 ampere hour, 17 Plate (51 plates per battery). Standard for cars in Group 2F ......\$20.65



## Empire FIRST Tires

When you are ready to buy new tires—make sure of top value and performance by choosing EMPIRE FIRST-LINE tires. They are equal in quality to most standard brands, being made by a leading Canadian tire factory, by the same men and of the same materials as their regular line, yet sold by us at much lower prices, due to our lower cost method of distribution.

Premium features of EMPIRE FIRST LINE tires are:

Wide flat tread—distributes wear and road shock over larger area of tire thus increasing tire mileage. More rubber in contact with the road gives more traction and quicker, safer stops. Deeper tread gives added protection against bruising and adds thousands of safe miles to the life of the tire.

Two extra plies under the tread—Built-in breaker strip reduces the possibility of casing breaks caused by stones, pot holes, or other road hazards.


Special bead construction eliminates any possibility of bead failure.



Every EMPIRE FIRST-LINE tire or tube bearing our name and serial number, is guaranteed to be free from defects in workmanship and material without limit as to time or mileage. If our examination shows such tire or tube has failed under the terms of this guarantee, we will either repair it or make a reasonable allowance on the purchase of a new tire or tube.

## IMPORTANT—WE PREPAY ALL TIRES

Size	4-Ply
4.40 - 4.50/21	\$15.75
4.75 - 5.00/19	16.65
4.50 - 4.75 - 5.00/20	17.75
6.25 - 5.50/17	20.95
5.25 - 5.50/18	19.75
6.00/16	20.25
6,25 - 6,50/16	25.95
6.70/15	24.50
7.10/15	27.95



### EMPIRE **Full Moulded**

Heat resisting, tear resisting, circle molded

FIRST LINE TUBES

offer these superior advantages:

No Creasing Always Flexible No Pinching Shock Resistant No Buckling Trouble-Free

—Made of highest quality materials obtainable.

High carbon, high tensile rubber.

Super-Resistant to heat at high speeds.

Cured to tire shape in individual molds.

Smooth, uniform thickness, easier to repair.

to retain their snape, assuring pe	Trect and
Size	Prepaid
4.40 - 4.50/21	
4.75 - 5.00/19	. 3.70
4.50 - 4.75 - 5.00/20	
5.25 - 5.50/17	4.25
5.25 - 5.50/18	
6.00/16	4.15
6.50/15	. 5.05
6.25 - 6.50/16	5.10
6.70/15	4.95
7.10/15	5 25



add thousands of miles to the **ife of tires that otherwise w**ould be thrown away

"EMPIRE AUTO"

Heavy duty 4 Ply genuine tire cord construction. Coated with plastic gum rubber to fill cracks, keep out moisture and dirt and prevent wear. Reliners reduce punctures, bruises, rim-cuts and blowouts. Don't risk an accident by riding on weakened tires - Empire Reliners will make them safe.

Supplied in sizes to fit all passenger car tires. State size wanted. All Prepaid.

L4-1-4 Ply Passenger Reliner, each.......\$2.15

### 6-PLY TRUCK RELINERS

L4-9—32×6, 6.00/20, 6.50/20 **\$4.35** L4-7—34×7, 7.00/20, 7.50/20 **\$4.35** 

### Tire Plugs

SELF-THREADING TYPE

New, improved, large size, Self-Threading Tire Plug-High grade rubber, extra resilient and tear-proof. Cannot blow out. Friction heat vulcanizes plug.

L4-20—Each, small size..... L4-26—Each, large size.....



### **Patching Cement** Made from high grade para rubber. For patching all rubber goods. L4-2-34"x4" Tube. 15c

L4-3-1"x5" Tube. 19c L4-4-1/4 pt. bottle 39c



### Sheet Rubber Tube Patching

For mending tubes and other articles of rubber. Cut any size you need. L4-41—Small sheet 3x6.....15c

L4-42-Large sheet 6x6... .29c L4-37-1-lb. roll about 6x72......\$1.69

### Self-Vulcanizing Blow · Out Patches FOR ANY TIRE

Made from carefully selected cord material and coated with raw rubber cement, which vulcanizes the patch permanently to the tire, and prevents water, dirt, etc., from entering; skived feather edge prevents chafing. Average Shipping weight, 8 oz.

### SHAPED TO FIT THE CASING

At our very low prices it will pay you to carry spare patches.

L4-N1—4x5. each	10	C
	15	C
L4-N3-7x10, each	25	C
L4-N4-9x12, each	35	0
L4-N5-10x15, Jumbo size, each	45	C


### Rim Cut Patch

Don't throw away your casings that have been rim cut. Apply this patch and get several thousand more triles out of them.


L4-SW7—Rim Cut Patch......75c

Postpaid.





### TUBE PATCH KITS



### Self-Vulcanizing

Made of highest quality self-vulcanizing rubber; specially prepared for cold patching.

### Will outwear the tube.

Makes ideal patch that will stretch with tube. Sticks and stays stuck. Contains 4"x5" sheet of rubber (20 square inches), and \(^4\x3\) tube of cement. In handy container with buffer top.

### Autopocket Patch Kit

A handy flat shaped tin box, containing 24 square inches of rubber, 12 ready cut square patches, 3½-in. tube of cement, and buffer.

L4-34—Ship. wt., 6-oz. 39c

### Jumbo Tire Repair Kit



Don't just patch a puncture—Vulcanize and be assured of a leak-proof, slip-proof, permanent repair. You can easily do it yourself and save. Complete instructions on package. All Postpaid.

L4-E3—Vulcanizing outfit. Clamp complete with 3 patches.

3 patches 98c
L4-E10—Vulcanizing outfit. Clamp, complete with 10 patches \$1.49
L4-32—Oblong Patches, for cuts and tears,

L4-77—Box of 10 oblong patches L4-33—Round Patches, for nail holes, each. 10c L4-78—Box of 10 round patches......85c L4-82—Giant Oval Patches, each ..... L4-83—Box of 5 Glant Oval Patches



Be sure the Jack you carry operates efficient-ly, and avoid inconven-iences on the road. A good Jack is a necessity in the tool equipment of every car.

### **BUMPER JACKS**

Especially designed for new model cars with knee action wheels and long, stream-lined fender skirts. No need to soil clothing by crawling under car. Simple and easy to use in an upright, comfortable position.

L5-33-(A) "Royal Hydraulic". Easy hydraulic lift. Quick action-perfect height adjustment; lifting range 18 inches, operated without bending over. Simple, one piece construction. No parts to put together or get lost. Low enough or high enough 

L5-34-(B) "Friction" type. No gears, no ratchet, no greasing. Easy and safe to operate. Lifting range, 22 inches. Capacity, 2,000 lbs. Weight,

L5-35-(C) "Screw Type". Sturdy construction. Unbreakable lifting hook fits either single or double bar bumpers. Lifting range, 23 inches. Capacity, 2,000 lbs. Weight, 7 lbs.....

Suitable for cars weighing 2,500 lbs.

Double screw design gives wide lifting range. Broad sled base. Long turning type handle folds for storage. Hardened steel cap grips securely.

L5-2105-Complete. Weight, 5 lbs..

### SCISSOR JACK

The most scientific jack ever designed; embodies in the highest degree, the scientific application of the leverage principle. The handle is 21 inches when closed, 3½ feet when open, making it unnecessary for the operator to get under the car to place jack in position. Capacity, 3,500 lbs. Weight, 10 lbs.

L5-2805—Complete with handle......\$7.95 


### Heavy Duty Hydraulic Truck Jack

Easy to operate; very little effort will raise or lower even heaviest load; Jack has automatic release. Made of brass and best selected rust-proof steel. Total height of jack when lowered is 9 inches; when raised, 17½ inches; weight, 21 lbs.; capacity, 5 ton.

L5-2915-Complete with 32" jointed handle \$22.50

### Three Ton Truck Jack

Sturdy, powerful, axle type. Ratchet pump action, designed for heavy service, 6,000 lbs. capacity. Height 9 inches, raises to 15 inches. Hinged extension cap adds 2 inches to raised height. Long folding handle. \$2.75 L5-36-Truck Jack, ship. wt., 15 lbs...... \$6.89



A—Power Tire Pump, Engine Driven. For tractors and trucks, as well as pleasure cars. Will inflate any tire in a few minutes. Complete with 12 feet of air hose and adapter to fit spark plug.

L5-26—Standard Model without gauge...... 3.85

B—Foot Pump. Inflates tires in HALF the time required by conventional hand pumps, and with only ONE-THIRD the effort. The quick-action air chuck attaches to valve, and with a few short strokes, tire is quickly inflated. Has a drawn steel cylinder—no joints or seams. Leak-proof valve prevents back-leak. L5-27—Complete with long hose.....\$4.95

D—Leader. Length overall 20". 11/4" diameter. Broad base, good rubber hose and strong wood handle L5-29-Leader, ship. wt. 11/2 lbs......\$1.85

Empire (not shown). Strong seamless steel barrel, 1½" diam, wide foot base. Large handle, oiled cup plunger, heavy fabric hose with screw-on connector. Easy action.  E—Giant Deluxe. Strong construction, of durable seamless steel tubing. 1½" dia. Cast head, with reinforced oversize handle. Malleable from base. Extra long heavy duty hose. L5-31—Giant, ship. wt., 4 lbs..................\$2.85

F-Golden Rod Pump. Fastest, most powerful hand pump made. One stroke equal to three on ordinary pumps. Produces over 400 bs. pressure, due to famous Golden-Rod By-Pass Valve. Folding base, large handle, easy action. Has longer hose with angle connector. Guaranteed for 5 years.

L5-38-Golden-Rod Pump. \$4.95 

### PUMP PARTS and SUPPLIES


L5-15—Pump Hose, 24 ins. long with screw-on fitting..... L5-13—Pump tubing, 3/16" inside diam., per ft..... Pump Hose Clamps

### SAMSON RUBBER **BLADE AUTO FAN**

An all-weather, all-season driving necessity. For ventilation in summer, and defrosting in winter. Flexible rubber blades for safety, quiet, long-life motor, oilless bearing type. Bullt-in 2-speed switch. Complete with universal bracket to fit all cars. Postpaid. L5-22—6-volt, for most ears

12 VOLT MODEL FOR ENGLISH CARS

### Rugs for Automobiles



Tartan all-wool rug, for motoring, travel-ling, camping, etc. In a service-able weight and attractive pat-tern, with fringe. Size about 58x68 inches

### Car lifting at its SAFEST!

The firmest of all geometric designs used for the first time in the NEW TRIPOD BUM-PER JACK. Practically impossible to upset, can be used safely on uneven ground. Made of sturdy channel and angle iron, with rust-resisting aluminum finish. Lifting hook of alloy malleable iron, low position 6 ins., raised 30½ ins. Capacity, 3,000 lbs. Ball bearing action makes operation easy. Folds up compactly, easy to store. of a used firmest dic designs



L5-32—SAF-T-LIFT Tripod Jack, ship.

Save up to 40% at Empire Stores on

### WINDSHIELD and DOOR GLASS

For All Cars and Trucks

Door glass supplied with three edges finished, ready to install. Installation is very simple; you can save up to 40% by doing the job yourself. We can supply glass for any car or truck. Write for new low prices.

When ordering, be sure state make, year and model or car serial number, dy type (coach, sedan, etc.).

Now supplied in Safety Glass only.

Important—In most provinces, the law states that safety glass MUST be used for windshields, front doors and rear window. Please order accordingly. We list most popular sizes; write for price on sizes not show.

	Safety	Safety
L5-40—14x24 L5-41—14x26 L5-42—14x28 L5-43—14x34 L5-44—14x44 L5-45—14x46	\$7.35 7.95 8.65 10.45 13.65	L5-46—16x24\$8.45 L5-47—16x269.25 L5-48—16x289.95 L5-49—16x4415.35 L5-50—18x2610.35

Note-Deduct 50c for each additional glass when ordering more than one.

Glass is not returnable for refund, nor can it be shipped C.O.D. as it is cut to special order.

### Window Regulator Repair Kits



A quick, permanent re-pair, saves buying a com-plete new regulator. Kit contains pinion, spring, spacer, shoulder stud and tubular rivets; full instruc-tions. State year and model.

L5-	5—Fords, 1928-41 (6-Tooth)	ĸ.
L5-	6-Fords, 1928-49 (5-Tooth)\$1.35	5
L5-	7-Plymouth, Dodge, 1930-41 (5-Tooth) \$1.35	5
L5-	8-Plymouth, Dodge, 1930-41 (6-Tooth) .\$1.35	8
L5-	9-Chev., Pontiac, Buick, 1929-38	5
L5-1	0-Chev. Pontiac, Buick, 1939-47 \$1.35	5
	1-Chev. Trucks, 1930-40 (5-Tooth)\$1.35	
L5-1	2-Chev. Trucks, 1930-40 (6-Tooth)\$1.35	ij
-		

### Window Channel



Make car windows rainproof, dustproof and noiseless. Scien-tifically designed to keep glass true and eliminate rattles.

### Flexible Glass Run Channel

For curved or straight windows. Construction-rubber covered perforated steel core, durable woven fabric lining, and exposed edges. Postpaid. L5-21—4 ft. length \$1.10

### KEY HOLDERS



or, oilles in 2-speed universal Postpaid.

The post cars and the post cars artistic designs, reversible. Strong battery.

Strong battery.

Strong battery.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.


Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket, with soft finish. Size about 54x84 ins.

Strong cotton blanket.

Free Delivery

We prepay batteries (page 3), tires and tubes (page 4), also all items marked postpaid or any order amounting to \$25.00 except radiators (page 16), springs (page 25), oils (page 30). If you want order rushed we will ship by express and allow you what freight charges would be.



Add glamour and distinction to any car. For lender trunk lid or hood mounting, Triple chrome plated for lasting beauty.

A—Rockets—Give your car that new "jet" look with this smart hood decoration.


L6-102—Rockets, pair \$2.75

B—Stars—Mount in pairs or threes on front or rear fenders to suit your own taste.

L6-103—Stars, pair \$1.69 

Postpaid

### CHROME TRIM RINGS




For body or fender mounting. Give your car that racy, super-charged appearance with these chrome-plated fender ports. Two smart styles, round or oval. Easily installed. Postpaid.


L6-71—Complete set of 6 Round Trim Rings. \$2.35
L6-72—Complete set of 6 Oval Trim Rings, \$1.95

### Ford Fender **Top Ornament**

For 1949-51 Ford and Meteor. Gives latest stream-lined effect to rear fenders. Adds "class" to your car. Triple chrome-plated with red jewel reflector. Easily installed. L6-100—Fender Ornaments, pair.....\$9.95



### **Ford Fender Side Streamer**



Adds new beauty to 1949-50 Fords Heavy chrome-plated strip fits over bulge on Ford rear fenders, streamlines and beautifies the appearance of your car. Easily installed.

L6-101-Fender S treamers,

### Tire Flaps

5-10—Heavy Duty, rubberized fabric, with soft flannel facing. Fits all sizes.

Each. \$1.25

Ship, weight 12 oz.

L6-14—Endless rubber rim flap for all wire wheels. Ship. weight, 4 oz.



DASH FENCE

AND

TRAYS

Keep your most needed items right at your finger-tips. Cigarettes, pipe, matches, sunglasses, pencil, etc., always handy no fumbling in glove compartment or pockets. Fit all ears. All postpaid.

## **Spring** Fasteners

FOR BUG SCREENS, RADIATOR COVERS, ETC.
Rustproof cadmium finish. Hold tight.



L6-109-Each



A—Polished Aluminum—Fastens with moulding screws or suction cups. L6-105-Each, Right or Left. \$1.25

**B—Magnetic**—Stays put on any metal surface. Smart plastic tray, in **Maroon**, Bronze or Gray; powerful permanent magnet.

L6-106-Each, state color ...... \$1.15

C-New! Clip-on Tray-Clips under windshield moulding. Radiant

plastic frame in Blue, Red or Green, with plush-lined base, most practical tray made.

L6-107-Each, state color ..... \$1.39

D-Metal Dash Fence-Brightly plated, smartly styled, suction cup mounting. L6-108-Each..

Plastic Dash Fence—Same as above, in colorful plastic.

### Chrome Trim Ornaments | New Radiator GRILLES |



### CHEVROLET


L6-40—1936, all models	1.50 3.95 3.95
FORD	
L6-172—1937, all models 1	

Also available for other cars. Write for prices

### **Truck Valve Stems**

-8077B-Straight Type, 31/8" long, can be bent to suit ... 95c

L6-8078B-Single Bent Type, 334" long ..... 99c





### Rubber Valve Stems

This type is now standard equipment on passenger car tubes.

6-15—Fits 15" and 16" tubes 49c
6-25—Fits 17" tubes. 49c
6-35—Fits 18", 19", 20", 21"

Rim Wrenches

"X" Type Wrench

A sturdy forged wrench with deep sockets 3/4", 5/8", 13/16", and 7/8". Will fit rim and hub bolts on nearly all cars and trucks. Neat plated finish. L6-13—Heavy "X" type. Ship. wt. 2½ lbs....\$1.25

### **Extra Quality Tire Iron**



### Pep Welding Goo Seals Cracks in Metal

A proven product for sealing cracks in cylinder heads, water jackets, valve ports, cylinder bores, etc., permanently. Is guaranteed safe and

....650



### TOP CARRIERS



Easily and quickly installed or removed. Powerful rubber suction cups holds firmly and securely. Will not mar finish. All Postpaid.

### (A) VACUUM CUP CARRIER

For all steel top cars. Large suction cups fasten securely to car top by powerful vacuum. Metal holders with straps for fish poles, oars, skis, lumber and long articles.

L6-64-As shown at (A), set of two.....

### (B) HEAVY DUTY CARRIERS

For carrying boats, canoes, camping equipment, luggage, lumber, ladders and other wide, bulky objects Sturdily built with steel cross pieces. Doubly secure installation; 8 large heavy duty vacuum cups hold securely to top... rubber covered steel clamp hooks lock securely to eave rails of top. Will not mar finish.

### "DELUXE" WIDE CARRIER

Similar to above, with 54-in. bars for carrying wider objects.

L6-68—54 inches wide. Set, complete.......\$12.95

L6-69—Large Suction Cups only, each...........39

### Running Board Matting, Moulding





6-6— Aluminum Moulding, corrugated, size 5/8x1 in. and 6 ft. in length. Ship. weight, 1½ lbs...........98c

### Running Board Cement

Also used for sticking on rubber weather strip, etc. Waterproof and rustproof. L6-8-2-0z. bottle. 35c. L6-7-4-0z. bottle. 65c

### Rim Bolts, Nuts and Clamps



Shipping weight—bolts, nuts, clamps, 2 oz. each.

### Friction Tape

Handy for electrical automobile and house-hold uses. Wrapped in foil. Postpaid.



### RADIATOR STOP-LEAK AND CLEANER



### Warner Liquid Solder

Stops leaks in an instant and prevents rusting and scale. Will not clog. Works in antifreeze and is harmless to aluminum heads. L6-38— 10-oz. can....75c



### Empire Radiator Cement

A low priced and efficient cement works quickly and effectively.
L6-39—
8-oz. can.....39c



### Aluminum Flake Cube Stopleak

When dissolved, seals up tall holes and cracks tickly. Postpaid. small quickly. L6-60—Cube.....25c

### Radiator Capsule


Supplied in two types, one for cleaning, and one for cementing. Postpaid. L6-61-Cleaner..... 150 L6-62-Solder .....15c

### Liquid Radiator Cleaner

Cleans radiator and also water jackets. Keeps water passages clear.

L6-63-16oz. can......

### FLASHLIGHTS and PARTS



Every moto ist should carry a Flashlight

A—Streamliner Flashlight—Beautifully chrome plated on copper, won't stain or tarnish. Modern streamlined design, rugged construction. Prefocused bulb with silver-plated reflector, throws powerful beam. Shatterproof lens, 3 position safety switch. L7-43—Complete with 2 cells...............................\$2.95

H—Penlight—Vest pocket size. Chrome plated finish, plastic tip. Magnifying lens gives strong light. 

in the car ac an times. All rostpara.	
J-Flashlight Cell-RAY-O-VAC leak-proof	cell.
sealed in steel. "The battery that doesn't	need
dating." Unconditionally guaranteed.	
L7-28—Standard size, 13/4 in. dia	20c

L7-30—Penlight size..... ....15c 

E—Heavy Duty Holder, holds large and heavy flash-lights firmly and securely. Rubber rollers prevent rattling and marring of flashlight case.

L7-199—Each.... F-Prefocused Flashlight Bulbs. L7-PR2-2 cell bulb, each..... L7-PR3-3 cell bulb, each.....21c

G-Standard Flashlight Bulbs.

L7-14-2 cell bulb, each..... 

### Coat Hangers



A—Swing-a-Way Hanger. Fits over window glass. Swings out of the way when not in use. Holds 7 hangers.

L7-31—Swing-a-Way Hanger.... B-Suction Cup Type. Holds securely on car windows. Also useful in the home.

L7-39—Suction Coathanger..... 

### CLOTHES CARRIER

Fits Any Car Door

No holes to drill . . . no brackets to attach does not touch the glass, window may be raised or lowered. Eight garments hang high, off the seat, avoiding soil and wrinkles. Rust-proof chrome finish. L7-38—Clothes Carrier,

Postpaid..... ....\$1.75



### Clothes Rack



Fits over car window glass; allows window to close completely. Has suction cup attached to prevent damage to glass. Arm opens to permit hangers to fit into slots, folds up with hangers attached to save space. Locks into position, easily removed.

L7-76-Clothes Rack....\$1.45 Postpaid.

### **Hang-All Auto Garment Rack**



The only rack which is adjustable to fit every car Does not touch doors or windows. Up to 32 garments (100 bs.) can hang full length and wrinkle free. Fits flush with roof of car, does not obstruct rear vision All steel, rust-proof finish. On or off in a jiffy.


L7-75—Hang-all Garment Rack......



### AUTO GARMENT BAG

Heavy plastic, tear-resistant. Keeps clothes clean and neat while traveling, or at home. Full length zipper closure for easy handling. L7-66-Garment Bag ....

### **ASHTRAYS**



### Automatic Cigar

Lighter



A real convenience.

You merely press in and let go . . lighter signals when ready. No more over-heated elements, causing premature element failure and battery drain . . the right heat quickly and conveniently every time.

L7-51—Automatic Lighter complete. Includes bracket and socket for quick, easy installation.

Postpaid.....

### TISSUE DISPENSER



For use with Kleenex and other popular tissues. Fastens beneath glove compartment. Fittings supplied. Tissues included.

L7-108—Tissue Dispenser, Postpaid...................................\$1.59

### **NEW!** Car Monogram Initials

Personalize your car—quickly, attractively, permanently. Applied instantly to your car, portable radio, camera, luggage, handbag, etc. Adhere to metal, wood, plastic, leather, glass or cloth. Smart gold finish; size 1½"x½".

L7-102-Postpaid, each....35c



### License Plate Frame

Adjustable Type Fits All Plates



Easily, quickly adjusted to fit any license plate, and readily installed on any make of car. Telescope corners allow for rigid, rattleproof adjustment. Postpaid.

L7-88-Deluxe; Chrome Finish: .....\$2.49 L7-42-each.....\$1.35



Most popular method for attaching license plates. Supplied in Red or Green; state color wanted. Postpaid. L7-32—(Centre) Standard Jewel, each.................8c L7-33—Set of 4 as above...... L7-34—(Left) Fireball. Very brilliant, each..... 100 L7-27-Set of 4 as above...... 36c L7-35—(Right) Modernistic Streamlined, each 1 3c L7-36-Set of 4 as above .....

## ACORN LICENSE FASTENERS

Chrome plat d acorn nuts, can't rust, never shake loose, protect your license plates against rust damage! Neat, yet smart.

1-7-40-Set of 4

### License Plate Bracket

Clamps on bumper bar. Adjustable type, swivel base. Of heavy steel construction, in black enamel finish. Weight 1 lb.

L7-24—Each .....





### License and Insurance Card Holder

For Steering Column

Attaches to the steering column of car; keeps registration certificate in a convenient place. Postpaid. L7-46—Each......490

### SAVE on SCHRADER PARTS



(F)

(G)

L7-12-(A) Schrader Valve Cores. Box of 5.....390

L7-10-(B) Slotted Valve Caps, each...... 5c L7-11-Box of 5......25c

L7-15-(C) Flat Valve Cap, (A) 

L7-18-(E) Dill Valve Core. Short in length; fit any valve stem. Best core for rubber valves. Box of 5. Postpaid......39c (B)

L7-19-(F) Valve Tool. For rethreading inside or out-side of valves, and re-moving cores......29c

### **Schrader Tire Gauges**

(D)

L7-7750—Balloon Tire Gauge—tests from 5 to 55 lbs..... .....\$2.75 L7-8100—Truck Tire Gauge, tests from 20 to 120 lbs. \$2.85 L7-9350—Tractor Tire Gauge, special for checking air-water Tractor Tires, tests from 4 to 50 lbs. \$2.95

### Acme Deluxe Tire Pressure Gauge



### **Tire Pressure Gauge**



Well made, precision engineered for accuracy and long service. Calibrated in easy-to-read figures, 10 to 40 lbs. Neatly plated finish. L7-80-Leader Tire Gauge, Postpaid ....



### Tire Chains

Be Prepared For Bad Weather

with Empire Giant Grip Chains. They have heavy, case hardened, rust-proof cross links, and weld-ed side chains.

We offer them in two grades; Standard and Extra Heavy Gumbo, the latter being the best value, as they will last twice as long as any standard chain.

### **Chains for Balloon Tires**

Size	Standard Weight	Extra Heavy Gumbo
L8-73—4.40x21, 4.50x20, 4.50x21 L8-74—4.75x19, 4.75x20, 4.75x21 L8-75—5.00x17, 5.00x19, 5.00x20	\$8.45	11.25 11.25 11.25
L8-76—5.25x17, 5.25x18, 5.25x19, 5.50x17, 5.50x18, 5.50x19. L8-77—5.25x20, 5.25x21, 5.00x21, L8-78—6.00x16, 6.00x17, 6.25x16	8.45 8.45	11.25
6.70x15 6.70x16	9.95	11.95
6.50x18, 7.10x15, 7.60x15, L8-84—7.00x15, 7.00x16. L8-87—7.00x17, 7.50x16. L8-89—7.50x17.	10.95 12.50 12.95	13.45 14.45 16.45 16.75

### **Heavy Duty Truck Chains**

L8-34-7.50x16, 7.50x17	Per Pair \$19.95
L8-33—32x6, 7.00x20	16.95 27.95
L8-59—34x7, 7.50x20 Dual, covers both tires L8-57—8,25x20 Dual, covers both tires	29.95

### **Cross Chains** for Balloon and Truck Tires

L8-38-4.40, 4.50, 4.75, passenger, each	J
L8-40-5.00, 5.25, 5.50, passenger, each	
L8-41-6.00, 65, 6.50, 6.70, passenger, each25	a)
L8-46-6.75, 7.00, 7.50, passenger, each	а
L8-43-5 in., 5.50, 6.00, truck, each	
L8-44-6 in., 6.50, truck, each	
L8-45-7 in., 7.00, 7.50, truck, each	а
Average weight, each, 8 ozs.	а

### WEED TRUCK AND **BUS CHAINS**

For use in abnormal and severe gumbo, and soft road or deep snow conditions. Give extraordinary service on mountain roads, prairie trails, or where there are no roads.

	rerrair
L8-81-600/16	\$17.35
L8-63-6.50/16	19.30
L8-64-32x6	20.10
L8-65-32x6 Dual, covers both tires	35.70
L8-66-7.50/16, 7.50x17	24.15
L8-83-34x7.50/20	25.20
L8-67-34x7.50x20, Dual Wheels	37.95
L8-14-8.25x20, Dual Wheels	41.80

### WEED TRUCK AND **BUS CROSS CHAINS**

THE RESERVE TO SERVE THE PARTY OF THE PARTY	Each
L8-68-5", 5.50, 6.00	57c
L8-69-6", 6.50, 7.00	64c
L8-70-6" Dual, covers both tires	\$1.15
L8-71-7", 7.50	88c
L8-88-7", 7.50 Dual, covers both tires	\$1.34
L8-72-8" 9.00 9.75	990

### Repair Links - Self Closing



Repairs broken cross chains in a jiffy without tools. Just slip link in place of the broken link and drive on. The first turn of the

		wne	er croses	rue i	шк.	
L8-30—Pac ping weig	ht. 8 oz	q.				450
L8-36-Pag	ckage of	8 he	avy link	for	truck	chains.

### **Twin-Grip Emergency Chains**

For Passenger Cars Durable; strong. Double the gripping power. Easy to put on.

L8-49—Fits 6.00, 6.25, 6.50, 6.70, each.....\$1.35 L8-50—Fits 6.75, 7.00, 7.50,

each 1.39 Shipping weight, each 1½ lbs.



### **Tire Chain Adjusters** SPRING BELT TYPE



Fit any style of wheel, Hold chains securely in mud or snow, give traction where needed. Endless belt type spring with five flat hooks for each chain, prevent unhooking, banging, or loss of chains. Will add to life of chains and tires, and increase riding comfort. Easy to fasten.

Rust proof finish.

## "EMPIRE" V-SHAPED AND FLAT FAN BELTS

Cord fabric spun from the finest selected long staple Egyptian cotton, giving exceptional strength and bound into a wear-resisting unit by gum-rubber scientifically compounded to prevent internal heat and to insure long life and satisfactory service. Guaranteed to fit perfectly. Save trouble and expense—carry a spare fan belt-Average shipping weight, 12 oz.



BUICK	
87—1929-30, All	.38
CHEVROLET	
55—1917-25, 490, Sup	10

CHRYSLER	
101—1924-27, 6-70 57—1925-28, All 4's 57—1927-28, 60-62	1.10
63—1929. 75 113—1926-30, 65-70-80	1.19
121—1930-34. 6 cyl 133—1935-50	1.45

95-1928-31,6	1.35
100—1930-31, 8	1.45
83-1932. 6	1.35
108-1933-36	
133—1937-50	1.45

DODGE	
95—1929-30, Std. 6 95—1927-31, Sr. 6	1.45

-	DURAN	T		
24-1	927-29, 928-29,	65-66.	 (5)	.69
	928-29, 930-32,			
	CCEV			

ESSEX	
6-1923-27, Super 6	.65
5-1927-29, Std. 6	
1-1930, Chalgr. 6	1.10
3-1931-32	1.35
FORD	
1-1921-25, Mod. T	.49
2 1 008 07 Mod T	

21—1921-25, Mod. T
23-1526-27, Mod. T
86-1928-32, Mod. A & B
141-V-8, 1932
150-V-8, 1933-36
141-85-1937-38
170-60. 1937-40
177-85, and Merc. '39-47.
87—Fan. 1948-49
51—Generator, 1948-49
44-Generator, 1950-51
45-Fan. 1950-51
FORDSON

FORDSON	-
25—1917-28	.9
33-1929-36	1.4
HUDSON	
16—1920-27	.6
83-1928-29	1.3
33-6 and 8, 1931-35	1.4
25-6 and 8, 1936-47	1.3
00-1948-51	1.4
LAFAYETTE	

125—6 and 8, 1930-47	
100—1948-51	1.45
LAFAYETTE	
152-1934-35	1.80
127-1936	
171—1937-40	1.59
NASH	+
55-1925-28, Light 6	.98
99-1929-Adv. 6, 400	1.45
55-1926-29, Spec. 6	.98
117—1930-35, Big 6	1.49
171-1935-40, Amb. 6	1.59
100-1941-48	1.45

7-1-	-83, and Merc. 39-47, -Fan, 1948-49 -Generator, 1948-49 -Generator, 1950-51 -Fan, 1950-51	1.35
5-	FORDSON -1917-281929-36	.98 1.45
3-	HUDSON -1920-27. -1928-29. -6 and 8, 1931-35 -6 and 8, 1936-47	1.35
2-	LAFAYETTE -1934-35	1.35
5-	NASH -1925-28, Light 6 -1929-Adv. 6, 400 -1926-29, Spec. 6	1.45

50	OLDSM 53—1924-30 99—1931	OBILE \$1.15


80- 152- 171-	-1931 -1932, 6 and 8 -1933-36 -1937-48 -1949-50, 6	1.45 1.65 1.80 1.59 1.45
16— 55—	OVERLAND -1920-26, 4-91 -1925-27, 6-93	.65
95-	PLYMOUTH -1928-29, 4Q -1929-30 -1931-32 -1933-50	1.10 1.35 1.49 1.45
57— 95— 99— 171— 97—	PONTIAC -1927-28 -1929-32 -1933-36 -6 and 8, 1937-48 -1949	1.10 1.35 1.45 1.59 1.49 1.45
20-	STAR -1922-27	.65
127— 125—	TERRAPLANE -1932-351936-41	1.35
57-	WHIPPET -All 4's and 6's, '26-30	1.10
95-	WILLYS -1930, All6's	1.35

### Rubber Utility Mat

For Use in Car and Home

Heavy moulded rubber mat in attractive pattern. Covers worn spots in car mat, saves new mat from wear. Userful around the home in halls, kitchen, bathroom, etc. Thin edge prevents tripping, ribbed back stops slipping. Supplied in Black only. 4.8.6. Hillity Mat.





### GRAVEL DEFLECTORS



Protect and beautify rear lenders, prevent damage to paint. Chrome plated for lasting beauty. Practical. durable; easily installed—no drilling. Postpaid.

L8-60—Chev. and Pontiac. 1942-48, pair.........\$6.75 L8-61—Chrysler. Dodge, Plymouth. 1946-48. Pair..........\$8.95



## Fender Splash Guards

Protect car finish from mud, oil, tar, slush and gravel. Made of heavy rubber, attractively designed and neatly finished. Metal clamps fasten securely to any type fender. Can be used on front or rear fenders. Supplied in two styles, Standard and Deluxe. Deluxe style trimmed with chrome panel and red bullseye reflector.





### Truck Splash Guards

Required by law for all trucks and trailers. Heavy weather-proof rubber, cord reinforced to withstand wear and tear on gravel roads. Easily attached. Size 24x30 inches.

\$7.95

### Felt Back Floor Mats





"Semi-fitted" style for Ford, Chevrolet and Plymouth; require no trimming and very little fitting. Other cars use universal mats listed below. Universal mats are oversize. You just use old mat for a pattern and trim the new one to size. It's easy.

Felt-Back mats are extra thick and luxurious. They help keep out dust, heat, tumes, etc. Deaden floor board noises and wear longer.

### FRONT MATS

L8-F28F—Ford A. 1928-31	\$2.75
18-F32F R V8 1932	2.95
L8-F33F- V8, 1933-34	3.10
L8-F35F- V8, 1935	3.65
L8-F36F— V8, 1936	3.65
1 9 F27F 770 1027-20	3.75
L8-F37F— V8, 1937-39	5.25
LO-F40F VO, 1940	5.55
LO-F41F- V8, 1941-40	5.35
L8-C29F—Chevrolet, 1929-31	3.25
L8-C32F— 1932— L8-C33F— 1933-34 L8-C35F 1935-36	3.35
L8-C33F— 1933-34	3.25
L8-C35F 1935-36	3.65
L8=C3/F 195/-58	3.73
L8-C39F— 1939	3.75
L8-C39F— 1939 L8-C40F 1940 L8-C41F— 1941-48	3.75 5.25 5.35
L8-C41F 1941-48	5.35
L8-P41F—Plymouth, 1941 L8-P42F—Plymouth, 1942-48 L8-1F —Small Universal, 34x40x34	5.35
L8-P42F-Plymouth 1942-48	5.95
18-1F —Small Universal 34v40v34	2.95
L8-2F —Large Universal. 39x43x39	3.45
L8-7F —Universal, 46x56x40	
Lo-17 — Universal, 40x30x40	
L8-8F — 44x57x35 L8-9F — 43x55x37	9.40
L8-9F — 43x55x37	5.65
REAR MATS	
	-
L8-3F—Small Universal, 47x47x32	3.49
L8-4F—Medium Universal, 47x47x40	3.85
L8-5F—Large Universal, 50x50x37	4.25
L8-6F—Jumbo Universal, 60x60x37	5.15
	THE RESERVE OF THE PERSON NAMED IN

### Ribbed Rubber Matting

36 in. wide, ½ in. thick Heavy black ribbed rubber matting, used to make r and truck mats, trunk mats, floor runners, etc. L8-52-36 in. matting, per yard...... ...\$3.95

### Felt Floor Pads

Simply slip them under the floor mat. They keep out cold in winter and motor heat in summer. About 34 in thick, Shipping weight, 2 lbs. 4 oz.



We prepay batteries (page 3), tires and tubes (page 4), also all items marked postpaid or any order amounting to \$25.00 except radiators (page 16), springs (page 25), oils (page 30). If you want order rushed we will ship by express and allow you what freight charges would be.

### Powerful - Tuneful AUTO HORNS



A—FOG HORN for all cars and trucks. Complete with variable tone and blast control. On the road . . Roars-like a Lion . . Bellows like a Bull. In the city . . . a s-o-f-t note for pedestrians.

The most EXCITING new horn in ars. Penetrating fog-horn tone carries ther . . LOUDER than most twin rns.

Control gives a novel ROLLING-NE which attracts attention. Can sounded loud or soft as wanted. Control TONE W

FOG-HORN is an extra horn . . . installed entirely independent of horn and wiring already on car. Compact for easy underhood mounting against dash.

L9-95—(A)—Fog Horn, wt., 8 lbs.

B—Songster Tune Playing Horn. The horn sensation of the year! Plays many tunes, Extra loud, has warning signal volume, yet a novelcombination of notescan be easily played. Handy plano-key control clamps on steering post; numbered keys make tuneful selections easy. Sheet music included with horn. Complete with relays, wiring and keyboard control. 

C-Giant Twins. The commanding voice of the highway. Twin horns of amazing volume and brilliant tone—a blast that will be heard hundreds of yards regardless of wind or speed. Extra long projectors, horizontal power plants. Completely wired, with built-in relay. The universal mounting brackets fit allears. L9-99J—(C)—Giant Twins, weight, 10 lbs.

D-Airblast Twins. The loudest air blast horn in the low price field. Has a well matched penetrating air electric tone. Complete with wiring and relay. Uni-versal mounting brackets, fits all cars.

L9-50—(D)—Airblast Twins, weight, 8 lbs..... \$7.75

E—Micro Horn. Dial type. Neat enamel finish. Bracket for headlight bar mounting. Weight, 2 bs.
L9-52—(E)—Leader, enamel finish. \$2.49

F—Airblast Single Trumpet. Top quality trumpet air horn—extra loud—pleasing tone. Full slzed standard power plant, relay & universal mounting bracket. L9-60J-(F)-Trumpet, wt., 4 lbs....\$4.75

### ANTI - RATTLERS

(A)-KWIKON DOUBLE ACTION DOOR SILENCER

Spring steel with rubber pad. Prevents door sticking and acts as door check astens to door hinge without drilling.

L9-16-Each L9-162—Set of 2...... L9-164—Set of 4..... (B)-EZON DOOR SILENCER Rubber cushion with metal insert. Stops rattles, squeaks, and slams. Takes up all possible space that causes vibration. L9-15-Each..... LEADER DOOR SILENCER
Same as B, but smaller. All rubber cushion, o metal insert.

(E)-HOOD CORNER SILENCER

Rubber pad fits on corner of hood, stops rattles, prevents lender scratching.

(F)-WINDOW CHANNEL ANTI-RATTLER Steel spring slips between window frame and channel felt. Invisible after installation.


### HORN RELAY SWITCH



increases volume of horn. Length of wiring often weakens sound of horn. Relay switch steps up the volume and produces powerful tone.

L9-10-Wt. 4 oz. Each ..... .....650

### HORN BUTTONS



9-26—Universal flat type, mounts on any flat sur-face. Wt., 4 oz......35c L9-26-




### FLAME TIP FENDER GUIDE

Shines at night, glows in daylight. Simplifies parking and passing, Lucite rod is lit up by bulb in base. 15" high, has chrome-plated base and clamp adjustable to fit all fenders. Complete with bulb and wiring. Easily installed. Postpaid.

L9-38—With Red Flame. Tip. \$2.75
L9-37-Lucite Rod only. state red or green. each. \$1.49





### RUBBER WEATHER STRIPPING

Rattles Around Doors and Windows
Self-sealing. Made of sponge rubber. One side surfaced with sticky adhesive; will stick permanently to metal, wood, glass, etc. Weight, 6 oz. Easily Applied
Stops Drafts, Door Rattles, Window Rattles, Floor and Hood Rattles, etc. Good for Headlight Gaskets or Seal for Refrigerator Doors.

L9-32-5/32 :	3/8	x 1	) feet	390
L9-33-5/16:				490
L9-34-7/16:				690
L9-35-5/16	3/4	x 1	) feet	850

### DOOR WEATHER STRIP





Molded sponge rubber, replaces original equipment L9-K847—Fits Chevrolet, Pontiac, Bulck, Olds., 1939-51; Plymouth, Dodge, Chrysler, De Soto, Nash, 1940-51; Ford and Mercury, 1949-51, per

19c L9-K532—Ford and Mercury. 1937-48, per ft... 23c L9-21—Special weather strip cement, 2-oz. bottle. 35c L9-22—4-oz. bottle. 65c

### TRUNK WEATHER STRIP





Molded sponge rubber for all around trunk lid. L9-K1462—Fits Chevrolet Fleetline, 1940-48, Pontiae, 1941-48; Buick, 1941-48; Olds, 1938-48, per ft.....35c L9-K1331—Universal for all other cars, per ft......35c


PLASTIC WOOD



### Fender Welt

Rubberized fabric which goes between fender and body. Stops fender rattles and squeaks. L9-55-11/2 in. wide. Per ft .... 8c

### VISORS



L9-19—Style-Flow Metal Visor. Postpaid. \$18.95
Fulton Sunshield No. 800—This popular make needs no introduction. Made entirely of rust-proof aluminum, stainless steel and chrome-plated brass. Supplie in prime finish to fit following 1942-51 cars only: Bulck, Chevrolet. Chrysler, Dodge, Ford, Nash, Olds., Plymouth and Pontiac.
L9-36—Fulton 800 Sunshield. Postpaid...\$22.50

B—Center Arm Visor—Protects eyes from sun and glaring headlights. Double universal joints adjust to any angle. Fits all cars.

L9-37—Center Arm Visor—Fits either side, adjustabl to any angle. Fits all cars.

L9-40—Side Arm Visor—Fits either side, adjustabl to any angle. Fits all cars.

L9-40—Side Arm Visor—Side Arm Viso

L9-40—Side Afm Visor.

D—Anti-Glare Sun Shield. Green plastic shield.

10" x 5". Clips on to your regular visor.

19-41—Green Sun Shield.

E—Green Plastic Sunscreen for windshields and rear window. Flexible plastic clings to glass. Easy to apply; just cut to fit, wet the glass and roll !! on. Real protection from sun and headlight glare.

WINDSHIELD SCREEN
3-42—For all two-piece windshields.
950
943—For all one-piece windshields, including large
1952 models.
\$1.75


1952 models S1.75

L9-44—Small about 23"xx", for most 1936-40 cars. 98c
L9-46—Medium, about 26"x11", for all 1941-48
cars. L9-46—Large, about 36"x11", for all 1950-52
cars. S1.75

### SUPER CHROME WHEEL COVERS

New-Beautiful-Smart

Transforms ordinary wheels to solid Chrome from hub cap to tire. Easy to install snap behind hub cap clamps. Fit snug, will not rattle.



### "Air-Scoop" WIND AND RAIN DEFLECTOR

Keeps windshield clear, removes stale air and fumes.

Deflects cool air to floor boards.
No drafts. Channelsrain water to outside of car. Useful in summer or winter. Moulded of thick clear plastic in Red, Blue, Green., no vision interference. Attaches in a jiffy—fits all cars.

LS-30—Pair, postpaid.....



### Bug Deflector

snow and dust are directed over and around the windshield; for clear vision and safer, easier driving. Clips on to hood centrestrip, easily installed. Shaped like a large butterfly, in beautiful plastic, red, blue, type-13—Bug Deflector, postpaid

### "Door Ease" Grease Stick

A clean, efficient lubr can for doors, locks and other parts where squeaks develop. Also useful in the home for lubricating sticking drawers, windows, doors, etc. Simply use like a piece of crayon.







## KEEP THAT SHOWROOM SHINE!



A—Simoniz Polish—Gives beauty and lasting protection to all surfaces.

B-Simoniz Kleener-Removes dirt, road film, oil stains and dullness.

C—Johnson's Car Plate—A new easy to use polish.
Just spread it on, wipe it off—no rubbing necessary;
gives diamond-hard shine in 20 minutes.

D—Johnson's Car Nu—Cleans and wax polishes your car in one easy operation. Removes scum, road film and dirt, leaves a gleaming finish.

E—Autobrite Silicone Process for polishing cars. Defies rain, sun and salt air. Heatproof, will not waterspot. Cleans, polishes, protects Ali in one easy operation. Brilliant glass-hard finish lasts 6 months or more.

L10-9—LASTIK, chemically treated for polishing cars, furniture, etc., 18x21 inches, postpaid.......59c

C-I-L SPONGE

Made of cellulose. Tougher, more absorbent and more durable than natural sponge. Resists lye, acids, boiling water.

Postpaid.

L10-35-12 oz. can.

L10-36-10 oz. can..

L10-37-20 oz. can.

or more. L10-38—10 oz. can....

POLISHING CLOTH

Soft and Porous For all auto and home cleaning and polishing. Double thickness.

L10-60-3 yard package..35c L10-66-5 yard package..55c

L10-4—31/8 x45/8 x1 1/4 inches... L10-6—31/2 x5 1/4 x1 1/8 inches... L10-8—31/8 x6 1/4 x2 inches... L10-10—45/8 x6 1/4 x2 1/4 inches.

Renew your CAR with

Scientifically formulated to withstand the rigours of our varied Canadian climate. Waterproof, wear and weather-resisting, KwicKwork flows on evenly and dries quickly without brush marks to a lustrous finish of exceptional durability. Apply it yourself—easily and satisfactorily.

Prepaid.

### Available in a Splendid Range of Selected Colors

Black, Medium Blue, Dark Blue, Medium Green, Bright Red, Marcon, White, others STATE COLOR WANTED

COLOR CARD FREE ON REQUEST L10-2-1/2 pt.....850 L10-3-1 qt.\$2.55



### WHIZ TYRE-WYTE

### New White Rubber Sidewalls for any Tires

Self-Vulcanizing, Elastic. Stretches many times it's own length—Will not chip, flake or peel. Dries in twenty minutes without brush marks. Excellent for synthetic or natural rubber tires. Stays White . . . It's washable. One pint coats five tires twice.



ENGLISH CHAMOIS
Select, soft, oil-tanned. Double dressed—soft finish on both sides. Highly absorbent: tanned by the French oil process, which keeps them soft and pliable.

	Postpa	id.			
.10-30-About	13x14	in	\$1	.1	9
.10-31-About	15x16	in	1	.4	9
.10-32-About	17x18	in	1	.9	5
10-41-About	20x19	in	2	.7	5
10-42- About	92v99	in		0	



L10-30-About 13x14 in	1\$
L10-31-About 15x16 in	1
L10-32-About 17x18 in	1
L10-41-About 20x19 in	
L10-42—About 23x22 in	1

### SHEEPSWOOL MITT



Handy washing and polishing mitt for car and furniture. Will not scratch the finest surfaces. Ideal for car washing, will outwear several sponges. Washable elastic cotton wristlet. Use wet

Postpaid

L10-11—Standard size. L10-12—Large size......

.....980



### **BLACK and CLEAR** AUTO TOP DRESSING

Makes tops waterproof, restores
them to excellent condition and
renews their beauty.
L10-17-10 oz can. Black40c
L10-48-20 oz can. Black
Clear Top Dressing for use on colored tops.
L10-49—20 oz, Clear95c
Shipping weight, 1 lb.

### **DULUX AUTO FINISH**

L10-68—Red and Maroon (Non-Bleeding),	\$3.30
per quart L10-69—Dulux Reducer, per quart L10-70—Dulux Thinner, per quart	4.90 1.15 1.25
L10-71—Dulux PX Putty, per quart L10-72—Dulux Primer Surfacer, per quart	3.40



## SPRAY GUN For Touch-up

Operated by Using Air Pressure From Tires

### CHROMATONE SILVER FINISH

A durable protective coating suitable for use on all types of metal and wood surfaces, interior or exterior. Produces a brilliant chrome finish with a high lustre. Heat-resistant—Drying time, 2 to 4 hours.

For automobile, household and industrial uses, Radiators, bumpers, motors, hot water heaters, screens, piping, tanks, fuel pumps, fixtures, stoves, tools, implements, etc.

L10-65-2-oz.	Shipping weight, 6-oz	35
L10-61—4-oz. L10-62—8-oz.	Ship, weight, 8-oz Shipping weight, 1-lb	55
L10-63—1 pint.		
L10-64-1 quar	t. Shipping weight, 2 lbs	2.55

### Paint and Varnish Brushes



Fine Quality.	Pure	Bristle.	Set	in
Rubber. L10-23—1/2-inch				50
L10-27—1-inch. L10-58—11/2-inch				90
L10-28-2-inch.			4	50
L10-29-3-inch.			9	80



## Rim

T CITIT	-
L10-53 - 1/2	Pint
Black	.450
L10-55 - 1/2	
Aluminum	700

### **Engine Enamel**

For Engines, Radiators, Chassis, Etc. Heat Proof—Specially prepared for heat resisting on all metal parts.

### Touch-Up Enamel



Gloss black; for retouching scratches. Dries very quickly. L10-14—Empire, 4-oz.

L10-15—Empire, 8-oz. L10-54-Duco, 1/2-pint

950 Average shipping weight, 8-oz.

### WHIZ TOP DRESSING

An extra heavy black top dressing. Seals cracks and stops leaks in auto tops. Produces a glossy, jet black waterproof finish.

L10-24-8-oz.	can 90c
L10-25-16 oz.	can\$1.45
Ship, weigh	ts, 1-lb. and 1 1/2 lbs.



85° \$1.35

Jack

### NATURAL SPONGE

Handy size, in a good quality, very absorbent. L10-59—Each, Postpaid..\$1.65

### RUBBER SPONGES



A properly made rubber sponge will wash your car cleaner, hold more water, and last longer than any other kind. Our sponges are extra tough and closegrained, designed especially for car washing and similar heavy jobs. Supplied in two useful sizes.

L10-44 — Medium size, oblong shape..... L10-45-Large size, oval shape......79c

### Black Tire Paint



## SANDPAPER and



PAINT

L10-18—Regular sand paper: 20 sheets 4½x5", five grades assorted, ranging from fine to coarse, per pkg.......15c 

....15c Av. ship. weight, 4-oz.



## **GLASS CLEANER**

For windows, mirrors and windshields. Loosens grease and dirt in a jiffy. Just spray it on—cloth wipes glass clean. L10-20—12-oz. tin with a spray

### **Auto Upholstery** Cleaner

Cleans dirt, grease, stains—quickly and easily without rinsing.

Harmless to fabrics. Will not streak or chalk—odorless. Restores upholstery to original beauty.

L10-7-4-0z. pkg..... 290




### WASH MOPS and BRUSHES



### TOP RECOVERS

Improve the appearance of your car.



Finest quality, cut in one piece-EASILY APPLIED. ALL TRIMMING AND TACKS INCLUDED. bure old car top, and order nearest size.


DOUBLE TEXTURE

Black finish, with a heavy coating of pure varnish—baked on with dry heat to preserve flexibility and life. Sunproof, waterproof.

L11-8-46x48 inch	\$5.25
L11-9-46x80 inch	7.25
L11-10-57x64 inch	
L11-11-63x86 inch	
L11-12—64x90 inch	
L11-13-64x100 inch	
L11-14—64x108 inch	15.95

### TOP MATERIAL

In Single or Double Texture



A leather-like, rubberized fabric with a waterproof, weather-resisting finish. L11-26-54" wide, black back yard...\$2.19 L11-26-54" wide, single texture, 38-02. 2.49 2-ply, 2.98 2-ply. yard L11-27-50" wide, double texture, L11-29-64" wide, double texture, 2-ply. 4.95

### TOP COVERS for



OPEN CARS

Complete with Binding and Tacks, R to Apply Ready

State Year of Car When Ordering.
Average Shipping Weight, 15 lbs.
TOURING CARS
L11-20—Ford, '20-30, gypsy rear curtain \$15.95
L11-22—Chev., '23-27, gypsy rear curtain 15.95

SIDE CURTAINS Well Made, Neatly Finished, Good Fitting L11-21—Ford Roadster, state year...\$13.95 L11-23—Ford Touring, state year.......16.95 L11-30—Chevrolet Touring, state year 16.95

### **Curtain Fasteners** FOR TOPS, SIDE CURTAINS, CANVAS COVERS, ETC.



TURN BUTTON TYPE L11-69—Curtain Eye with Clinch Plate L11-70—Clinch Button and Plate ...... L11-71—2-Screw, Single .....

### Extra Quality Celluloid


\$2.25 L11-15-.0125 thick, 55x24 ins. \$2.95

**Hood Lacing** A chemically treated heavy strip of finest quality woven web lacing.



## SEAT COVERS

FOR ALL CARS



Seat covers actually cost you nothing—because they more than pay for themselves by preserving the car's trade-in value and savings on cleaners' bills for soiled clothing.

We recommend custom-tailored covers for all 1941-52 cars, as they fit perfectly. On cars prior to 1940, universal covers do a good job.

ALL POSTPAID

### KOOL-FIBRE

Exceptionally well tailored, low priced coves of strong flexible fibre matting with durable fabric seat cover trim. New, modern design and attractive color combinations. Harmonize perfectly with the interior of your car. Elastic sides assure perfect fit. Smart and unusually low priced for such fine quality.

FRONT SEATS ONLY

L11-31-For all coupes, coaches and sedans, 1928-47......\$5.65

COMPLETE FOR FRONT AND REAR SEATS

L11-32-For all coaches and sedans, 1928-47.....\$10.75

### **DELUXE KOOL-FIBRE**

Here's a Seat Cover that gives real beauty and comfort, plus low-cost upholstery protection.

Two inserts of leather-like material bring out the effect of the colorful new fibre. Sewn-in across the top of the seat-back and the front of the seat cushion, they help make the covers fit smoothly and snugly ... give them that sleek, modern appearance everyone likes plus added strength.

Every set of Deluxe Kool-Fibre Covers is carefully tailored for excellent fit and service. The cloth is a heavy weight cotton material that goes over all exposed parts of seat not covered by fibre. Elastic side inserts on the front covers, where needed, insure smooth, unwrinkled appearance. Made with double stitched seams and hems for longer wear.

FRONT SEATS ONLY

L11-33—For all coupes, coaches, and sedans, 1928-47......\$6.95

COMPLETE FOR FRONT AND REAR SEATS L11-34—For all coaches and sedans, 1928-47......\$12.75

### PLASTIC COATED PLAID FIBRE

A beautiful new plaid fibre, smooth finish, easy on your clothes, easy to clean. Leatherette trimmed and piped. Custom tailored to fit all 1941-52 cars. Each set individually cut to fit car, assuring smooth, snug fit and long service.

Complete For Front and Rear Seats
L11-35—For all coaches and sedans, 1941-52.......\$13-95

### **DELUXE GABARDINE**

In rich maroon color, with contrasting piping that gives 100% two-tone upholstery effect. Elastic inserts allow for easy installation, and a neat, snug fit. A supreme quality seat cover, exquisite and luxurious, covering front and back seats and cushions. Be sure to state make, year and model of car.

FRONT SEATS ONLY

L11-37-For all coupes, coaches and sedans, 1928-48......\$7.35

COMPLETE FOR FRONT AND REAR SEATS

L11-38—For all coaches and sedans, 1928-48..... L11-44—Custom-tailored for all coaches, sedans and 5 pass. coupes, 1941-52..... 12.35 12.85

### CUSTOM DELUXE WOOL PLAID

Smartest, most durable covers made
Best quality seat covers, custom-tailored to fit your individual
car. Made from pure wool cloth, in beautiful plaid pattern, with
leatherette trim, and contrasting ploing around edges for increased smartness. Supplied in three popular colors; Red,
Green, Blue. Please specify color wanted, also make, year and
model of car.

These smart covers made for following cars only: Chevrolet, Pontlac 6, Oldsmobile 6, 1941-52; Ford, Monarch, Meteor, and Mercury, 1941-52; Plymcuth and Dodge, 1941-52.

### FRONT SEATS ONLY

L11-39—For all coupes, coaches and sedans, 1941-52..... \$1
COMPLETE FOR FRONT AND REAR SEATS

L11-41-For all coaches and sedans, 1941-52.....\$28.95

### **NEW! DURON PLASTIC**

Duron material is smooth, tough, long-wearing, non-fading. Woven from plastic threads, it lies flat, will not wrinkle. Dirt resistant, waterproof, easily cleaned. Custom-tailored for snug fit. Leatherette trimmed and piped for added smartness. Supplied in three beautiful plaid patterns, blue, green or red. State color wanted.

FRONT SEATS ONLY

L11-42-For all coupes, coaches and sedans, 1941-52.....\$16.45

COMPLETE FOR FRONT AND REAR SEATS L11-43-For all coaches and sedans, 1941-52.....\$29.50


### How to Order Ready Made Seat Covers

When ordering Seat Covers (either cloth or fiber) be sure to state make, year and model of car. Also state type of seats as shown below, when ordering for Coupes or 2-door Sedans (Coaches)



Type 1—For Coupe or 4-dr, Sedan front, 1-Piece Back 1 Solid Cushion. Type 2—For Coupe, 2-Piece Back Rest, Solid Cushion. Type 3—For 2-Dr. Sedan Split Back Rest, Solid Cushion Type 4—For 2-Door Sedan, Separate Bucket Seats. 1-Piece Back Rest

### **BABY CARRIERS**



Keep your child sate, happy and comfortable while driving.

A—Car Crib—Combination crib and chair, for use in car or home. Heavy cotton twill crib, on all-steel enamelied frame. Reversible waterproof mattress in gay plaid plastic. Pure-food dyed play beads. Plastic covered hooks fit front or rear seat. Safety lock hinges, easily set up, folds flat for storage.

L11-57-Car Pen ....

C—Deluxe Baby Seat—Heavy waterproof twill on steel frame. Plastic covered seat and hooks. Plastic arm rests, play beads and safety strap. Frame locks securely, folds flat for storage.

L11-58-Deluxe Seat .... ....\$3.95

Standard Baby Seat—(not shown). Strong steel folding frame, heavy cloth body, safety strap, rubber covered hooks.

L11-59—Standard Seat......

D-Kiddy Driver—Great fun for the Kids. Drive just like Dad! Has revolving steering wheel and movable gearshift lever. Can be used without steering wheel if desired. Adjustable seat, made of strong metal and plastic, sturdy safety belt. Plastic covered seat hooks.

L11-60-Kiddy Driver ...

\$7.95

### CAR CUSHION

Popular wedge shape. Attractive fibre cover, gabardine sides, leather-ette trimmed. Size about 15x15 inches.


L11-16.....\$1.15 Postpaid.



### "Hide-the-Tack" Tape

A heavy tape with two rolls that come together and come together and cover up all tack

L11-100-Foot....5c





### Scuff Pads PROTECT YOUR CAR DOOR

Protects lower portion of door from unsightly scuff marks. Easily installed.

L11-50-Pair, with pin fasteners ....... \$1.25




Upholstery Tacks

Postpaid. Black head, long tacks. L11-88—Box of 40...... L11-90-Plain tacks, 4-oz. Box ..

Cover Pins

This double pin fastener is handy to use in fastening seat covers and seat cover material. L11-67—Per doz.

Postpaid.



### De E Top Putty

Quickly seals and waterproofs seams and cracks in and around fabric tops, drip mouldings, rear windows and windshield.

L11-54- Ship. weight, 4 ozs. Per tube.

29c

...9 c

## Hub Caps



Be sure to state year and model


L12-51-Chevrolet, 1930-335	1.19
L12-52-Chevrolet, 1934-48	1.75
L12-61-Ford T, 1912-27	.59
L12-62-Ford A, 1928-31	.59
L12-63-Ford V-8, 1932-35	1.19
L12-65-Ford V-8, 1940-48	1.95
L12-66-Ford V-8, 1949-50	2.19
L12-81-Mercury, 1940-47	2.19
L12-83-Nash, 1939-48	2.25
L12-84-Plymouth, 1935-48	1.95
L12-86-Pontiac, 1939-48	2.10
L12-87-Willys, 1937-50	1.98

### Pedal Pads For All Cars





L12-10—Rolt-on Type (not shown).
Complete rubber-coated pedals, oval shaped, with stud and nut. Fit Chrysler, DeSoto, Dodge, Plymouth, 1935-48. Ship. wt., 1 lb. Pair.....59c



All metal with non-slip design. Deluxe (shown at left) has ball joint coupling. Easily installed, simply slip over ball end of original equipment. Raised heel rest for more comfortable driving. All postpaid.

L12-49—Deluxe Foot Rest....

Standard model (shown at right) is of similar construction; has detachable base for quick, easy installation on older model cars.

L12-50-Standard Foot Rest .....\$1.49

## RUBBER TREAD ACCELERATOR

Replaces original pedal, no screws quired. Moulded rubber non-skid required. tread.

L12-135—Fits following 1933-38 car Chrysler, De Soto, Dodge, Old Plymouth, Pontiac 98 980 L12-136—Fits Chev. 1933-34 Mstr. and Std.; Chev. 1935 Std......................95c

### **Pedal Cover**

Heavy rubber cover for the accelerator pedal, designed to protect floor mat from heel wear, easily attached to attached to the acceler-ator by bending a pair of lugs around the pedal. Snug, slip-proof fit, will outwear the average car mat. Postpaid.

L12-35—Clamp-on style, shown 28

L12-36—Slip-on style, slides regular pedal.....

**CLEARANCE LAMPS** 



L12-25—B—Armoured—Flush mounting with steel body to protect lens. Light visible from all angles. Red or green lens; state color, shipping wgt., 1 lb. Each. \$1.39 

-Flexible—Same light as C, with flexible strap mounting to reduce sin. Red or green lens; state color. Shipping weight, 5 oz. Each....( and vibration.

### STEERING WHEEL SPINNERS AND **GEARSHIFT BALLS**

SPINNER—Simplifies steering when backing, turning or parking. Provides positive control of wheel without shifting grip. Installed in a jiffy, fits all cars. Chrome plated base, plastic knob, three smart designs to choose from. All postpaid.

Plastic Knob.

C-Glamour Girl-Heavy Duty Rim Mounting
L12-104—Attaches to wheel with heavy steel
clamp. Plastic head contains picture of colorful
"Glamour Girl." Rugged chrome-plated
base.

\$1-15
L12-21—"Fold-A-Way" Spinner (not shown).
Foldsdown when not needed, clicks back up
again when wanted. Smart plastic knob,
chrome-plated base.

\$2.25

GEARSHIFT BALLS—Adds a touch of smartness and color. Attractive styles, shaped to give sure, comfortable gear-shift control. Bushing included to fit all cars. Choose from our smart selection.

D-Deluxe Crystal Plastic Balls.

L12-105—With Jewel Insert. L12-106—With Photo Insert. L12-107—With Thermometer Insert. E-Steering Post Knob.

For new remote type steering wheel gearshift. Beautiful Transparent plastic. Just tap on, unbreakable. No bushing required.

L12-R1—Ford, Olds, Packard
L12-R2—Chevrolet, 1939-48
L12-R3—Chrysler, DeSoto, Dodge, Plymouth...

MIRRORS for Safe Driving

MIRROR GLASS L12-70—Glass only, non-glare, size 6x2 ½ ins.

(C)-VISOR VANITY MIRROR

(C)—VISOR VANITY MIRROR
For the woman driver who wants to
"touch-up" a bit before leaving the car.
Saves moving rear view mirror out of focus.
Clamps on back of visor, out of the way
when not in use. Smart frame, plate glass
mirror, with service and travel record;
useful for checking mileage and servicing.

L12-72—Travel Record Mirror, 4x6 ins. 

(D)-SPOTMASTER DOOR MIRROR 

(E)-DELUXE DOOR MIRROR

(G)-MIRROR HEAD ONLY L12-79—Ball socket adjustable typel fits most trucks. Ship. wt., 1½ lbs.......89c

(H)-DELUXE TRUCK MIRROR L12-80—Mounts anywhere, on cab or hinge, Adjusts to any position. Arm extends 29 inches. Heavy duty 5-inch ball joint head. Ship wt., 2 lbs. \$2.65 "Gas-Lok" Cap



Fits all cars. Key remains in cap un-til locked, cannot

remains in cap un-til locked, cannot be removed while unlocked.

A large keyhole cover protects the lock from dirt and water. Strong lock; cannot be forced or state make, year

broken. Be sure to and model of car. L12-45-Postpaid

## Radiator Caps

L12-41-Ford, 1928-34, state year .. 79c L12-43-Chev., 1928-35, state year.. 79c

### Universal Radiator Caps

### Gas Tank Caps

L12-56-Ford, 1928-	10, state yea	ar 790
L12-59-Ford-Mercu	ry, 1941-48.	490
L12-57-Chev., '26-3	0,	150
L12-58-Chev., '30-4		
L12-60-Buick, Olds	. Pontiac.	
baker, 1940-49		290

### Universal Gas Tank Caps

L12-37-Adjustable, fits all cars 850

### UNDER-THE-HOOD RADIATOR CAP




(6

For most popular cars, 1934-49, with under-hood radiator filler neck. State make, year and model. L12-38—UH Cap, 190

Fender Gasoline Door Guard

### ORNAMENTS



Add that distinctive personal touch to your carl Mount on hood or fender, also on radiator caps of older models. Perfectly modeled in smart designs. Super chrome plate with jewel-like finish.

older models. Perfectly modeled in smart designs. Super chrome plate with jewel-like finish.

L12-A—Torpedo. Gleaming chrome finish, universal mounting.

L12-B—King Bird. Graceful, popular. Universal mounting.

L12-C-Speed Lady. Streamlined beauty, perfect balance, universal mounting.

L12-D—Bouncing Bird. Beautifully proportioned, plastic bird, moves in a very life-like manner with motion of the car. Smart colors with contrasting color head and tall feathers. Suction cup for easy mounting. Each.

L12-E—Aerial Streamers—Decorative red, white and blue plastic streamers clamp on to auto aerials, fender guides, etc. Each.

L12-F—Illuminated Swan. Sleek streamlined beauty, chrome-plated body, plastic wings that glow in the dark. Complete with wire and bulb. Fits all cars.

L12-G—Flying Swordfish. Outstanding in graceful design, and rich looking chrome beauty. Two stud mounting, fits all cars.

L12-H—Illuminated Bull. Distinctive ornament for any car. Chrome plated head with illuminated clear lucite horns. Fyes and nostrils light up. Complete with wire and bulb.

S3-75

L12-J—Jet Fighter. Smart modern beauty, chrome body, red plastic jet tubes, fits all cars.

S3-75



### Red Safety Reflector

Self-focusing and always brilliant. Is easily attached. Average weight, 8 oz. L12-32-31/2 inch..... ...390

### Headlight Relay



Prevents overheating and burning out of headlight switch. Fuse built into relay. Reduces electrical loss in headlight wiring, giving brighter lights. For all cars. 

### Dash Lamps



L13-88—Complete with bulb. Postpaid......95c

### Blue Spot Anti-Glare Lamp



A scientifically designed lamp that prevents glare from approaching headlights, etc. The blue rays focus onto the windshield, and act as filters.

# Auto Bulbs for Every Need



Order by Number shown on Old Bulb. All Bulbs Postpaid.

"SC"-Single Contact "DC"-Double Contact

## L13-27-Postpaid.....\$1.95 Play Safe-Carry Spare Bulbs

### Tail Light and Dash

L13-61—3-4, 3, SC L13-63—6-8, 3, SC L13-64—6-8, 3, DC L13-67—12-16, 3, SC L13-72—18-24, 3, DC L13-81—6-8, 6, SC	15° 16° 37°
For Late Models L13-51—6-8, 1, SC L13-55—6-8, ¼, SC L13-53—12-16, 1, SC L13-57—12-16, 1.5, SC	.25c
STOPLIGHT L13-87—6-8, 15, SC L13-1154—6-8, 21-3, DC L13-1158—6-8, 21-3, DC	.38c

L13-1176-12-16, 21-6, DC...65c RADIO PANEL L13-46—6.8v, screw base..... L13-42—3.2v, screw base.... L13-44—6.8v, bayonet base... L13-45—3.2v, bayonet base...

### Spare-Bulb Kit



Holds two headlamp and two tail lamp bulbs. L13-29—Kit only, without bulbs.

Postpaid ..... ..... 100

### HEADLAMP DETECTALITE

L13-5—Visor // type, fits all headlamps, pair.....

.49c ANTI-GLARE

## SHIELDS



Intensifies light and beams it downwards. Affords better vision and safety for night driving. Easily installed. L13-15—Anti-glare Shields, Postpaid, pair......\$1.79

### SEALED BEAM CONNECTOR



Consists of three bronze contacts, silver plated and molded bakelite housing. Supplied with wire leads. L13-6—Connector Plug 29c

# BACK



### Clear Positive Signal When Backing Up

A—Streamline Model. This modern back-up light fits on gravel apron or body of modern cars. New criss-cross lens throws wide beam for added safety when backing up, turning in narrow roads, or changing tires. Finest chrome plated finish.

L13-32-Postpaid..... B-Nu-Ray Model. For splash apron mounting. Fluted crystal lens spreads light over wide area, assures safety when backing up.

L13-23—Postpaid... ......\$2.75 L13-10—Buick, 1936-39

Stop and Tail Lamp Lenses

RUBY GLASS TAIL LAMP LENSES

L13-109—For Fords and Chev., 1925-48, state year and model. 49c
L13-110—For most other cars, 1928-48, state make, year and model. 49c

Stop and Tail Lamp Rims


Complete with Gasket and Screws

L13-1—For Chev., 1925-30. L13-2—For Chev., 1931-38, state year. L13-4—For Ford, 1928-37, state year. L13-7—For Chrysler, Dodge, Plymouth, DeSoto,

1928-31

L13-8—For Pontiac, Plym., De Soto, 1932-34...

## **Headlamp Parts**



### A-HEADLAMP DOORS

Available for Ford, Chev. and Plymouth. Write for prices, state year and model.

### C-HEADLAMP LENS

Clear Crystal Glass with non-glare design as illustrated. A satisfactory low-priced replacement lens.

### BE SURE TO STATE YEAR AND MODEL

-13-23 - 1 0stpalu	L13-10-Buick, 1990-99	1 30
because the property of the pr	L13-11—Chev., 1923-24. L13-12— 1925-28. plain glass. L13-13— 1929-39.	540
	L13-12— 1925-28. plain glass	270
Carm and Mass 8	L13-13— 1929-39	750
Stop and Tail Lamps	L13-16—Chrysler, 1928-30, CJ6	750
	L13-17— 1935-38	950
	L13-18-DeSoto, 1928-32	750
CHIN (MICA) (MICA)	L13-19 1935-37 L13-20—Dodge, 1929-31, DA, DD, DH	950
	L13-20-Dodge, 1929-31, DA, DD, DH	750
S 74 TO 52 1	L13-21— 1936-38	950
THE STATE OF THE S	L13-22—Durant, 1929-30	950
	L13-24—Ford A, 1928-34	650
F	L13-24— Ford A, 1928-34. L13-26— 1935-39.	850
Well made and neatly finished. Substantial steel	L13-127-Graham, 1928-30, 610, 612, 615	750
brackets.	L13-128— 1931-32	750
112-117 Ford 1009-21 weight 11h 62 0F	L13-129-International Truck, 1934-40	950
L13-117—Ford, 1928-31, weight, 1 lb	L13-132-Nash, 1936-37	950
L13-105—Chev., 1931-32. weight, 1 lb	L13-133—Olds., 1933 L13-134— 1935-39	950
L13-106—Chev., 1933-34, weight, 2 lbs\$2.95	L13-134— 1935-39	950
L13-107-Chev., 1935-36, complete with wire and	L13-135—Plymouth, 1928-30 L13-136— 1934-38	/50
loom, weight, 2 lbs	L13-137— 1934-38	950
L13-108—Chev., 1937-38, complete with wire and	113-138-Pontiac 1920-30	980
loom, weight, 1 lb\$3.25	L13-138—Pontiac, 1929-30 L13-139— 1932-36	950
L13-121-No. E, for Ford T and others. Single bolt	L13-140— 1937-39	950
mounting, weight 10 oz95c	L13-141-Whippet, 1929-31	950
L13-122-No. E, same as above. Two adjustable	L13-141—Whippet, 1929-31 L13-143—Willys 1937-38	950
bolts mounting (at back)95c		
L13-123-No. F, for all cars, adjustable bracket.		
weight, 1½ lbs	Order by number on old unit.	
210-124 Dame as above, all black lillish \$2.25		OI AE
AND DESCRIPTION OF THE PARTY OF	L13-1400—Headlight, Metal Back, 7"	34.45

Order by number on old unit.	
L13-1400-Headlight, Metal Back, 7" S	1.45
L13-4010—Driving, Clear, 5¾"	1.75
L13-4011—Passing, Clear, 5¾"	1.95
L13-4012—Fog Clear, 5¾"	
L13-4012A—Fog. Amber, 5¾"	
L13-4013—Tractor, Clear, 5%"	
L13-4015—Fog. Clear. 41/2"	
L13-4015A—Fog. Amber. 41/2"	2.15
L13-4030—Headlight, All Glass, 7"	1.35
L13-4516—Hand Spotlight, 4%"	2.25
AND DESCRIPTION OF THE PARTY OF	

490

SENSATIONAL NEW THIN MODEL

SEALED BEAM FIVE INCH FOG LAMP

SPECIALLY DESIGNED FOR 1942-52 CARS "Most Attractive Lamp on the Market"

G. E. Amber Unit throws a powerful beam on light. Fits all 1942-52 cars with stone apron. Adjustable bolt in lamp housing permits focusing, Ample room between bumper and grille for "Thin Model" 500. Heavy pad mounting—one hole only to drill in stone apron—heavy reinforcement plate—easily installed. 490 L13-65-Foglamp, pair, Postpaid ...

### Sealed Beam Adapter Kits

Complete kit to convert your present old style headlamps to the Sealed Beam. Provide better vision, promote safety and reduce glare. Complete with sealed beam units, plug connectors, etc. Simple to install; just remove old lens and reflector. Full instructions included, model.

Kit fits Buick 1932



Be sure to state year and

Kit fits Buick 1932-39, Chev. 1930-39, Chrysler 1930-38, DeSoto 1930-38, Dodge 1930-38, Ford 1928-36 and Ford Trucks 1928-39, G.M.C. Truck 1937-38, Hudson 1935-36, International Truck 1937-38, Nash 1936-37, Olds. 1930-39, Plymouth 1930-38, Pontiac 1930-39, Stude. 1935-38, Terraplane 1935-37.

L13-33—Adapter kit, complete with Sealed Beam units, postpaid.....

### SPECIAL KITS FOR FENDER HEADLAMPS



Change your old-fashioned reflector type fender lights to modern Sealed Beam Lights Enjoy added pleasure and safety in night driving. Custom designed for your car, beautifully thinished. Add beauty, make night driving far safer, less tiring. Fender kits fit Chrysler 1939, DeSoto 1939, Dodge 1939, Std. and Custom, Ford and Mercury 1937-39 Std. and Deluxe, Hudson 1939, Plymouth 13.544 Fender Kits. Postpaid

### "Streamliner" Parking Light



Beautiful streamlined design and chrome finish adds beauty to any car. Fits perfectly over con-tour of fenders, 3 C. P.

Bulbs provide high light output, easily installed.

L13-14—Each, postpaid.....

### "Torpedo" Parking Light

Easy installation and adaptability makes this sleek chrome light in demand. Shows clear forward, red to rear. Tested and approved. Postpaid.

L13-34-Chrome Head only .. 95c



### Driving and Fog Lamps

NEW SEALED BEAM TYPE

Lens, reflector and filament in one compact unit, hermetically sealed. Assures maximum light efficiency, Gives brilliant, long range illumination for safe, high-speed driving. All chrome finish


FOGLIGHT WITH AMBER LENS

Convex amber lens penetrates fog, rain or snow. Gives perfect visibility under poorest driving conditions, Sturdy bracket mounts on bumper bar, close to road.

L13-37-Sealed Beam Fog Light, wt. 5 lbs....







L14-49-Postpaid......39c

### Ignition Pliers



Postpaid.

### Universal Ignition Switch



For all makes of cars.
Also motor boats, radios, electrical accessories, etc. L14-14-Postpaid ....\$1.59

### NATIONALLY SPARK TROJAN PLUGS PLUGS New improved design—superior quality. Scientifically engineered to meet the needs of high speed modern cars. FOR ALL CARS State year and model L14-2—Each......90c Postpaid. B Extra tempered, highest grade steel shell. CHAMPION

FOR ALL CARS

State year and model

L14-4—Each......90c

Powerful, long life Spark Plugs, specially constructed by a nationally known manu-facturer to Empire's rigid specifications. Equal in qual-ity and performance to higher priced spark plugs.

REDUCED PRICES

A-Isovolt electrodes of special alloy, easy starting, long life

C Heat seal—no compression

D Special insulator insures extra tensile strength. E Universal screw terminal. insures



( GUARANTEE


KNOWN E

We Fully Guarantee this Plug to Give Satisfaction for 10,000 Miles Service and will Replace any Trojan Plug which Proves Unsatisfactory Within that Mileage.

### Spark Plug Tester

Reliable and Accurate For Locating Ignition Trouble

Neon light flashes inside. Positive test. L14-11-Each, Postpaid..... .....59c



0 Genuine K-W Sparkite Coil Points

Heavy Duty with extra L14-39-Pair, Postpaid.35c



Ford Coil Units L14-40—H ig h grade Coil Units, Tungsten Points. for Fords and Fordsons \$3.75 Av. shp. wt. 2 lbs

### Plug Cleaning Tool

Has steel blade to scrape carbon, and stiff brush to clean firing points, adjusting wrench and 5 thickness gauges.





### Spark Plug Gap Tool



Improved Round Wire Type Bends and sets electrodes to proper gap. Improves plug per-formance. Six thickness gauges. and point adjusting wrench.

L14-41—Postpaid...

### IGNITION POINT FILES



### HAND SPOTLIGHT

A portable sealed beam spot and trouble light for doctors, taxidrivers, truckers, campers and every car owner. Sealed beam unit delivers brilliant flood of light, handy for reading street and highway signs, for changing tires, or engine trouble-shooting at night. Chrome plated body, with pistol grip handle, builtin switch, clamp on dash socket; 14 foot extension cord. Packed in flannel bag, stores in glove compartment. partment



### Standard Model

Same as above, but gray enamel finish with chrome-plated rim. Plugs in to cigar lighter socket. L14-5—Standard Hand Spotlight, complete.....\$4.98 \$4.98

### "Acid - Core" Solder


A hollow wire filled with flux. No other flux or acid is required.

L14-22—Acid Core, Household spool...... ...290 L14-23-1-lb. spool ... \$1.19

L14-24—Resin Core Solder, Household spool......29c



### Wire Solder



	Bar	So	lder	(STD   4	As. R. S. Idel	Sales )
ı	44 90 3	Tonde	Dan aha	114 3/ 1h		75-

Soldering Paste

L14-37-2-oz. can.....

## Leader Spark Plugs



Available in 1/2-inch, 7/8 inch, and 18mm. only. State make, year and model of car.

L14-25-Leader Spark Plug, each, Postpaid... .....390

All Postpaid

### THICKNESS GAUGES

**Brass Gauge** 

### Forged Ignition Wrench Set Super Quality



Consists of Four Drop Forged Ignition End Wrenches, accurately milled, with openings as follows: 13/64 x 15/64, 1/4 x 7/32, 5/16 x 9/32, 11/32 x 3/8. Just the tools for those delicate jobs involving ignition, lighting, etc. L14-15-Set of 4.... \$1.98

Snark Plug Wrench

I T CHECK	Ohurn Tree in
	14-52—Fits 31/32x1-5/32 inch
-	hex. For 7/8" plugs69c
	14-53—Fits 29/32x1-1/32 inch
and the	hex. For 18mm plugs69c
	14-54—Fits 13/16 inch hex. for
	14mm plugs69c
	14-50—Fits 9/16x11/16 hex. for
Postpa	10mm plugs69c

### Copper Terminals





NEW! Underwriter Approved Circuit Breaker

for changing. A touch of the finger resets it. Fits present fuse clip. "A fuse with a million lives." You never buy but one. It will outlast the car. Postpaid. L14-56-20 amp. Each. 35c

### Armature Rewinds For All Cars



Generator armature exchanges and rewinds for all cars. Send in your old core. A reconditioned, rewound, fully guaranteed armature will be sent to you at once. Only cores in good condition exchanged; old core must not be worn out at commutator, or where bearings fit. Shipping weight, 5 lbs.

### GENERATOR ARMATURES

Exchang	e Price
L14-69—Ford T, 1915-27	64.40
L14-70-Ford A, 1928-29, Power House Type	5.60
L14-71—Ford A, B, V8, 1930-39	4.40
L14-72—Ford V-8, 1940-48	5.60
L14-73—Delco-Remy, for Chev., Chrysler, DeSoto, Dodge, Plymouth, Pontiac, 1926-33.	4.40
L14-78-Delco-Remy for most cars 1934-51	5.60

L14-79—Auto-Lite. for most cars, 1926-51...... STARTER ARMATURE EXCHANGE

Completely reconditioned to operate like new,

guaranteed.	и апи
Exchang	e Price
L14-56—Chev., 1923-51	66.40
L14-57—Ford A, 1928-29	6.40
L14-58—Ford A, B, V-8, 1930-51	5.60
L14-59—For most other cars, 1926-49	6.40

### Generator Exchange

Trade in your old generator on our guaranteed, genuine Delco Remy. Ford and Autolite rebuilt models. Carefully and skillfully rebuilt like new by expert work.

men using finest quality parts and materials. Fully guaranteed. Supplied from Winnipeg only.
L14-63—Ford Model T \$12.95
L14-64-Ford A, B and V-8, '28-38 11.65
L14-62—Ford, 1939-48 12.75
L14-65—Chev., 1926-3411.65
L14-66—Chev., 1935-5112.75
L14-67—Plymouth, 1930-5112.75

### GENERATOR OVERHAUL

If your old generator cannot be exchanged, we will overhaul it, supplying new parts where needed, and return it to you in guaranteed perfect condition, charging only for parts supplied and labor. Permission will be asked before doing any work, should the cost exceed prices shown above.



Postpaid.

FOR ALL CARS Just Give Model and Year ALWAYS CARRY SPARES

## Fuse Holder

Assures proper operation of your lighting system. Prevents burned-out wiring and bulbs: prevents run-down battery; protects against fire. On in a jiffy. Only a screwdriver needed.

L14-42—Complete with fuse.



Illuminated Heater Switch Protects

Standard clamp-on type or variable speeds. Ship. ct., 4 oz. L15-63-690

Illuminated
Heavy Duty Model
Coil resistance type, will
not burn out or short.



Stop Light Switches

L15- U S 1 9 — Heavy duty Heavy duty universal type......85c L15-S1--Ford, '28-29......85c

L15-S2-Ford, '30-31....85c L15-S4-Ford, 1932.....85c L15-S6-Ford, '33-34

L15-S8-Ford, '35-38 \$1.15 Average weight, 8 oz.

SPARK PLUG AND IGNITION WIRES



Spark plug wiring should be renewed at least every ten thousand miles to prevent current leakage, loss of power, excessive fuel consumption. Standard size wires, made of finest quality heavy gauge 7 m.m., aeroplane type, with flexible lacquered braid insulation. Set contains spark plug wires, coil to dis-

tributor wire, set of rubber rain guards and terminal clips.	
L15-72—Set for Chevrolet 4, 1923-28	1.65
L15-73-Set for Chevrolet and Pontiac 6, 1929-48	2.15
L15-75—Set for all 4-cyl. cars except Chevrolet	1.65
L15-76—Set for all 6-cyl. cars except Chevrolet	2.15
L15-71—Set for Ford V-8, 1932-42	2.59
L15-77—Set for most other 8-cyl. cars	2.59
Shipping weight, 1 lb.	

### Timer, Lighting and Spark Plug Wires for Ford Cars

FORD "T" TIMER WIRES

FORD "T" SPARK PLUG WIRES 



L15-66—Ford, 1928. Single bulb head and tail lamp wiring, complete with Switch Plate.......\$3.45 L15-90—Complete as above, for Ford, 1932..... 3.49 L15-92—Complete as above, for Ford, '33-36.... 3.49

L15-58 — Metal housing only for switch plate, 1928-31 ....... 1.19

L15-79—Terminal block to cutout assbly., '28-31..75c

L15-127—Ship. wt., 8 oz......75c




### Push Pull Switch

For wood or metal. L15-69—Each......29c

### Heavy Duty Switch

Will not short or burn out on heavy amperage. L15-18—Ship. Wt. 2-oz......49c

## Lamp and Ignition Cable,



L15-95—(A)
High Tension
Cable for spark

LAMP PLUGS and SOCKETS

13

PENDER GUIDE

Ammeter

Connector

ammeter post. Accommodates

eight wires. Reduces shorting

L15-26-Postpaid ......79c

**Protectors** 

and fire hazard.

A convenient, safe terminal thatis attached to the

### **HEADLIGHT SWITCH**



Replacement headlight switch for most cars. 4 contacts. 3 positions. Thru dash mounting. Has regulation fuse block and attractive knob. L15-104-....89c

### TROUBLE LIGHTS



-Handy Trouble Light. Plugs into Cigar Lighter ket. Complete with bulb, 12-foot cord, handy hanger hook. L15-117—Postpaid.

B—Shielded Trouble Lamp—Has locking metal shield over bulb, which acts as reflector when open. Has wood handle, floor stand and hook, 12-ft. rubber covered cord. Complete with dash socket and plug. L15-118—Postpaid. \$3.45

C—Safety-Flare Trouble Light. Plugs into cigar lighter socket, electro-magnets hold tight on any metal surface. Front lens throws bright beam of light, and body glows a brilliant red warning flare. Has 12-foot extension cord.

L15-120—Safety-Flare. Postpaid........\$4.25

D—Cigar Lighter Plug—A heads added the state of the state

Door Pillar Lock

Fits cars with this type of lock on original equipment. With 2 keys.

L15-22—Ford 1932-48, centre shank \$1.65
L15-23—Chrysler, DeSoto, Dodge and Plymouth, 1935-41, offset shank...\$1.95
L15-24—General Motors cars, Bulck, Chev., Olds., Pontlac, 1941-48.....\$2.65

Replacement for Front and Rear Rotary Door Locks. Rear Rolary Boor Locks.
Easily installed without removing door lock or opening upholstering. Fits the following cars: Chrysler, Dodge, De Soto 1939-48; Plymouth, 1940-48; Stude. 1937-48; Nash, 1940-48. Postpaid.

L15-110—Fits Left front and Right Rear doors.......\$1.95 L15-111—Fits Right Front and Left Rear doors.......\$1.95

### Rotor-Lock Repair Kit





"DRI-SEAL" SPARK PLUG PROTECTORS

Every Car, Truck, Outboard Motor Gas Engine-Needs 'em

Assures Quick Starting
 Eliminates Current Leakage
 Improves Efficiency of Motor
 Reduces Plug Fouling
Seals out moisture, dirt, fog, frost, rain and snow.
Road-tested . . Weather-tested and retain their resilient seal under all weather conditions and motor operations.

....5c L15-114—Set of 6. Postpaid........ L15-115—Set of 8. Postpaid........

### Fog Lamp Switch

With Fuse Block

HEAVY DUTY TYPE

89c



Clamp-on Switch

No holes to drill in dashboard to attach.

L15-93-Postpaid ....39c

Toggle Switches

Foot Control

Permits positive foot control of headlights.

10

Postpaid...


With panel as illustrated......55°

Less panel for mounting on dash, not illustrated.

Dimmer

Switch

Easily stalled.



### Door Handles for All Cars

### Universal Locking Door Handle

Chevrolet, Ford and Flyino		ules
No Car	Plain	Locking
L15-30—Chev., 1925-27	\$1.69	\$3.25
L15-31-Chev., 1928-30	1.69	3.25
L15-32—Chev., 1933-36	1.69	3.25
L15-33—Chev., 1937-40	1.69	3.25
L15-34—Chev., 1941-46	1.69	
1 15-35-Chev 1947-48	1.69	
L15-38—Ford, 1928-31	1.69	3.25
L15-39—Ford, 1933-36	1.49	********
L15-40—Ford, 1937-39	1.49	
L15-98—Ford, 1940-41	1.69	*********
L15-99-Ford, 1942-46		***** ***
L15-45—Plymouth, 1928-33		3.25
L15-46—Plymouth, 1934-36		
L15-47—Plymouth, 1937-39		*******
L15-48—Plymouth, 1940-41		********
L15-50—Universal, fits 1926-28		
Gen. Motors and many others	1.69	3.25
M 1. TT 41.		

L15-48—Plymodel L15-48—Plymodel L15-48—Plymodel L15-50—Universal, Italian Gen. Motors and many others.

Trunk Handles

L15-128—Chev., 1937-48, for all Gen. Motors, locking 3.45
locking 3.45
locking 3.45
locking 3.75
locking 3.75
locking 3.95
locking 3. We can supply handles for most other cars not listed here at lowest prices. Send your order to us.

Important-State year and model of car when

### INSIDE DOOR HANDLES

~ 4	L15- 1-Ford, 1928-3159c
(F.N (18)	L15- 2—Ford, 1932-3879c
THE	L15-80—Ford, 1939-4079c
1	L15-51—Ford, 1941-48790
11 11 2	L15- 3-Chev. and Pontiac, '27-2875c
N II	L15- 4-Fits Chev., Pontiac, Buick
0 0	and Olds., 1929-4875c
15- 5-PI	ym., Dodge, De Soto, Chrysler, Hud-
son, Nash	, Willys and others, '29-3869

L15-89—Plymouth and Dodge, 1939-49... Window Cranks 890

-Ford, 1928-32... -Ford, 1934-36... -Ford, 1937-39... --Ford and Mercury, 1941-48..




5-55—State year, make and model. Send old Spring as sample if possible. Postpaid, each......25c

### DOOR LOCK KNOBS



15

FITS: Chevrolet, Pontiac, Olds, Buick, Chrysler, Plymouth, Dodge, DeSoto and others. .15c




**Ignition Rain** 

HEATER

Low Prices Buy BETTER QUALITY of Empire Stores

# Super-Quality Radiator Guaranteed 18 Months New Low Prices



RADIATORS ALSO SUPPLIED FOR MOST OTHER CARS. PLEASE WRITE FOR PRICES.


Empire Radiators include every essential feature Empire Radiators include every essential feature to insure efficient heat dissipation and long life. They are full size, of highest possible capacity, built for us by one of the largest and best known radiator manufacturers. The cores are standard in thickness, of copper alloy metal and the finest solder. Heavy gauge brass tanks. Non-rusting ateel side members. Every radiator double-tested (by air pressure under water) before leaving the factory and fully quanteed to be feet form. the factory and fully guaranteed to be free from all defects and to fit perfectly.

### HONEY COMR

	And the Part of th
	\$32.95
L16-32—Chev., 1927-28, Truck	32.95
L16-33—Chev., 1928	31.75
L16-34—Chev., 1929-30, Pass. and Truck	29.95
L16-35—Chev., 1931	28.50
L16-37—Chev., 1933-36, state year	32.95
L16-38—Chev., 1937-38, state year	33.25
L16-39—Chev., 1939-41, state year	34.95
L16-40—Chev., 1942-48, state year	33.25
L16-41—Chev., 1949-51	36.50
L16-47-Ford, 1928-29, Pass. and Truck	31.95
L16-48—Ford, 1930-31	33.95
A STATE OF THE PARTY OF THE PAR	NEW YORK

TOBOLINE	
L16-83-Ford, 1928-29, Pass. and Truck	39.75
L16-84—Ford, 1930-31	39.45
L16-85—Ford, 1935	51.95
L16-86—Ford, 1936	56.75
L16-87—Ford, 1937-39, state year	52.95
L16-88—Ford, 1939-40, Deluxe	46.95
L16-89—Ford, 1941-48, state year	54.95
L16-90—Ford, 1949-51	53.15

### Airplane Type SHOCK ABSORBERS




Direct action replacement units with following features—Sealed construction, no refilling, no leaks. No servicing needed, Balanced pressure assures safety and comfort at all speeds. Not affected by weather changes. Complete with new rubber bushings, Be sure to state year and model, also whether front or rear unit is wanted. Supplied for following cars: Chev., 1938-39, Master: Chrysler: DeSoto Dodge, 1937-49; Frazer, 1947-48; Hudson, 1935-48; Kaiser, 1947-48; Nash, 1938-48; Plymouth, 1937-49; Pontiae, 1937-48; Terraplane, 1935-38; Willys, 1937-42.

### RUBBER SHOCK LINK BUSHINGS









For Chevrolet, Ford Plymouth and many others.

L16-1002—(A)—Chev. 1930-42. Olds., 1934-35, Pontlac, 1932-36, each.

L16-1004—(B)—Chev., 1939-50, Hudson 1935-50, Pontiac 1937-50. Willys 1937-50 and many others, each.

### **Curb Signals**

Clamp on front and rear fender, to warn you when nearing the curb. Prevents damaged fenders, hub caps and tires. Saves scuffing on white sidewall tires. Fits all models of cars, old and new. Easily installed, no drilling simply clamp on. L16-25-Pair ..... 790



## RADIATOR HOSE

for All Cars

eavy Duty Rubber Hose Strongly reinforced 3-ply construction. Withstands vibration, boiling water, oil and anti-freezing compound. Supplied in any number of inches at the




ı	following p	orices	per foc	t.		
ı			Per it.		Pe	er ft.
١	L16-44-1"		470	I L16-17-1		720
ı	L16-45-11	111		L16-18-2		790
١	L16-43-1			L16-49-2		850
١	L16-46-1	611		L16-50-2		950
ı				veight nor fo		000

### Ready Cut Lengths for Fords and Chevs

a or as and one of			
L16-51-Lower, Ford, 1915-31, 13/x23/ in			
L16-52- Upper, Ford, 1915-27, 2x4 in29c			
L16-53-Upper, "A" Ford, 1928-29, 2x6 1/4 in 45c			
L16-54—Upper, "A" Ford, 1930-31, 2x81/2 in 59c			
L16-55—Upper, Ford V-8, 1932-36, 134 x11 1/8 in69c			
L16-56—Lower, Ford V-8, 1932-38, 1 14 x 5 1 in 35c			
L16-19—Lower, Ford V-8, 1942-50, 134 x6 in 36c			
L16-57-Upper, Chev. 1924-27. 1 1/2 x8 in			
L16-58—Upper, Chev. 1929-32, 11/x111/ in54c			
L16-59—Lower, Chev. 1924-32, 1 1/2 x6 in 29c			
L16-60—Upper, Chev. Mstr., 1933-34, 11/4 x8 in 39c			
L16-61—Lower, Chev. Mstr., 1933-34, 1 1/4 x4 in 19c			
L16-62—Upper, Chev. Std., 1933-34, 11/x11 in54c			
L16-63—Lower, Chev. Std., 1933-34, 1 1/4 x10 in 49c			
L16-64—Upper, Chev. 1935-36, 1 1/4 x8 in			
L16-65—Lower, Chev, 1935-41, 1 1/2 x 8 1/2 in			
L16-66—Upper, Chev. 1937-41, 1 1/4 x6 in			

### Ford Curved Radiator Hose





### Hose Clamps

as shown, fits 1½ to 2 in, hose, state size. Each,
Postpaid 15c
L16-69—Hot Water Heater hose clamps, each 5c

### COMPLETE WATER



L16-CP3 -Chev., 1929-34 (ex	ccept Std.)\$7.85
L16-CP10-Chev., 1935	9.45
L16-CP14-Chev., 1936	9.45
L16-CP33-Chev., 1937-40	10.75
L16-CP43-Chev., 1941-49	10.75
L16-CP1 -Ford A, 1928-31	
L16-CP22-Ford V8, 1932-36.	8.95
L16-CP19-Ford V8, 85, 1937	-48 Right 8.95
L16-CP20-Ford V8, 85, 1937	-48, Left 8.95
L16-CP11-Plymouth, 1933-4	9 9.75

### Water Pump Repair Kits



Completely renews all moving parts and those subject to wear. No need to throw away your old pump or be content with a leaky, makeshift job.

State year and model.

State John and Model.	
L16-102—Chev. 6, 1929-34	\$2.75
L16-103—Chev. 5, 1935-36	
L16-104—Chev. 6, 1937-40	3.25
L16-108—Chev. 6, 1941-49	5.65
L16-105—Ford, 1928-31	3.35
L16-106—Ford V-8. 1932-36	2.45
L16-107—Ford V-8, 1937-48	2.45
L16-110-Plymouth, 1933-49	3.49

### Shock Absorber Fluid


Never use ordinary oil. It will deteriorate rubber pack-ing, etc., causing leaks and poor Shock Absorber performance.

Pint can..... 97—Same as above, 1 Quart can.....



### King Bolt Sets

Sets are made to meet S.A.E. specifi-cations, and guaran-teed to fit perfectly and give satisfaction. Complete for both wheels. Bolts are Chrome Nickel Alloy Steel, hardened, heat treated, and precision treated, and precision finished for long



vear.	Bushings	are high	quality	bronze.	
HEV	ROLET F	ASSENG	ER		
16-K	1205—192 out knee a	8-32 and	1933-3	6 Master	\$3.40
16-	94-193	3-36, Stan	dard	nee action	3.49
				out knee-	3.95
16- K	1282-193	9-50 All r	nodela		4.15

1 1/4 to	n	RUCK 8-39—1/2 ton; 1928-30—	3.40
L16- L16- L16- L16- L16- L16-	3— 4— 5— 6—De	rysier 50, 52, 1927-29	3.45 5.95 3.95 4.95 5.95 3.95 4.95
L16- L16-	10-Do	dge Sr. 6, 1928 Vict. Std. DA6, 1928	3.75

F10=	4.1	VICE. DU. DAO, 1040	4 140
L16-	12-	6, 1930-32	5.95
L16-	13-	1935-37, give model	3.95
L16-	14-	1938, give model	4.95
L16-	15-	1939-51, give model	4.95
FORD	PASSE	NGER	
L16-	99-Fo	rd T all models	2.95
L16-K1	215-19:	28-34, state year	5.65
L16-K1	240-19:	35-36	6.25
L16-K1	265-193	37-41	3.95
L16-	100-19	42-48	4.35
L16-	101-19	49-51	4.95
FORD	TRUCK		
L16-K1	215-19	28-29, 1/2 ton and 1 1/2 ton	5.65
		35-36, 1/2 ton	6.25
140	472 10	20 24 4 and 8 aul 114 ton	7 05

L16- N1240—1955-50, 79 ton	0.23
L16- 173-1930-34, 4 and 8 cyl., 1 1/2 ton	7.95
L16- 175-1935-37, 1½ ton	6.95
L16- 174—1938-51, 1½ ton	7.75
L16-K1209-Plymouth, 1928-32	4.95
L16-K1218— 6, 1933-34	4.95
L16-K1242— 6, 1935-36	3.95
L16- 143-1937-38, give Serial No	4.95
L16- 144-1939	3.95
L16- 145- 1940-51, state year	4.95
L16-K1205-Pontiac, 1928-32; Master 6,	
1935-36	3.40
L16-K1259-Deluxe 6 with knee action, 1935-	
36: 8 cyl. 1934-36	4.45
L16-K1266— 6 and 8, 1937-39	3.95

### Motor Heat Indicator

May Save You a Big Repair Bill

Shows temperature at a glance. Easy to install. Can either bel mounted on instrument panel or bracket included. Just connect heating tube to top radiator hose or engine block.

L16-16—Tractor Model, weight, I lb.

Deluxe Model, with chrome rim. Designed for use on all cars and trucks. Universal mounting, easily installed.

L16-2102-----

### METALLIC PACKING For All Water Pumps

Length of soft babbitt metallic rope packing, which seals pump shaft. Postpaid L16-72-21/2 feet coil......55c



### **PUMP PACKING RINGS**

Made of metallic graphited babbitt foil. Rings are split—ready to slip into place.
For following cars: Bulck, Chevrolet, Chrysler, De Soto, Dodge, Essex, Ford, Hudson, Nash, Oldsmobile, Plymouth, Pontiac. Whippet and others. 

### ASBESTOS WICK PACKING



Selected asbestos fibre, spun into strands; can be separated and made into any form or shape for packing small valve stems, etc. Particularly good for packing exhaust and water pipes.

L16-23-Per foot

OKAKE BAND LINING We now offer three grades for your selection. All are excellent value, ect our "Raybestos Silver Edge Woven" because it offers so much better braking and longer life.



### RAYBESTOS SILVER EDGE WOVEN

Original type woven, with no unbound strands. Impervious to weather conditions. Properly applied and adjusted, gives smooth silent performance. Stops car positively and with ease.

	Per Foot
L17-20-1x5/32	45c
L17-21-11/4x5/32	530
L17-22-1 1/2x5/32	60c
L17-23-13/4 x5/32	71c
L17-24-2x5/32	81c
L17-25-11/4x3/16	60c
L17-26-11/2x3/16	68c
L17-27-13/x3/16	770
L17-28—2x3/16	850

Number


## EMPIRE HEAVY A dense, three-ply, heavy duty lining. Solidly woven from best quality, long fibre asbestos and long staple cotton, hard twisted with brass wire. Cannot score brake drums. Made to full uniform thickness for efficient braking action. Average weight per foot, 6 oz. Price per ft. L17-62-1x5/32.

L17-62-1X0/32	420
L17-63-11/x5/32	49
L17-64—1½ x3/16	550
L17-65-13/x5/32	56
L17-66—11/2x3/16	59
L17-90-134 x5/32	65
L17-67-134x3/16	69
L17-91-2x5/32	
L17-68-2x3/16	75
L17-69-2x1/4	1.10
L17-70-21/4 x3/16	95
L17-71-21/4 x1/4	
L17-72-21/2x3/16	1.10
L17-73-21/4	1.35

FLEXIBLE MOLDED

Made by an entirely new process
—different from all others—not a
woven or laminated product, contains no brass wire. The base of
this lining is asbestos fibre in its
own natural state (life and efficlency are not ruined by chemicals)
with high graphite content. It
lasts longer—does not squeak or
chatter—does not score drums—
grease-proof and waterproof—easier
to install—requires less adjusting.
Ideal for hydraulic or mechanical
internal expanding brakes.

modified expanding brakes.
Average weight, per foot, 6 oz.
L17-1-11/x5/3245c
L17-2-11/2x3/1650c
L17-3-11/2x1/475c
L17-4-134 x5/3255c
L17-5-134 x3/1660c
L17-6-134x1480c
L17-7-2x3/1665c
L17-8-21/4 x3/1675c
-11-0 2/4 X0/10



CAR AND MODEL

### TAILORED BRAKE LINING SETS

CUT AND DRILLED, READY FOR USE.

Fits perfectly, easy to apply. Supplied in two grades— "Empire" and "Custom-Built". Our "Empire" brand is excellent value but for best results we recommend our "Custom-Built" brand, which provides much better braking and longer wear. Rivets supplied with all Sets.

Cut to Fit

realitio.		000 00 110	- Line	
- 100 100	WOVEN LINING		Set with	rivets
L17-136	Chevrolet and Pontiac, 1926-28 (not drilled)	Rear Only		\$2.75
L17-137	Chevrolet, 1929	Rear Only		
L17-138	Chevrolet Truck, 1 and 1 1/2 Ton, 1925-30	Rear Only		
L17-142	Ford Truck, AA, 1928-29	Front and Rear		6.95
L17-143	Ford Truck AA and BB, 1930-34	Front and Rear		7.95
L17-144	Ford Truck V-8, 1935-37	Front and Rear		7.95
	MOLDED LINING			
L17-146	Chevrolet, 1928-29	Front Only		1.45
L17-147	Chevrolet, 1930-32	Front and Rear		
L17-148	Chevrolet, 1933, Std.	Front and Rear		
L17-149	Chevrolet, 1933, Mstr	Front and Rear		2.95
L17-150	Chevrolet, 1934, Std	Front and Rear		2.95
L17-151	Chevrolet, 1935, Std	Front and Rear		
L17-152	Chevrolet, 1934-35. Mstr	Front and Rear		
L17-153	Chevrolet, 1936-49 Chevrolet Truck, 1 ½ Ton, 1930-32	Front and Rear		
L17-154	Chevrolet Truck, 1 1/2 Ton, 1930-32	Front and Rear		
L17-155	Chevrolet Truck, 134 Ton, 1933	Front and Rear		
L17-156	Chevrolet Truck, 1½ Ton, 1934	Front and Rear		
L17-157	Chevrolet Truck, 1½ Ton, 1935	Front and Rear		
		Front and Rear		
L17-159	Ford A, 1928-31	Front and Rear		
L17-160	Ford B-4 and V-8, 1932-34	Front and Rear		3.75
L17-161	Ford V-8, 1935-38.	Front and Rear		
L17-132	Ford V-8 and Mercury, 1939-41	Front and Rear		4.75
L17-162	Plym., 1929-32, also fits De Soto, 1928-33, Dodge DD	Frank and Dane		
L17-163	and DH6, Chrysler, 1930-31, 66; 1933 6-cyl	Front and Rear Front and Rear		3.25
L17-164	Plym., 1933 P.C. (also fits Dodge 1933, DP)	Front and Rear		
L17-167	Plymouth. 1933-34, PF. PG	Front and Rear		
L17-165	Plym., 1935-37 (fits Chrys., De Soto, Dodge, 1935-37)	Front and Rear		
117-166	Plymouth, 1938-41			
F11-100	Trymoden, 1996-11	From and Rear		4.25

### CUSTOM

Not ordinary boxed sets, but sets actually engineered to meet the demand of your car's original braking specifications. Sets contain true frictional values for most efficient performance on each individual shoe. Smooth balanced action under all driving conditions. Installation instructions with each set.

Rivets supplied with all Sets.

Number CAR AND MODEL	Cut to Fit	Custom-I	
L17-7653—Chevrolet, 1936-49	Front and Rear	9	\$5.85
L17-7627—Chevrolet, 1934-35, Master	Front and Rear		
L17-7643—Chevrolet, 1935, Standard	Front and Rear		
L17-7633—Chevrolet, 1934, Standard	Front and Rear		
L17-7614—Chevrolet, 1933, Master	Front and Rear		
L17-7520—Chevrolet, 1933, Standard	Front and Rear		
L17-7548—Chevrolet, 1930-32	Front and Rear		
L17-7313—Chevrolet, 1928-29	Front Only		
L17-71167A—Ford V8 and Mercury 1946-48	Front and Rear		
L17-71167—Ford V8 and Mercury, 1939-42	Front and Rear		
L17-7642A—Ford, 1937-38.	Front and Rear		
L17-7642—Ford, 1935-36	Front and Rear		
L17-7515—Ford, 1932-34	Front and Rear		
L17-7310—Ford, 1928-31	Front and Rear		4.95
L17-71213—Plymouth, 1946-48	Front and Rear		
L17-71137-Plymouth, 1937-42; Chrysler, 1937; De Soto, 1936-37	Front and Rear		
L17-7145-Plymouth, 1935-37; Chrysler, De Soto, Dodge, 1935-37	Front and Rear		
L17-7195-Plymouth, 1934 Deluxe P.E.; Dodge, 1934, DR, DS	Front and Rear		5 25
L17-7179—Plymouth, 1933-34; Dodge, 1933 D.P.	Front and Rear		
L17-7104-Plymouth, 1929-32; Chrysler, 1930-33; De Soto.	rione and recar		4.00
1928-33; Dodge, 1930-31	Front and Rear		4.65
L17-71162D-Chrysler, 1939-42: De Soto and Dodge, 1938-42	Front and Rear		
L17-7192D-Chrysler. 1934-38; De Soto, 1934-36	Front and Rear		
L17-7286-Buick, 1936-49, 40-50; Pontiac, 1935-38			
L17-72005D—Buick, 1940-49, 60, 70	Front and Rear		
L17-7294D-Hudson, 1936-40; Terraplane, 1936-38	Front and Rear		
L17-7292D—Hudson, 1941-47; Nash, 1934-36; Olds., 1937-41;	Trong and accar		1.00
Pontiac, 1939-41	Front and Rear		7.35
L17-72006A—Pontiac, 1942-48.			
L17-7237D—Nash, 1937-48; most models	Front and Rear		7.35

### **Brake Lining Rivets**

plit Brass Box of 100 17- 9-9/64 thick, 6/16 long....55c 17-10-9/64 thick, 8/16 long....65c 17-11-9/64 thick, 10/16 long....75c

Box of 100

Postpald.

Hox Brass Box 0 117-12—9/64 thick, 6/16 long.... L17-13—9/64 thick, 8/16 long.... L17-14—9/64 thick, 10/16 long... L17-15—3/16 thick, 6/16 long... L17-16—3/16 thick, 7/16 long... 650 750 850 850



### **Brake Lining Jig**

Set includes holding frame, anvil, com-bination drill and countersink tool, punch for removing rivets and tool for clinching rivets. Clamps firmly in vise, leaving both hands free for work.

L17-17—Brake lining jig.... Weight 1 lb. ...\$2.25

**Brake Lining** Tool Set



Four piece set, as shown. 18.....**\$1.19** Weight, 12 oz.

While drilling, countersinking and rivet-ing lining.

"C" Clamp for Holding Lining to Shoe or Band

L17-19-Clamp,

### **Brake Spring Pliers**

A handy tool which greatly simplifies the re-moval and replacement of brake shoe springs. Chrome Alloy steel, satin finish, polished head.

L17-40-51/2" long, wt.,10 oz.

\$3.29

.750


### Ford Brake Wrench



### Brake Cable Shortener and Adjuster

Quick, simple adjustment, not necessary to remove cable. Simply shorten cable to desired length with one nut, then lock in place with check nut.

Postpaid.



L17-36-Jiffy shortener, each

### Hydraulic Brake Fluid

### Transmission Linings for Ford Model T-Heavy Duty

HEAVY DUT TRANSMISSION FOR FORDS

Treated For Longer

Heavier piles—velve ty t ex ture—
smoother action. Special "Oil Pocket"
weave forms minute
pockets that hold oil
—preventing chattering and grabbing.
Guaranteed to give
satisfaction. Set of
three, complete with
rivets. Postpaid

\$2.28



## Easy-Grip

Strong—Sturdy
Dependable
Easy to attach, fits
over bumper. Convenient to carry. Galvanized stranded wire cable
7 feet long, rust-proof
fnish. finish. L17-37—Tow Cable, postpaid...........\$3.75

Truck Flares


BURN 10 TO 20 HOURS


Required by law for all trucks, busses or trailers, when parked on highways. Use kerosene. Burn in 40-mile gale; not affected by rain. Heavy gauge steel, set of 2, in metal box or rack. .\$4.95


L17-35-Flare Set. Postpa.d.

17

### IGNITION PARTS




















oall at our store.		Dr Call						
IMPORTANT—State make, year and model of car when ordering.	Breaker Arm	Breaker Point	Dist. Rotor	Dist. Cap	Condenser	Set Complete	Gen. Cutout	Starter Switch
Buick, Std. and Mstr. 6, 1928-30	DR255c	DR335c	DR5030c	DR8698c	D146	5c XD3945c	EC451.10	DR460 1 . 75
Ser. 50 and 60, 1930 8, 50-60-90, 1931-32	DR255c DR2(2)55c DR2(2)55c	DR335c DR6 & 435c DR7 & 435c	DR5030c DR6340c	DR8698c DR911.95	D146!	5c   XD3945c	EC451:10 EC451:10	DR4601.75 DR46495
8, 40-50-60-80-90, 1933-50 Chevrolet, 1922-27	DR1565c RE155c	DR1235c	DR6340c RE5175c	RE8095	D146	XR3135c	EC451.10	DR462950
1929-34 Std	DR255c	DR835c	RE5830c	DR9095c	D166	5c XR3135c XR3135c	EC451:10 EC411:10	DR46295c
1955-51 MStr	DR255c DR160c	DR335c DR835c	DR5030c RE5830c	DR8698c DR9095c	D146! D588!	35c to 70c	EC411.10 EC451.10	DR46695c DR4531.49
Chrysler, 4-50, 1926-27 4-52, 1928	DR255c	DR8 35c	RE5830c RE5830c DR5030c	DR9095c DR9495c	D588! D166!	5c   XR3135c	EC451.10 EC451.10	DR4561.49 DR453 1.49
6, 1928-33 CA and CB6, 1934	DR1565c AL1565c	DR835c DR335c AL1135c	DR5030c AL6435c	DR8698c AL991.65	D146!	C XR4355c		DR46495c AL4261.25 AL4261.25
8 1025-46	AL1565c DR255c	AL1135c DR835c	AL6540c RE5830c	AT 100 2 25	A38	0c XE4570c 0c 35c to 70c 19 XN381.15 XR3275c	EC451.10	AL4261.25 DR46495
De Soto 6, 28-32 (Delco-Remy) 6, 1929-30 (North East) 6, 1933-34 (Delco Remy)	NE375c DR1565c	NE1135c DR335c	NE5449c DR5030c	DR9495c NE871.95 DR8698c AL991.65	N75 1.4 D146	9 XN381.15	EC451:10	DR459 95c
Dadas 4 1000 00	AL1565c NE285c	AL1135c NE1045c	AL6435c NE5055c	AL991.65	A4370 N781.4 N781.4	0c XE3975c 9 XN341.20		AL4261.25 NE4911.75
Sr. 6, 1927-30	NE285c	NE1045c NE1135c	NE5055c	NE822.50 NE832.50 NE852.25	N78 1.4 N75 1.4	9 XN371.25	EC451.10 EC451.10 EC451.10	NE4911.75 NE4911.75 DR46495c
DD, DH, DJ, 1930-32	NE375c DR255c	DR835c	NE5255c RE5830c	DR9495c	D16 64	5c   XR32 75c	EC411:10	DR46495c
Sr. 6, 1927-30. Std. and Vict. 6, 1928-30. DD, DH, DJ, 1930-32. DR, DS, DP, DT, 1933-34. All Sixes, 1935-50. Durant 6, 55, 65, 612, 614, '28-31	DR1565c AL1565c AL665c	AL1135c	RE5830c DR5030c AL6435c AL5335c	DR9495c DR8698c AL991.65 AL891.25	D146! A437( A338	C XE3975c XE2035c	EC451.10	DR46495c AL4281.25 AL4121.35
Essex, 1926-28	BO175c	AL1135c	AL5265c	AL86 2.25	A32 1 .4 A37 85	9 XB74 85c	EC491.10	AL41198c
Ford, A and AA, 1928-31	BO175° AL665° FO335°	AL1135c FO415c	AL5335c FO5035c	AL891.25 FO801.10	F549	C XE2035c XF835c	EC491:10 EC421:10	AL41198c F48189c
B4, 1932-33	FO2135c	FO2215c	FO5035c	FO8130c FO801.10 FO8130c	F145	C XF8350	EC421.10	F48298c
V-8-18, 1932-33	FO2395c	FO24(2)15c	FO5275c	FU8289c	F186	5c XF925c	EC421.10	F48398c
V-8, 40-48-50, 1934-36	FO2695c	FO27(2)15c	FO5275c	FO8339c FO8289c FO8339c	F186	5c XF925c	EC421.10	F484 1.25
V8, 1937-41	FO35(2)45c	FO3630c FO3730c	FO53 75c	FO8798c	F205			SOL2.15
1942	FO35(2)45c	FO3630c	FO5539c	FO8339c FO962.65	F247	5c XF14B59c		
1946-48	FO35(2)45c	FO3730c FO3630c FO3730c	FO5639c	F0972.55 F09865c	F2475			
1949-51	FO42-431.20 NE375c DR255c AL1F75c	NEII350	FO5835c NE5255c	FO9865c FO1021.90 NE852.25	F25 6! N75 1.4 D16 6! A31 1.4	XF14B59c 9 XN371.25 5c 35c to 70c	EC451.10	U4001.25
Std. 6, 1929-40. Hudson, 1927-29.	DR255c	DR835c	NE5255c RE5830c AL5150c	DR9495c AL842.10	D166!	35c to 70c 9 XB7485c	EC451.10 EC451.10	DR46495c
Nash, Lt. and Std. 6, '25-28	AL1F75c AL665c	1 41.10 450	AL5150c AL5335c	AT.84 2.10	A31 1.4	9   XE20 35c	EC451.10	DR460 1.75 AL412 1.35
6. 1937-40	AL6(2)65c AL15(2)65c DR255c	AL1135c AL11(2)35c AL11(2)35c DR835c	AL571.10 AL571.10	AL891.25 AL975.75 AL975.75	A33 8! A34(2) 8! A34(2) 8!	XE2035c C XE3575c C XE4570c	EC451.10 EC451.10	AL412 .1.35
1 afavette 1025 20	DR2 55c AL15 65c	DR835c	RE5830c AL6235c	DR9495c AL961.35	D1564	ac I X Rol A bc	EC451.10	
1939-40. Oldsmobile, 1928-34. 6, 1935-40. 6. 1941-50	AL1565c DR255c	AL1135c DR835c	AL6435c RE5830c	AL991.65 DR9495c	A4370 D166	JC   AL40 / DC	EC411.10	AL4121.35 AL4121.35 DR46495
6, 1935-40 6, 1941-50	DR255c DR255c	DR4 35c	DR5030c	DR8698c	1114 6	ac   55c to 70c	DO41 1.10	DR46495c DR46495c
6, 1941-50 Plymouth, 4, 1928-32 PC, PF, 1933-34	DR255°	DR13 45c DR8 35c DR8 35c DR3 35c	DR5030c DR5030c RE5830c RE5830c	DR86 98c DR90 95c DR94 95c	D1465 D1661 D146	35c to 45c XR41M65c	EC451.10 EC451.10	DR4571.49 DR46495°
PD PE Deluye 1033-34	DR2	DR335c	DR5030c	DR8698c AL991.65	D14	OC   AR40	EC451:10	DR46495c AL4281.25
All, 1935-50 Pontiac, 1926-27	AL1565c DR160c DR255c	DR835c DR835c	RE5830c	DR9495c DR9495c DR911.95	A43	5c XR3135c XR3135c	EC451.10 EC411.10	DR46295c DR46395c
0, 1300-00	DR1565c DR255c AL1F75c	DR1235c	DR6340c	DR911.95	D146	5c XR4355c		
6, 1935-50 Star 4, 1925-28		DR1345c	DR5030c AL5085c	DR8698c AL881.35	D146!	5c XEII60c	EC491.10	DR46495° AL4121.35
Studebaker 6, 1937-42 Terraplane 6, 1932-34	AL1665c	AL1135c	AL6235c	AL891.25	A338! A448!	5c XE4570c		AL41198c
6, 1935-39 Whippet 4, 96-96A, 1927-30 6, 98-98A, 1928-29	AL1665c	AL1135c	AL6235c	AL961.35 AL881.35	A448! A338!	Sc XE4375c	EC451.10	AL412 1.35
6, 98-98A, 1928-29 Willys 4, 1936-39	AL665c	AL11 35c AL11 35c AL11 35c AL11 35c AL11 35c AL11 35c	AL5335c	AL891.25 AL83 2.25	A33 81	5c   X E20 35c	EC45 1.10	AL412 1.35
4, 1939-50	AL1665c	AL1135c	AL6235c	AL1011.35	A338	Sc XE20	and the same of th	
Ignition Coils	or All Cars- 6-Volt		Ignition I	Parts For		Dual I	gnition Pl	ates



The closed circuit core feature assures extremely hot spark, makes starting easy and improves perform-

ance at all speeds. Complete with brackets. W	t. 21/2 lbs.
L18-34—Chevrolet, 1923-28	\$4.95
L18-35—Chevrolet 6, 1929-32	\$4.75
L18-36—Chevrolet 6, 1933-40	\$5.10
L18-42-Chevrolet 6, 1941-46	\$5.10
L18-14—Chevrolet 6, 1947-50	
L18-37-Ford A and B, 1928-32	\$4.75
L18-38—Ford V-8, 1932-36	\$6.95
L18-39—Ford V-8, 1937-41	\$6.85
L18-46-Ford V-8, 1942-48	\$6.95
L18-16—Ford V8, 1949-51	\$6.75

### DELUXE

and others. \$5.10 L18-40—Lock Switch Type with switch and keys, for 1929-34 Chrysler, Dodge, Durant, Essex, Plymouth, Pontlac, etc. \$8.95


L18-41—Leader Universal. Delivers fast spark. Meets average requirements. Fits Chev., 1929-32; Ford, 1928-32, and many others. \$3.50

## **English Cars**

Austin A40, Ford Anglia and Prefect, Hillman Minx, Morris, Standard Vanguard, Vauxhall. Please

	State many Jean and Moder.	
ı	L18-3—Points, per set	1.19
1	L18-4—Condenser, each	1.49
ı	L18-5—Rotor, each	.39
1	L18-6—Dist. Cap—Austin, Hillman, Morris	2.49
1	L18-7—Dist. Cap—Standard and Vauxhall	2.35
ı	L18-8—Dist. Cap—Ford Prefect and Anglia	1.59
ı	L18-9—Ignition Coil, each	5.95

### **Dash Starter Conversion Kit**



For quick, easy starting, modernize your car with electric dashboard pushbutton. Easily installed.

FORDS. For Ford 1932-36 and other cars with Bendix drive (except Chevrolet). Kit consists of dash mounting push button, solenoid switch, cable and wire.

L18-18-Complete 

CHEVROLET. For Chevrolet 1928-37, Shown above, with special Chevrolet adapter.



Improve the performance of your car. Quicker starting, smoother acceleration, full power at top speed. Hotter spark, no bucking or skipping, and better mileage. Replaces original equipment, easily installed.
L18-10-Fits Ford, Meteor, Mercury 1949-51 and Lincoln, 1950-51. \$7.95
L18-11-Fits Chevrolet, 1937-51

\$5.95

### STARTER BRUSHES

SUPPLIED ONLY IN SETS OF FOUR

### AMMETERS



Be sure to state year and model. L18-15—Ford T and A, 1914-31...... L18-29—Universal, fits many cars....

Electric Test-Lite



Ne-O-Lite



### NEW! Perfect Circle 2 in 1 Chrome **Piston Ring Set**

Solid chrome plating process doubles the life of cylinders and rings. Has established new standards of operating economy and long life for rings, pistons and cylinders.

Compare these exclusive "2 in 1 Chrome" features: 1. Two springs supplied with each Chrome Oil Stopper, a normal pressure spring for rebored or slightly worn engines—a high pressure spring for badly worn engines or "oil pumpers".

2. Two chrome rings for each piston—Chrome Compression Ring at the top where temperatures are highest, lubrication poorest, and wear greatest: Chrome Oil Ring at the bottom for positive oil control without danger of scuffing and scoring.

3. Two chrome rings for

3. Two chrome rings for twice the life of ordinary sets, with sustained power.

L19-13—Buick 8, 1938-50 L19-14—Chevrolet 6, 1934-50	\$33.00
L19-15—DeSoto 6, 1934-50)	20.90
L19-16—Dodge 6, 1935-50	20.90
L19-17—Ford A and B, 1928-33	10.35
L19-18—Ford V8, 1932-50, 4-ring piston L19-19—Hudson 6, 1935-49	23.50
L19-20—Mercury 8, 1938-50, 4 ring piston	23.50
L19-21—Nash 6, 1941-48	20.10
L19-22—Nash 6, 1949-50 L19-23—Olds 6, 1939-50	24.75
L19-24—Plymouth 6, 1934-50	
L19-25-Pontiac Small Six, 1938-50	16.75
L19-26—Pontiac Big Six, 1939-50	
L19-27—Willys 4, 1933-39	14.60

### All Postpaid. Complete "70-85" Sets

The "85" Oi. Ring in combination with "70" Compression Rings will positively give a satisfactory oilmileage in any car, even though the cylinders are worn and piston clearance excessive. The correct number of Oil Rings and Compression Rings to completely service most popular cars are packed in a special carton as shown, at special prices. Type "200" top rings with Ferrox-surface are now included in all "70-85" packaged sets.

### COMPLETE SETS

L19-70065—Chev. 4, 1916-26	\$5.60
L19-70066—Chev. 4, 1927-28	5.60
L19-44—Chev. 6, 1929-50	
L19-7301—Ford T. 1915-27	6.70
L19-76—Ford, A or B, 1929-33	5.30
L19-78A—Ford V-8, 1932-48 (4 ring)	12.10
L19-79H—Plymouth 4, 1928-31 (4 ring)	7.00
L19-48-Plymouth 6, 1933-50	
THE RESIDENCE OF THE PROPERTY OF THE PARTY O	



(C) SLEEVE TYPE COMPRESSOR Holds all of the rings at one time and leaves the hands free. No slipping or breaking. L19-114—Ship, weight, 4 ozs......65c

(E) SLIP-JOINT COMPRESSOR Adjustable. Fits 2¾" to 4¾" Rings. L19-116—Shipping weight, 6 ozs......

### New! Magnetic Thermometer



### **New! Magnetic Memo Pad**

Stays put on dash board.
Useful for doctors, salesdoctors, salesmen, delivery men, or any motorist. Uses standard refill pad, 4¾" x 3". Pencil not included.
L19-92—Memo Pad, postpaid.....\$1.49

### **Perfect Circle Custom Made Sets**

Scientifically engineered to provide outstanding rvice—whether cylinders are badly worn, tapered, or

Continuous laboratory research and field testing by Perfect Circle engineers indicate beyond doubt that no single piston ring combination can be expected to produce the best results in all engines. Therefore, each Custom Made Piston Ring Set is carefully made up from 20 specific types of Perfect Circle Compression and Oil Rings—in combinations which engineering research proves to be most effective for the particular make and model engine. for the type of service to which the engine is subjected, and the condition of the engine.

L19-61—Buick 8, 1933-50 L19-62—Chevrolet 6, 1929-50 L19-63—De Soto 6, 1934-50 L19-64—Dodge 6, 1935-50 L19-66—Ford A and B, 1928-33 L19-66—Ford V8, 1932-50 (4 ring) L19-36—Hillman Minx, 4 ring L19-36—Hillman Minx, 4 ring L19-67—Lafayette 6, 1937-40 L19-68—Mercury 8, 1939-50 L19-69—Nash Ambassador 6, 1937-50 L19-72—Oldsmobile 6, 1935-50 L19-72—Plymouth 6, 1935-50 L19-72—Plymouth 6, 1935-50 L19-72—Portiac Small 6, 1936-50	12.95550 12.95555555 12.95555555 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.255 18.2
L19-72—Plymouth 6, 1933-50	12.95
the state of the s	


Write for prices on cars not listed above.

### **Perfect Circle Oil Stopper Piston Ring Sets**

Set contains conventional top compression rings expander-type compression rings, and expander-type oil rings with steel segments. The performance of Steel Oil Stoppers is unsurpassed for rings of the steel segment type, engineered to the same exacting specifications as are all Perfect Circle Products and priced low We list only a few sets below. Write for prices for other cars. Complete sets. Postpaid.

L19-79—De Soto 6, 1934-50	L19-89 — Chevrolet 6, 1929-50. L19-79 — De Soto 6, 1934-50. L19-87 — Dodge 6, 1935-50. L19-80 — Ford A & B, 1929-33. L19-88 — Ford V 8, 1932-50, 4 Ring Piston. L19-82 — Lafayette 6, 1937-40. L19-83 — Mercury 8, 1939-50. L19-84 — Nash 6, 1937-50. L19-78 — Oldsmobile 6, 1935-50. L19-78 — Oldsmobile 6, 1935-50. L19-85 — Plymouth 4, 1931-32 (4 ring).	15.10 15.10 7.30 17.30 15.10 15.30 15.45 10.55
---------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------

### **Precision Ridge Reamers**



Fine Tool Steel Blade. Can't Cut Too Deep Precision tool of the type found in most up-to-date service shops. Removes ridge from top of cylinder walls — it greatly improves a new piston and ring installation job.

(M) Post Anchor Model—Bolts to engine block. Accurate centering jig assures a true, round cut. Handles all cylinders up to 4 inches in diameter. L19-52-Each. Ship. weight, 4 lbs......\$8.95

### Heavy Duty Reamer

(N) Centering Body Model—Works wholly within cylinder. Centers self. Removes ridge at any depth. 3-point contact long expansion tool steel cutter—may be resharpened. Adjustable dlameter screw and special "stop" device prevents cutting cylinder wall too deep. For straight or chamfered walls. Fits 2.6 to 4 inch diameter cylinders.

L19-53-Each. Ship. weight, 2 lbs...... \$14.95

### SUPER RANGE RIDGE REAMER

An improved type of tool for the home mechanic. Cutting range 2-19/32" to 4-3/16". Will remove ridges in all cylinders within the range given which covers practically all cars and most trucks.

L19-49—Ship, wt. 2½ lbs......\$7.95



### STANDARD PISTON RINGS

### COMPLETE SETS

NOTE-

4-cyl. set contains 8 compression and 4 oil rings; 6-cyl. set contains 12 compression and 6 oil rings; 8-cyl. set contains 16 compression and 8 oil rings.

5-cyl. set contains to complession and o office	
19- 3-Chev. 4. 1917-28	2.9
19- 4—Chev. 6, 1929-42	4.7
_19- 5—Dodge 6, 1935-38	6.7
_19- 6—Ford T, 1912-27	2.9
19- 7—Ford A and B, 1928-32	2.9
-19- 8—Ford V-8, 85, 1932-48, 3 ring	5.9
19- 9—Ford V-8, 85, 1932-48, 4 ring	9.6
-19-10—Plymouth 4, 1928-31, 3 ring	4.5
-19-11—Plymouth 4, 1931-32, 4 ring	6.7
-19-12—Plymouth 6, 1933-38	0.1

### FLEX-STEEL SETS



Stop oil waste—save on gas. Designed to "lick" oil pumpers. Equipped with new improved segment type oil ring. This newly perfected combined scraper and oil ring, four pieces, with steel segments top and bottom, permits oil to flow freely through extra large ports. Swedish steel inner spring exerts pressure against center oil scraper ring only; prevents cylinder wear. Matched sets, supplied in oversizes from standard to .060. State oversize required.

### "Ring Master" Ring Compressors



Entire ring assembly—no matter how stiff—is gently and firmly compressed into groove until flush. Ratchet control holds position with no slip back as piston is inserted into cylinder. Beaded lower edge keeps tool from entering cylinder. Ratchet pawl and teeth are hardened for long service; Square offset handle fits socket snugly and crage.

affords ample leverage.	
L19-56-For cars. Capacity	21/8" to 5"\$3.49
L19-57-For tractors. Capaci	ity 31/4" to 7"4.25

### Allen Set Screw Wrench Sets

Eight popular sizes, 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", plated finish, in canvas roll. A necessity in every mechanic's kit. Postpaid.

L19-40-8 piece set..\$1.49

Junior Set—Consists of 7 pieces: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", black finish in plastic L19-41—7 piece set,. 69 0

### **Cowl Ventilator Gasket**



Custom Built, Molded one-piece sponge rubber. Easy to install. Real protection against drip-leaks! stops drafts and rattles.

### "Knockout" Wheel Puller



FOR ALL CARS

Easy to use; simply remove axle nut, screw on wheel puller, strike sharp blow with hammer and wheel comes off.

L19-97-%" diam., 18 thread,4	90
L19-98-3/" diam., 16 th ead,4	90
L19-99-13/16" diam., 16 thread,	90
L19-101-1" diam., 14 thread,4	90
L19-102-118" diam., 12 thread,	90
L19-104—1 ½" diam., 7 thread, U.S.S.,	90




New Valves will give your motor renewed pep, snap and power. Our Valves are ground and finished to a glass-like smoothness. A perfect fitting seat is assured. Will not warp. Finest quality. Our "S" type is a Super-forged Steel Valve, should be used in the exhaust and has been produced specifically to resist the intense heat developed in the modern high compression motor. Our "T" type is recommended for use in the litake of most cars but can also be used as an exhaust valve if desired.

	Exhaust	Intake
L20- 1—Chev. 4, 1924-28		\$ .89
L20- 2—Chev. 6, 1929-51		.79
<b>L20- 3</b> —Dodge 6, 1934-50 <b>L20- 4</b> —Ford T. 1915-27.		
L20- 5-Ford A & B, 1928-32	1.15	1.15
L20- 6—Ford V8, 1932-51	1.15	1.15
L20- 7—Plymouth 4, 1931-32	1.75	1.15
L20- 9—Plymouth 6, 1933-38		.89
L20-10—Plymouth 6, 1939-50	1.29	.95

Lack of space prevents complete listing. We can supply valves for most other cars. Write for low prices. When ordering valves, be sure to state make, year and model of car, also whether intake or exhaust is needed.

### Burd-Lindbloom Valve Packing

All Postpaid.



NOTE: 4 cyl. car requires 4 6 cyl. car requires 6 8 cyl. car requires 8

8 cyl. car requires 8

1. Packing is located where it belongs—at the top of the guide, to keep oil in.

2. Does not hinder valve action—soft tension spring keeps packing always snug.

3. Self-lubricating—contains graphite, a non-wasting solid that polishes and lubricates regardless of oil; plus special packing that absorbs and holds oil.

4. Easy to install—no special tools required.


5. Pressed steel jacket shields packing from fuel and external wear.

### COPPER TUBING

Best Quality Seamless
Outside diam. Foot Outside diam. Foot
L20-95-1/8" 10c L20-98-5/16" 16c
L20-19-3/16" 13c L20-99-3/8" 21c
L20-97-1/4" 14c L20-94-1/2" 27c
Av. Ship, weight per foot 4 oz.



Drain Cocks L20-135-16 in. thread. 39c L20-145-1/4 inch 54c



Shutoff Cocks For tubing one end. 1/2 in. pipe thread other end. 1/20-530-For 1/20 inch tubing......\$1.19 1.20-630-For 5/16 in. tubing.......\$1.25

### Solderless Couplings

Double compression feature insures against leakage. Postpaid



Male



Union Female Male Connector Elbow SAE Nut & Connector Sleeve

Male Tee D. L20-723 58c L20 S A E Nut E. L20-413 15c L20 Sleeve F. L20-603 03c L20 Nut F. L20-613 07c L20	0-69439c L20-69548c 0-72465c L20-72569c 0-41417c L20-41524c 0-60403c L20-60504c 0-61408c L20-61510c 0-62439c L20-62545c
--------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------



### GASOMETER

THE MOTORIST'S GAS SAVER and MOTOR TUNE-UP GAUGE UNIVERSAL—One model fits all cars; the measure of vacuum is the same on all gas engines, whether 4,6 or 8 cylinders. SAVES GAS: Higher Vacuum maintains greater Gas Mileage; keep the Pointer in the GREEN (GOOD); stay out of the RED (POOR). Gasometer will train the GREEN seep the Pointer in the Green with a "Light Foot" as with a "Heavy Foot"; the lighter pressure means More Miles Per Gallon and Less Wear and Tear on the engine

AVOIDS WASTE: The "Heavy Foot" pressure causes an excess of gas to enter the engine; this gas is not burned, but passes through the exhaust pipe as waste.

SAVES UP-KEEP: Gasometer saves costly engine repairs by indicating trouble as soon as trouble starts.

MOTOR TUNE-UP: Watch The Gasometer while engine idles; the Pointer should be steady in IDLE area on dial. If Pointer dips or fluctuates it indicates motor trouble.

L-20-62-Gasometer, Postpaid.



"Offset"

### Ford "A" Valve Lifter



Self lock-ing tool for re-moving and replacing Ford valves. L20-90—Fits Ford. '28-32, each \$1.25

.....\$1.65

"Thrift" Valve Lifter



L20-80-Shp. wt., 12 oz. each ... .850

### Valve Spring Compressor




For replacing valve springs in all motors. Fits all sizes. Locks securely in any position. Steel, rustproof finish. Also an ideal Valve Lifter for Bulck, Chev., and Nash. L20-60—Each, weight, 1½ lbs....\$2.89

### BAR TYPE VALUE LIFTER For V-8 9

Drop forged jaws. Fits valve springs perfectly. Very strong. 22 inches long. L20-49—Each, weight, 2 lbs.......\$1.69

### Overhead Valve Tappet Adjusting Tool Buick Chev. and Nash 地区



### Valve Grinder Spring




Valve Guide For "A", "B" and V-8 Fords

Hinge type; simply open and slip around valve stem. Holds valve in perfect alignment during grinding. Wt. 4 ozs. 

.85c

Valve Grinder



### Oscillating Suction Valve Grinder



### IRON CEMENT

Used extensively in re-pairing cracks, blow holes, defective cylinders, jack-ets, radiators, etc,

L20-57—1¾-oz. can25c L20-58—7-oz. can ...55c



### **Valve Grinding Compounds**





### ValveRe-facer and Re-seater



RE-SEATER
L20-88—Will operate perfectly on all valves not over 2½ ins. in diameter. Has 5 tempered cutting blades and 4 detachable stems. Postpaid .............\$2.95

### Superior Ball Bearing Valve Grinder

A very fine tool, extra quality and finish throughout; reciprocating and progressive. Gives the short and smooth but quick, unbalanced forward and back movements which constantly advance the valve to new positions and insure perfect grinding. A ball thrust bearing on the spindle gives easy action.

Long and short self-locking stems and full set of blades and one suction cup are furnished with each grinder.



4

### **Empire Valve Grinder**

Efficient and durable: simple, strong construction. Enameled steel case, hardened steel gears. Complete with bits for all cars and vacuum cup for Ford valves. Ship, weight, 1½ lbs.

L20-59—Each.....\$2.98

### Valve Stem Bushing Remover for Fords

Removes valve stem bushing without damage. A tap with hammer drives bushing out. Strongly constructed of steel. Weight 4 ozs.



Valve Key Tool

For inserting all split or horseshoe type valve keys or keepers). Handy, speedy, light weight. Operated with one hand. L20-92—Wt. 8 oz...\$1.69

### "Stubby" Valve Lifter and Spring Compressor



"Two Tools

Illustration shows spring being compressed for replacing in the engine. The hand wheel is turned counter clockwise to compress and turned clockwise to lift a spring. No ratchet or other look is needed as the tool holds automatically at any point. The mechanical movement is so worked out that, at important working positions, the laws are practically parallel. Heavy construction—practically unbreakable.

-Weight, 11/ Ros ....

### RELIABLE BLOWTORCHES



(Leit). Automatic Torch burns alcohol. Generates 1,400 degrees in 10 seconds.

L20-100—Ship, weight, 6 ozs.

(Centre). Automatic Gasoline Torch. Capacity, 4 pint. No pumping necessary. Burns over two hours with one filling. Easy grip handle remains cool; valve gives positive control of fiame.

L20-101—Shipping weight, 1 lb.

S3-95 (Right). High grade Blow Torch. Quart size, burns gasoline; easily regulated. Polished brass tank. Built-in pump. Cool wood handle grip. Removable hook for holding soldering iron.

L20-102—Shipping weight, 3 lbs.

\$10-95

### **Axles and Drive Shafts**

Best grade special chrome alloy axle steel, made to SAE specifications, toughened by special heat treating process. Guaranteed to fit.

	A	)	¢	L	E	S
1	9:	2	5	-2	9	

21-55	—Chev., 1925-29. \$8.45 — 1930-31 9.25
21-11	- 1930-31 9.25
.21-10	— 1932, Small taper 9.35
.21- 9	- 1932, Large taper 9.45
.21-CM3	— 1933-35, Mstr., state year. 11.25
21-285	— 1936, Master
.21-CS36	- 1933-36, Std., state year 12.45
.21-C740	- 1937-40, state left or right 12.95
21-C418	- 1941-48, state left or right 12.45
21-29C	— 1925-28, 1 Ton truck 8.75
21-414	- 1929, 1½ Ton truck
21-560	- 1930, 1½ Ton truck14.95
21-404	- 1931-33, 1 1/2 Ton truck 14.95
	- 1934-35, 1 1/2 Ton truck 15.45
.21-38	-Chrysler 4 50-52, 1926-28 12.95
.21-93	-Chrysler 6, CJ CM, 1929-31 9.95
.21-93	—DeSoto 6, 1928-32 9.95
.21-33	-Dodge 4, 27-28 Vic. Std. 6,

	1920-29
For lat	ter models—see Plymouth Listing
21-84 21-81A	—Durant 4 and 6, 1924-30 <b>8.45</b> —Durant 4 and 6, 1930-32 <b>10.75</b>
.21-99 .21-76	—Essex 6, 1924-29 11.95 —Essex 6, 1930-31 11.95
.21-100 .21-77 .21-241 .21-275 .21-333 .21-842	—Ford T, 1910-27     5.95       — AB, V8, 1928-32     13.95       — V8, 1933-34     12.95       — V8, 1935-38     13.95       — V8, 1939-41     13.45       — V8, 1942-47     13.45
21-154	-Oldsmobile 6, 1924-31 8.95
21-50A	Overland 4, 91-92-6, 93, 1922-28
.21-93 .21-232 .21-254 .21-267 .21-286 .21-298	-Plymouth, 1928-32
.21-55 .21-64 .21-233 .21-261	-Pontiac, 1926-28

L21-359	-Willys 4, 1937-40
	DRIVE SHAFTS
L21-1609	-Chev., 1925-28. \$7.45 - 1929 \$.25 - 1930 9.75 - 1931 9.95
L21-29 D L21-29 P L21-1100 L21-1645 L21-1608	-Chev., 1926-28, 1 Ton truck. 10.95 - 1929-31, 1½, Ton truck. 9.45 -Ford T, 1910-27. 6.95 -Ford A, 1929-31. 18.45 -Poutlac, 1926-28. 7.45

-Whippet 6, 98 ser., 1927-31... 11.45 Whippet 4, 96-96A, 1925-31... 10.75

-Star 4 and 6, 1923-30.

-Willys 4, 1933-36...

### Hub and Axle Shim

L21-84

L21-61B

L21-228



8.45

12.45

For All Cars

Builds up worn axle shafts. Keeps wheel properly centred and tight on axle.	the	rear
L21-8-For small cars, each		19c
L21-7—For large cars and small trucks,		250

0	Tail Pipe Hangers
00	Adjustable, fit most cars and trucks. Rubber insulator absorbs vibration, stops rattles.
00	UNIVERSAL
000	L21-571—Fits 1½" Pipe
	L21-574—Fits 2" Pipe95c
	CHEVROLET and FORD
0	L21-570—Chev., 1941-42

### TAIL PIPE REPAIR



Made of heavy gauge seamless steel tubing, 18 inches long. Saves buying a complete tail pipe, saves labor bills. Cut off bad piece with hacksaw, slip Tail Pipe repair over old pipe and tighten clamp. Can be installed in 5 minutes. Supplied in 4 sizes to fit most cars.

L21-12—Fits 1½" Pipe.

L21-13—Fits 1½" Pipe.

L21-14—Fits 1½" Pipe.

L21-15—Fits 2" Pipe.

L21-15—Fits 2" Pipe.

L31-49

L21-15—Fits 2" Pipe.


L49


Steel Brush For Many Uses



L21-25-15" long, with handle, wt. 8 oz.,

### **DE LUXE**





"Deluxe" have heavy 20 Gauge steel ribbed shell—18 Gauge Head. Patented, continuous electrically welded seams, guaranteed blowout-proof. Designed to give extreme silence, superior performance and longer life. Special construction cuts down back pressure; helps to increase gas mileage, improves

down back i		proves sation.
Lacquer finis	mance, prevents clogging, reduces condenses, complete with clamps, ready to install.	2 10
L21-355—	sn, complete with clamps, ready to install, ulck, 1933-35, 50 Ser. \$1 1934-36, 40 Ser. 1933-35, 60-80-90 Ser. 1 1936- 60-80-90 Ser. 1 1937-49, All models. 1 1948-454 Mstr. 1934	9.50
L21-354—	1933-35, 60-80-90 Ser	3.70
L21-357-	1937-49, All models	2.85 9.95 5.25
L21-310-CI	hev., 1929-32 and 1933 Std	5.25
L21-322-	1934 Mstr	6.95
1 24-222	1025 Std	4.95
L21-324-	1935-36 Mstr	6.75
L21-332-	1935-36 Mstr. 1936 Std. 1937-39 Mstr. 1940- (Oval) 1941-48 (Oval) 1949-51 bev., 1929-32 Truck 1934-40 Truck 1941-49 Truck. All models 1950 Truck hrysler & De Soto, 1935. 1936-37.	6.65
L21-418-	1940- (Oval)	6.65
L21-430— L21-475—	1941-48 (Oval)	7.65
L21-310-CI	nev., 1929-32 Truck	5.25
L21-414— L21-444—	1934-40 Truck All models	5.25
L21-496-	1950 Truck	7.75
L21-339-CH	1936-37 De Soto, 19351	9.85
L21-360-	1936-37 1938-48	9.95
L21-384-D	odge, 1930-32	6.60
L21-330	1935 DV	5.95
L21-415-	1934 DR, DS	0.15
L21-328-	1936 D4, 1937 D7, 1938 D10, 1939 D13	7.95
L21-340— L21-427—	1936 D2, 1937 D5, 1938 D8 1938 D9, 1939 D12	7.95 9.85 6.60 9.95
L21-360-	1936 DU, 1937 D7, 1938 D10, 1939 D13. 1 1936 D2, 1937 D5, 1938 D8	9.95
L21-432— L21-431—	1940-41 D16, D21	7.25
L21-360— L21-481—	1940-41 D16, D21	9.95
L21-301-F	ord A. 1928-31. Complete with Pipes	9.45
L21-304— L21-335—	V8, 1932-34	7.75
L21-334—	V8-60, 1937-40	5.95
L21-413-	V8- 1939-40	7.45
L21-433— L21-436—	1942-48 1949-51 197d A, 1928-31, Complete with Pipes	8.25
L21-473— L21-474—	V8, 1947-48 V8, 1949-51 ord, 1938-41 Truck 1942-47, ½-¾-Ton Truck 1942-47, 1½-Ton Truck 1948-49, ¾-2½-Ton Truck ercury, 1939-40 1941 1942-46 1947-48 1949-50 ids 6, 1935. 6 1936	8.95
L21-429-F	ord, 1938-41 Truck	8.75 8.25 7.75 8.95
L21-446— L21-447—	1942-47, 1½-70n Truck	7.75
L21-477-	1948-49, 34-216-Ton Truck	8.95
L21-413-M L21-397-	1941	7.75
L21-436— L21-473—	1942-46	8.25
L21-344—	1949-50	7.65
L21-370-0	1949-50. 1ds. 6, 1935. 6, 1936. 6 & 8, 1937-38	8.50
L21-372— L21-367—	6 & 8, 1937-38	8.95
L21-367— L21-398— L21-399—	6, 1936 6 & 8, 1937-38 6, 1939-40, Ser. 35 6, 1939-50, All models except Ser.	7.90
L21-355	6, 1939-50. All models except Ser. 38-39.	7.90
L21-391-PI L21-330-	38-39.  ymouth, 1928-31. 1934 PE, PF, PG, 1935 PJ, 1936 P1, 1937 P3, 1938 P5. 1938 P5. 1938 P5. 1940 P10, 1941 P12. 1942-48 P14c,P14s. 1949-51. 10tiac, 1928-32.	5.45
221-000	1937 P3, 1938 P5	5.95 7.95 6.95 1.45
L21-328— L21-427—	1936 P2, 1937 P4, 1938 P6, 1939 P8 1938 P5	6.75
L21-431-	1940 P10, 1941 P12	6.95
L21-360— L21-481—	1942-48 P14c,P148	1.45
L21-156-P	ontiac, 1928-32	8.10
L21-344—	1934-36 all, 1940 Ser. 25, 26, 28, 29, 1941-50 Ser. 2500	7.65
L21-343-	1037-30 Ser 22 25 26	6.65
L21-398— L21-418— L21-430—	1939 Ser. 25	7.90 6.65 7.25
L21-430-	1941-48 Ser. 2000, 2200	7.25
L21-384-	1937	6.75
L21-394-	1938-39	8.50
L21-391-W L21-423-	illys 4, 1935-39	5.95
L21-471-	1946-49	5.80
Mufflers su	pplied for most other cars; write for p	Trees.
NOTE-W	e can also supply HOLLYWOOD TYPE T	RU-

NOTE—We can also supply HOLLYWOOD TYPE TRUTONE MUFFLERS for most cars. Tru-Tone has a deep, mellow tone on the highway, but purrs softly at city speeds. Packed with a new mineral for heat and sound insulation. Designed to deliver maximum motor power, and increased gas mileage. Available for most cars, state make, year and model.

L21-900—Hollywood Tru-Tone Muffler, each.......\$8.95

### MULTI-FIT MUFFLERS

MULTI-FIT MUFFLERS
FOR CARS NOT LISTED, ORDER BY SIZE

O. Light. Dia. Diameters

152-18" 5" 24" to 138" 134" to 14"

153-18" 6" 25" to 138" 2" to 14"

154-215" 5" 24" to 138" 2" to 14"

156-24" 5" 24" to 134" 2" to 14"

168-28" 5" 24" to 134" 2" to 14"

168-28" 5" 24" to 134" 2" to 14"

168-28" 5" 24" to 134" 2" to 14"

168-42" 5" 24" to 134" 2" to 14"

167-56" 5" 25" to 14" 2" to 14"

167-56" 5" 25" to 14" 2" to 14"

171-39" 5" 25" to 14" 24" to 15"

173-48" 4" 24" to 2" 24" to 15"

177-23" 6" 2" 15" to 24" 24" to 15"

178-30" 6" 24" to 24" 24" to 15"

178-30" 6" 24" to 24" 24" to 15"

188-30" 6" 24" to 24" 24" to 15"

198-30" 6" 24" to 24" 24" to 15"


198-30" 6" 24" to 24" 24" to 15"

198-30" 6" 24" to 24" 24" to 15"

109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-30" 109-\$6.6750055500 7.750055500 88.99500 10.5500 10.5500 10.5500 10.5500 10.5500

	EXHAUST PIPES	
L21-EX23— L21-EX65— L21-EX66— L21-EX67— L21-EX180— L21-EX10— L21-EX10— L21-EX10—	Chev., 1929-32.  1933 Master.  1933 Std.  1934 Master.  1934 Std.  1935 Std.  1935-36 Master.  1936 Std.  1937-38 Master.  1939.  1940.  1941-48.  1949-51.  Chev., 1929-32 Trucks long.  1934-36 Trucks  Ford VR. 1935-26.	5355500555055 5354333333344545 4543
L21-EX56-	V8-85, 1937-40	5.25
L21-EX148-	- V8, 1942-48	4.95
L21-TA9- L21-TA10-	TAIL PIPES Chev., 1928	2.65
L21-TA11— L21-TA29— L21-TA12— L21-TA30—	1933-34 Std	3.25
L21-TA31— L21-TA32— L21-TA64— L21-TA166—	1935 Std. 1935-36 Mstr. 1936 Std. 1937-39 Mstr. - 1940 - 1941-48. - 1949-51	3.15
L21-TA206-	- 1941-48	3.75
L21-TA203-	1949-51	3.95
L21-1 A137-	-Chev., Trucks, 1934-40, ½ Ton	3.25
1 21 T A 20	Ford V8- 85 1035-38 and	3,20
L21-TA139-	Ford V8- 85, 1935-38 and V8-60, 1937-40 V8-85, 1939-40	3.10
L21-TA197-	- V8. 1942-48	2.95
L21-TA220-	- V8, 1949-50	2.95
L21-TA197-	- V8-85, 1939-40 - V8, 1942-48 - V8, 1949-50 - Mercury, 1942-48	2.85
I 21-TA107-	-Plymouth 1038 P5 P6	4.25
L21-TA148-	-Plymouth, 1939-P7	5.25
L21-TA141-	- 1939—P8 Deluxe	3.85
L21-TA183-	1940-41, Pg, P11	4.95
L21-TA196-	Plymouth, 1939-P7 - 1939-P8 Deluxe -1940-41, P9, P11 - 1940-41, P10, P12 Deluxe - 1942-46, P14, P15	4.75
The state of the s	and a south the same	

### TRACTOR MUFFLER



Reduces exhaust noise. Heavy gauge metal, treated to resist corrosion. Blowout proof, leak-proof. Complete with short outlet pipe and all necessary parts for easy installation. Adjustable bushings for universal installation.

bushings for universal installation.

For most John Deere, Fordson, Massey-Harris and many other makes. Shell length 11", overall 14", diameter 5", inlet 2½" to 1¾", outlet 2½" to 1¾".

L21-770—Shipping weight, 8 lbs. \$4.25

For Farmall 1924-41, all models except F12, F14. Shell length 14", overall 22½", diameter 4", inlet 2¾" to 2¾", outlet 2" to 1¾".

L21-700—Shipping weight, 8 lbs. \$4.25

For International F12, F14, A.B. Shell length 11", overall 20", diameter 5", inlet 2" to 1¾", outlet 1½".

L21-771—Shipping weight, 7 lbs. \$4.25

### **MUFFLER CLAMPS**

"All Around" Type. Easily installed on front or rear connections. Strong—rattleproof—vibra-tionproof. The finest clamp on the market.

Shipping weight, 5-oz



Asbestos lined steel jacket. An effective repair r badly damaged or worn mufflers. Simply

### MECHANICAL GEAR SHIFT ASSEMBLY

For Chevrolet 1940-48

A very simple replacement assembly giving posi-tive, easy and desirable mechanical gear shifting. Easily installed. This trouble-free michanical gear shift will be welcomed by many Chevrolet owners. L21-454—Ship wt.. 2 lbs......\$3.69



### Shock Absorber Link



For A, B-4 and V-8 Fords New type rubber bushed link elim-nates all squeaks and rattles. Weight,

12 oz. L22-18—Ford, A, B and V-8, 1928 L22-18—Ford, A, B and V-8, 192833
S1-19
L22-23—Ford V-8, 1934-35. \$1-19
L22-24—Ford V-8, 1935-48, with
studs. State front or rear. \$9c
FUBBER BUSHINGS
For New Type Link
L22-25—Best grade rubber; prevents
rattles, each 10c

### Radius Rod Ball Cap Sets

This complete set re-places the regular equip-ment on your Model "A".
The ball cap is subject to very hard wear and it should be replaced with this set before there is danger of it pulling out. L22-26—Set. '28-31 Ford, weight, 1 lb.......98c



### **Spring Hanger Sets**



Spring bushings and hangers that become worn or clogged should be replaced to improve riding comfort. Complete set consists of 2 hangers, 2 bars, 4 bushings and 4 nuts. Fits all Fords, 1928-31. Weight, 2 lbs.

FORD MODEL A
SPRING HANGER SET
L22-27—Front spring set \$1.95
L22-28—Rear spring set.\$2.15

-		-
L22-40—Complete,	1942-48, Rear	2.89
L22-35—Complete,	1942-48, Front	2.25
	1935-42, Rear	
L22-61—Complete,	1935-42, Front	1.89
L22-60—Complete,	1932-34, Rear	1.89
L22-59—Complete,	1932-34, Front	\$1.98
	SPRING HANGER SET	
	are are obtained octain	

### Spring Shackle Sets for Chevrolet

Front set consists of 2 shackle bars, and 1 each, shackle pin, washer, nut, and nut lock. Rear set consists of 2 shackle bars, 2 spacer washers and 1 each, shackle pin, nut and nut lock

each, shackle pin, nut and nut lock.
L22-67—Front Set, '30-35 \$1.59
L22-58—Rear Set, '30-35 \$1.59
L22-36—Front Set. Complete, 1934-42
L22-37—Rear Set. Complete, 1934-42.

### Anti-Wobble Wedges



Banish front wheel shimmy. Easy to install. Drive wedge between axle and spring. Ship wt. 4 oz.

spring. Ship wt. 1 02. L22-41—For 1 1/4" springs,

springs.

### **EXHAUST DEFLECTORS**



Clamp on to exhaust pipe, deflects heat and fumes. Prevent stains on bumper and other parts of car. Dress up an otherwise unattractive part of car. Beautifully chrome plated on heavy gauge steel. Postpaid.

L22-4(D) — Rocket-Glo—Deluxe Tubular design, with two red jewels that glow in the dark, an extra safety feature when parked; fits all cars..................\$2.95

### Trico Wiper **Blades and Arms**



L22-65—5-ply Trico blade with hook, 7¼" long....59c
L22-63—5-ply Trico blade with hook, 9" long......59c
L22-64—5-ply Trico blade with hook, 10" long......59c

### Universal Wiper Arm

### Windshield Wiper Hose

Fresh live rubber tubing for all cars.



### Electric Wiper

Wipes steadily regardless of engine speed; uses very little current. Dependable in all weather conditions. Complete with arm and blade, switch and wire. Ship. weight, 2½ lbs. L22-8—For outside mounting.

\$9.95 L22-9—For inside mounting. \$9.95



### Crank Case Ventilator

Prevents oil dilution and carries fumes from crank-case out under car.

Weight, 1 lb.





### Universal Joint Assembly to fit Spicer-equipped Cars

### Repair Kit for Detroit Joints



Renews old, worn out housing at 2/3 less cost. Will outwear original housing. Easy to install; no machine work necessary. Each unit consists of 1 pin, 2 steel balls and 2 case-hardened steel sleeves. Will fit the following cars: Plym., '33-42; Chrys., '37-41; De Soto, '36-42; Dodge, '33-42. L22-67—Sleeve Kit ......\$2.25

## Ball and Pin Sets

FOR DETROIT UNIVERSAL JOINTS



Needle point ball and pin sets fits the following cars: Plymouth, '33-48; Chrysler, '37-40; De Soto, '36-40: Dodge, '33-48.

L22-68—Needle Bearing Kit.....\$2.25


### Complete Repair Parts Kit

For Detroit Universal Joint. Consists of 2 ball and roller assemblies, 1 pin, 2 thrust washers, 2 centering buttons and springs, 1 spring, 1 grease retainer plate, 1 boot, 1 gasket, 1 universal ioint body.

L22-1552—Chrysler Royal C16, C18, C22, 1937-39, DeSoto, 1937-41; Dodge, 1933-48; Plymouth 1933-48; (except 7 pass.); Graham, 1937-40; Dodge Truck (U.S.), 33-45; Fargo Truck (U.S.), 36-38...\$12.95

(except 1 page 12 (U.S.), 33-45; Fargo Truck (U.S.), 33-45; Fargo Truck (U.S.), 50-45; Complete Repair Kit, less body L22-1555—Same kit as above, without housing or \$4.75

### Improved Steering Stabilizer



Designed especially for all model Fords and Chevrolet. Also fits all cars with I-Beam axle.

L22-53-Complete, wt., 1 1/2 lbs.\$2.25



### Universal Joint Boot

Made of a high-Made of a high-grade, grease re-sisting leather; lace-on style with wire fasteners. For Chrys., De Soto, Dodge, Graham, Olds., Plymouth and Willys State make, year and model.

Just lace it over joint. Special double flap insures perfect grease retention. Wire fasteners seal ends tight.

L22-48-Each, weight, 8 ozs......69c

### Dash Oil Gauge for Ford

The gauge is attached below instrument panel and tube rubs to motor block. No holes to drill in motor; simply replace bolt. Weight, 1 lb. L22-55—For "A" Fords. Complete........\$2.95



L22-56-For "B" and "V-8" Fords. 1932-34. Complete... \$2.95

### Round Axle Steering Stabilizer

Fits Plymouth, Dodge, De Soto. Chrysler and other cars with round front axles. L22-52—Ship. weight, 1 ½ lbs.....\$2.25



RUBBER CUSHION Front Motor Support FOR "A" FORDS

2-Piece Crank Shaft

Pulley
For "A" Fords
Easy to replace. No
removal of radiator.
Shortens 2 hour job to
10 minutes. Wt. 2 lbs.





Tightens fittings grease tight. Removes fittings to clean a plugged nole. Removes broken-off threads. threads. L22-723—Each, postpaid.....

## Gearshift Grease Guard

Protects shoes and clothing from oll and grease that works up from transmission. Is easily installed; flange fits beneath floor mat. Postpaid.



### HOUSING SUPPORT


CHEVROLET AND PONTIAC



Eliminates slap and rattle caused by excess play or looseness in Bell Housing of drive shaft. Highgrade cold rolled steel. Bolts and nuts included. Weight 2½ lbs. 

FOR CHEVROLET TRUCKS L22-75—All 1½ ton, 1925-36 ... \$1.95 Also fits 1937-38 Passenger cars.

### One-Piece **Distributor Shaft**



### Safety Utility Scraper and Cutter



blade. L22-10—Ship. wt. 4-oz

### Front Radius Rod Socket WITH RUBBER BUSHING

For "A" Fords
Stops rattling
caused by worn
radius rod ball, and
makes steering easier.
Easily installed, replaces regular socket
and cap. Wt., 1 lb.

L22-39—Set.......98 c L22-38—Extrarubber for above, ea... 1 9c



### Exhaust Pipe Repair Flanges

Saves the cost of a new exhaust pipe. Wt. 4 oz. L22-43-To fit Ford "A" and "B", 1928-32..490



### Gear and Battery Terminal Puller

Pulls gears to 1½ inch diameter. Thin jaws make it ideal for pulling battery terminals and gears having small clearance. Arms are drop forged carbon steel. L22-33—Shipping wt., 1 lb., \$1.89 L22-34—Large size, pulling gears to 3 inch dia. Ship, wt., 2 lbs\$2.49



Complete **Fuel Pumps** 

FOR ALL CARS
Rebuilt to factory specifications
with finest material and workmanship. Guaranteed to fit perfectly, and to give satisfaction.
Easily installed. Send in your
old one and receive a factory
Rebuilt pump at our low Exchange price or buy Outright.



| Price | Pric

### Fuel Pump Repair Kit

Contains all necessary parts for complete fuel pump overhaul; diaphragm sets, all gaskets, screen, rocker arm and pins, linkage valves, necessary springs, etc. We can supply kits for all popular cars at low prices. Be sure to state year and model.

Postpaid.



		19-11-3
L23-FP100 -Chev.,	1929-50, state year	1.49
L23-FP628 — Dodge, L23-FP627 —	1930-32 1933-38 1939-50 Std	1.59
L23-FP714 —	1939-50 Std	1.89
L23-FP608 — Ford, L23-FP608A— L23-FP608B— L23-FP608H—	1933-36 1937-40, 85-95 1941-48, 85-95 1949-51	1.49 1.39 1.59 1.89
	1937-40, 60	1.49
L23-FP628 — Plym., L23-FP627 — L23-FP714 —	1930-32 1933-38 1939-50 Std	1.59 1.49 1.89
L23-FP708 —	, 1929-32 1935-36 1937-39 1940-48 Std.	1.59 1.65 2.69 2.49
L23-FP200 -Willys,	1933-48, state year	1.89



### Fuel Pump Parts

DIAPHRAGM SET r A.C. Fuel Pur All Postpaid. Pumps

Fits AC and other Fuel Pumps. Contains one set diaphragms, one bowl gas-ket, one diaphragm gasket, 2 springs and 2 valves.

L23-23-Glass					
Pumps and each					uded
L23-25-Glass with Gasket,	Strainer	Bowl.	For	Ford	35
L23-20-Cork C	asket only fo	or bowl			.05



### Fuel Pump Diaphragm and Plunger Replacement

Fits A.C. Fuel Pump on Buick, Chev. Ford, Pontiac, 1934-39, and others. L23-21-Postpaid. 690

### Micronic Gasoline Filter WITH MINERAL ELEMENT



### Gasoline Filter

### FLEXIBLE GAS LINES

Flexible Motor Carl Mountings

Made of gas, oil and heat resisting composition (not rubber). Not affected by motor vibration. Write

make, year and model.	State
L23- 1—Chev. Truck, 1935-50	
L23- 2—Chrysler, 1932-47 L23- 3—DeSoto, 1932-47	1.25
L23- 4—Dodge, 1932-47 L23-18—Chrys. DeScto, Dodge, 1949-50	1.25
L23- 5—Ford B4, 1932-33 L23- 6—Ford V8, 1932-50	.95
L23- 7—Hudson and Terraplane, 1932-49 L23- 8—Lafayette and Nash, 1932-50	1.15
L23- 9—Plymouth, 1932-47. L23-24—Plymouth, 1949-50.	1.25
L23-10—Pontiac. 1933-50	.85
L23-28—Willys 4, 1937-49 and Jeep L23-30—Willys 1946-49 Station Wagon	.85

FLEXIBLE OIL LINES

L23-29—Fits Chrysler, DeSoto, Dodge, Plymouth, 1932-49.....

### Rigid Clutch Plates

Made of **Best Materials** 



### Flexible "Spring Centre" Clutch Plates



Replaces original plates perfectly. Designed for smooth positive action. Eliminates drive shaft vibration and joint play. Effective cushion back-lash. Assure easy pedal, quieter "get-away."

3.45

1.7	Shipping weight, 4 lbs	
L23-CF3001— C L23-CF3019— L23-CF3001— L23-CF4801—		5.45 5.45 5.45 5.95
L23-CF3003— C	hev., Truck, 1930-37	6.95
L23-CF6002-	ord A. B, V-8, 1929-46 V-8-60, 1937-39 V-8, 1946-48 V-8, 1949-50	5.45 5.45 7.95
L23-CF3004- F	ord Truck, 1929-34	6.95
	lymouth, 1933-37 1938-50	7.45
	ontiac, 1933-38	6.45 8.95 8.95
L23-100-Willys	4, 1933-41	9.75
The second secon		


### Clutch Facings

Smooth ground surface for perfect contact. Improved uniform construction assures rugged wear with maximum of friction resistance. Supplied

complete with ri	vets. All Postpaid.	
L23-W905— L23-M905A— L23-W905D— L23-ST994— L23-ST909AB— L23-M1035A— L23-ST1064—	Chev. 4, 1926-28. \$2-24 6, 1929-34. 2.21 1935-38. 2.2 1939. 2.21 1940-49. 4.21 Chev. Truck, 1930-37. 2.44 1938-39. 3.50 1940-48. 6.44	0101010101010101010101010101010101010101
L23-M929D— L23-W981— L23-W953E— L23-ST1057B— L23-ST1008A—	Chrysler 6, 1930-33.     \$2.75       1935.     5.46       1936.     4.10       1940-42.     5.85       1939-49.     4.16	00100
L23-ST980— L23-M953C— L23-ST985— L23-ST985A—	Dodge 6, 1933         \$1.68           1934         6.38           1934-36         3.1           1935-37         5.70           1938-39         5.70           1935-40         4.56           1938         5.86           1939-49         4.10	INCOON
L23-W620— L23-M955— L23-M955B— L23-M896A— L23-ST902A— L23-ST1005A— L23-ST990B—	Ford A, 1928, Set of 8 \$5.94 1920-31 1-6 V8, 1932-41 1-6 V8-60, 1937-39 1-6 V8, 1942-46 3-1 V8, 1946-48 3-8 V8, 1949-50 5-2	חטוטוטוטוט
L23-M941— L23-M1166—	Ford Truck, 1929-34	05
L23-M955A— L23-M980— L23-ST985— L23-ST985A— L23-ST993A—	Plymouth, 29-31, Set of 8\$4.77 1931-322.22 19331.66 19342.99 1935-375.77 1940-494.50	55000
L23-M859— L23-ST968B— L23-ST905D— L23-ST995D— L23-ST999— L23-ST990A—	Pontiac, 1928-31     \$2.2       1935     4.3       1936-38     5.2       1937-39     2.8       1941-42     4.2       1946-49     5.7	55505
L23-M736A— L23-M736A—	Whilps 4, 1926-30	5
L23-ST884— Writ	1947-49 3.89 e for prices on other cars.	0
AND RESIDENCE AN		

### Gas Gauge Fluid

Special chemical analysis, fast in color, correct specific gravity and weight. Complete with dropper and instructions



Screw Starter and Pick-Up Tool

(1)

For holding and starting screws and bolts in hard-to-reach places; for picking up small parts, washers, valve keepers, nuts, etc. in close places. .98 L23-27-10 inches long. Postpaid... \$1.39

### Tillotson Carburetor

More power; easier starting; quicker, smoother acceleration and better mileage.

Patented double venturi, (exclusive Tillotson feature) gives rapid acceleration through entire speed range. Automatic power jet for high speeds—remains closed at normal speeds. Acceleration pump on six and eight cylinder models gives added pep.

123-X —Ford A & B. 1928-33



L23-X —Ford A & B, 1928-33...... **7.35** L23-JR5 —Chev. 6, 1929-31...... **10.65** 

Vict., 1928-29. 16.95 L23-YR2—Chrys. 6, 1933-41; DeSoto 6, 1933-41; Dodge 6, 1935-41; Graham 6, 1934-39; Hudson 6, 1934-42; Lafayette 6, 1934-36; Nash, 1932-48; Olds, 6, 1931-48; Plymouth, 1933-41; Pontiac, 1933-48; Stude 6, 1933-48; Terraplane, 1932-38...... 14.25

L23-YR2X—Chrys. 6, 1942-46; DeSoto 6, 1942-46; Dodge 6, 1942-49; Plymouth 6, 1942-49..... 14.25

### Air Cleaner

Prevents dirt and dust from getting into carburetor and motor. Postpaid. L23-148—Ford A and B, 1928-32 and others with 1-7/8" air intake. \$2.49 L23-101—For 2-1/16" air intake 2.50 L23-102—For 2-5/16" air intake 2.55



### Carburetor Parts

Needle and Seat Assemblies



NOTE—We can supply all jets and needles for Ford 1928-34 Carburetors. Order your needs, our prices are low.

### Carburetor Repair Kit

Each kit contains all essential parts, and instructions for a quick efficient overhaul. Every part precision-manufactured, and guaranteed for quality and fit. Insures a perfect job. All Postpaid.

### FORD

L23-CK6—V8-85, 1938-42Chand Grove L23-CK7—V8-60, 1939-40Chand Grove L23-CK10—V8 and Merc. 1946-48Chand	2.49
Grove L23-C K11—V8, 1949-51Chand Grove	2.49
CHEVROLET	
L23-C K15—1930-31	33333333334433 333333333334433

1 = 1 11100111	
L23-CK30-1934, PE, PF, PG, Carter C6B1	3.7!
L23-CK31-1935, PJ, Carter C6D1	3.2
L23-CK32-1935, PJ, Carter C6D2	3.4
L23-CK33-1936, PI, P2, Carter C6E1-2	3.4
L23-CK34-1937, P3, P4, Carter C6F1-5	3.4
L23-CK35-1938, P6, Carter C6J1-K1	3.4
L23-C K36-1939-40P7-8-9-10. Carter D6A1-2	3.7
L23-CK37-1942-48, P14, Carter D6G1	3.7
L23-CK38-1949-51, Carter D6H1-2	3.7

### Hand Choke Adapter

Stops vutomatic choke troubles! Eliminates hard starting! Saves cost of new carburetor. An easy to install kit that converts troublesome automatic chokes to positive hand choke control. Install with a screwdriver without removing carburetor. Postpaid.


For following cars: Buick 8, 1937-51; Chrysler, De Soto, Dodge, 1935-51; Graham Paige, 1935-41; Hudson and Terraplane, 1934-51; Kaiser Frazer, 1947-51; Mercury, 1949-50; Nash and Lafayette, 1939-51; Olds., 1936-50; Packard, 1936-51; Plymouth, 1949-51; Pontiac, 1935-51; Stude, Champion, 1941-51.

Be sure to state make, year and model of car.

L23-48—Hand Choke Adapter Kit, complete...\$3.95

L23-48-Hand Choke Adapter Kit, complete ... \$3.95

### DASH CONTROLS FOR ALL CARS



Universal. Thru-dash mounting. High grade steel wire in flexible easing. Complete with knob.



### CHROME NICKEL STEEL CROWN **GEARS AND PINIONS**

### For Ford, Chevrolet and other Popular Cars

Accurately made so that they mesh perfectly and run smoothly and quietly. Made of chrome-nickel steel, selected for its durability. You can depend on these gears for service and they are guaranteed to fit.

We also carry gears and pinions for cars not listed below at lowest prices. Write for prices, but be sure to state year of car and number of teeth on both gear and pinion.

car and number of teeth on both gear at			
No. Car	Ratio	Set	L
No. Car 673-4 — Chevrolet 1925-28	46-11	\$22.45	N
579-80 — 1925-28	42-11	22.45	L
NOTE: We can also supply pinion only for this se	t (42-11)	5.95	16
933-4 — 1929	42-11	22.45	L
973-4 — 1930-31 1489-90 — 1932 1337-8 — 1933-Std	41-10	23.95	20
1337-8 — 1932-Std	37.0	17.95	2
1399-400— 1934-35 Std.	37-9	57.75	0
1399-400— 1934-35 Std. 1503-4 — 1936 Std. 1539-40 — 1933-34 Mstr.	37-9	27.75	Ľ
1539-40 — 1933-34 Mstr	41-10	23.95	100
1859=60 — 1935=36 MSLF	37-9	23.85	10
1569-70 — 1937-39	38-9	27.75	п
1819-20	47-10	29.95	h
1557-8 — De Soto 1937-47	41-10	29.95	100
805-6 — Dodge 1928-29, Vic. 6	49-11	27.95	100
867-8 — 1928-29, Std. 6	52-11	28.95	
1557-9 — 1935-36	37-10	32.50	13
819-20 — Durant 4 and 6 1028-31	40-0	29.95	87
825-6 —Essex 1929	Advise	25.95	L
987-8 — 1930-31	Advise	29.95 24.95 24.75	
951-2 -rord A 1928: no thread on binion	34-9	24.95	100
951-2a — 1929-32: threaded pinion	34-9	24.75	922
1477-8 — V-8, 1932-34 1455-6 — V-8, 1935-36	37-0	31.35	B
1585-6 — V-8, 1937-48	34-9	41 75	100
699a=700a—Plymouth 1928-31	Advise	29.50	C
1091-2 — 1931-32	39-9	29.50	
1471-2 — 1933-36 1557-8 — 1937-48	37-10	29.50	13
1557-8 — 1937-48 579-80 —Pontiac 1926-28	41-10		eh.
			1
1397-8 — 1933-36	Advise	28.75	C
1397-8 — 1933-36 819-20 — Star 1925-28 1327-8 — Terraplane 1933-39	40-9	29.95	
1327-8 — Terrapiane 1933-39 1327-8a — 1933-39 1351-2 — Willys 1934-36. 1691-2 — 1937-40.	Advise	39.95	-
1327-8a — 1933-39	37-9	39.95	D
1601-2 — 1027-40	43-10	29.75	
1001-2	45-10	31.50	D
TRUCKS			12
975-6 - Chevrolet 1930-31, 11/2 Ton	38-7	34.50	13
1481-2 — 1933, Maple Leaf	51-8	31.95	100
1543-4 — 1934-30 114 Ton	25-6	34.95	
1037-38a-Ford AA & BB 1930-33 116 Ton	35-5	46 50	1.77
1543-44a 1934-36 Maple Leaf 1543-44 1934-36 Maple Leaf 1037-38a Ford AA & BB, 1930-33, 1½ Ton 1393-4 BB, V-8, 51, 1934-40, 1½ Ton	Advise	49.95	D
		10.00	100

### SHENT TIMING GEARS

Strong, hard and durable laminated Will not absorb oil, moisture or swell. (24-45-4-Buick Std. 6, '24-28 L24-562-Buick Mstr. 6, '24-28 L24-562-Chev. 4 & 6, state year and mot L24-626-Chrysler, 4-52, '27-28 L24-493-Dodge 4, 1915-27. L24-493-Dodge 4, 1915-27. L24-624-Ford A, AA and BB, 1928-34. L24-27-Ford V-8, 1932-47, state year L24-183-Ford V 8, 1948-49, state year L24-626-Plymouth, 1928-32 L24-688-Terraplane, 1932-35 L24-688a-Terraplane, 1938-40	Guaranteed. \$13.50 \$14.755 del. 5.325 8.550 3.955 6.995 6.995 7.95
We can supply silent gears for all of	ther gara also at



teel crankshaft gears to match. Write for prices.

### SILENT TIMING CHAINS

Only popular numbers shown. Can supply for all cars.	Write
for prices. L24-401—Chrysler 6, 1935-48	CO 4F
L24-401—De Soto 6, 1934-48	\$6.45
L24-401—Dodge 6, 1933-48	6.45
L24-411—Essex 6, 1924-32, Hudson 8, 1930-33	12.95
L24-402—Oldsmobile 6, 1937-46	6.45
L24-408—Oldsmobile 6, 1947-50 L24-301—Pontiae 6, 1937-50	6.75
L24-401—Plymouth 6, 1933-48	6.45
L24-406—Willys Jeep, 1939-46	7.95



### Miracle Adhesive

Not just another glue.
Sticks fast, wet or dry.
Stays put, hot or cold.
Mends, fastens, bonds,
insulates. For tile, glass,
metal, plastics, cork, cement, wood, linoleum,
brick, rubber. 1001 uses
camp.

camp. L24-25A—1¾-oz. tube, each....40c L24-50A-5-oz. tube, each......75c

### PEP Liquid GASKET GOO



For cylinder head and other type gaskets. Applied with brush. Produces non-drying, elastic, heat-resisting seal. Used on plane motors and cars.

L24-24-5 oz, can with 95c

CASKET GOO

### SHELLAC

To use with all forms of gaskets; copper, felt and asbestos. It will make airtight and leak-proof connections. L24-18—2 oz. bottle.

L24-94—4 oz. bottle. Wt. 6 and 12 oz.

### GASKET CUTTER SETS

Will cut all shapes, sizes and angles in gaskets, rubber mats, linoleum, lead, wood, felt, leather, fibre, cork and all similar materials.

Set contains four cutters, straight edge, 3/16" radius, 3/8" radius, 3/4" radius.

Will cut all size holes from 3/8" up.

124-19—Cutter set, complete 1.25


L24-19-Cutter set, complete \$1.25

### MANIFOLD GASKETS FOR FORD



24-87-Individual Ford T for exhaust and manifold, six required, each, 1 8c 24-88—3-in-1 manifold gasket for Ford T. Set of 2......98c 

### **FLYWHEEL GEARS**



	number of teeth when or	dering.
L24-1001 -	-Buick 6 and 8, 1925-48, state years	7.45
L24-10F -	-Chev. 4, 1925-28	3.95
L24-1002 -	-Chev. 4, 1925-28 -Chev. 6, 1929-51, state year	3.35
L24-11F -	-Chrysler, 50-52-58, 1925-28	6.25
L24-15F -	-Chrysler 6, 1924-32	6.95
L24-46SSF-	-Chrysler, 1934-48	
L24-15F -	-De Soto 6, 1929-32	6.95
L24-46SSF-	-De Soto 6, 1933-40	2.25
L24-22F -	-Dodge 4, 1926-28 -Dodge Vic. and Std. 6, 1927-30	6.95
L24-5F -	-Dodge Vic. and Std. 6, 1927-30	5.75
L24-15F -	-Dodge 6 and 8, 1927-32	6.95
	-Dodge 6, 1933-48	2.25
L24-46F -	-Dodge, 1949-51	2.25
L24-12R -	-Durant 4 and 6, 1927-31	6.25
L24-1003 -	-Essex, 1924-32, state year	4.95
L24-125 R -	-Ford A. B and V-8, 1928-48	2.85
	-Ford V8, 1949-51	2.85
L24-4RS -	-Nash and Lafayette, 1926-40	
L24-145F -	-Oldsmobile, 1928-31	6.95
	-Oldsmobile, 1934-38	
	-Overland 4, 1920-26	
	-Overland 6, 1925-28	
L24-11F -	-Plymouth, 1928-29	6.25
L24-14F -	-Plymouth, 1929 -Plymouth, 1930-32	6.95
L24-10F -	-Plymouth, 1933-48	2.25
L24-46F -	-Plymouth, 1949-51	2.25
L24-10F -	-Pontiac, 1926-31	
L24-39SF -	-Pontiac, 1932-34	3.35
L24-39F -	-Pontiac, 1934-39	3.35
L24-40SSF-	-Pontlac, 1940-49	3.45
L24-12R -	-Star 4 and 6, 1922-28	6.25
L24-1004 -	-Terraplane, 1932-38, state year	4.95
L24-1005 -	-Whippet 4 & 6, '26-30, state year	4.95
L24-1006 -	-Willys 4, 1933-48, state year	3.95
	Average weight, 3 lbs.	
	-	

## GASKETS FOR ALL CARS



CAR YEAR MODEL CYL.	HEAD	OIL PAN	VALVE	COVE	R MANI	FOLD
	Each	Set		Set		Set
Mstr. 6, 1925-30	2.65	\$1.35 1.20		85° 85°	S	950
Chevrolet 4, 1919-28 602	1.98	OS30019 95c		59°		590
6, 1929-33, Mstr 6, 1933-34, Std	1.15	75°	**********	59c		69c
6, 1934-36, Mstr	1.49	75c		59c	***********	85c
6, 1937-50	1.49	/50		59c	***********	590
Chrysler 4, 50-52-58, '25-28	3.25	OS30041 65c	32154	680	8916	550
6, 1931-36 6, 1937-48, 3 % " bore1029	3.25	OS30344 65c OS30899 75c	38219	95° 65°	MS15029K	900
De Soto 6, 1929-36	3.25	OS30344 65c OS30899 75c	38219	95° 65°	16000 MS15029K	900
Dodge 4, 1915-27 26	3.25	OS30025 75c	20450	***	(4)2325 8804	400
4, 1927-28. 672 Vict. and Std. 6, '28-30 693 Sen. 6, 1927-30 668 DD, DE, D6, 1930-32	2.45	OS30250 85c OS30301 85c	32458 32517	45°	MS8903	1.25
Sen. 6, 1927-30 668	4.75	OS302391.25	32735	85c	8887	950
DD, DE, D6, 1930-32	3.25	OS30344 65c OS30893 75c	32735 36054	95c	16000 MS18005K	900
6, 1938-50, 3 % Bore1029	2.75	OS30899 75c	38219	650	MS15029K	490
Durant 4, M440, 1928-29 425 6, 50-55-60-65, 1928-29 614	2.85	OS30005 89c OS302231.98	32403 32336	75°	8328 8627	900
Essex 6, 1925-28 537	3.25	60c	322121		(6)6510	1.05
6, 1929-31	3.25	OS303311.19	1			1.05
Ford T, 1915-27 101	2.25				(2)8357	980
A, 1928-31 800	1.25	OS30300 95c OS313211.05	22512 38199	100	(2)9800 (2)9800	350
B, 1932-33 900 V-8, 85 and 95, 1932-48	.95	790	18765	670	MS5278AK	350
V-8, 60, 1937-401005	.95	1.10	18740	75c	MS5073K	490
Fordson Tractor, 1917-38 1939-44	2.05	OS20225 75c OS20507 85c		25° 55°	(6) 2265 MS12155K	55° 29°
Graham Paige, 1928-33 917	4.30	OS303191.30	32664	85c	8893	1.30
Hudson 6, 1937-40 971	2.25	OS307551.20	35645	85c	MS12128K	900
Lafayette, 1934-40	3.60	OS31323 80c	38050	65c	MS9807X	1.20
Mercury, 1939-48	.95	OS31242 79c	18765	67c	MS5278AK	420
Nash, '26-32, Std. & Spec. 6	3.75	OS302051.10	32220	65c	MS9668X	750
1929-30, 400 Series 729	4.45	OS302341.05 OS31323 80c	32220 39509	650	MS9807X	1.20
1934-37, Adv. 6	3.25	OS31323 80c OS31332 80c	38050	65° 72° 65°	1/1550012	1.20
Overland 4, 92, 1923-26 486	3.55	OS30027 79c	32170	60c	8773	1.32
6, 93, 1925-27 564	4.15	OS30199 85c	32215	60c	8507	800
Plymouth 4, 1928 713	1.95	OS30041 65c	32154	680	8916	550
4. 1929-32	1.98	OS30358 75c OS30893 75c	32808 36054	65c	8916 MS18005K	55°
4, 1929-32	2.75	OS30899 75c	38219	650	MS15029	490
Pontiac 6, 1926-32	2.05	OS30219 69c	32363	65c		800
6, 1935-48	2.85	OS31960 75c	37966	650	MS18013K	75°
8, 1933-40 885	1.79		32403	66c	8328	900
<b>Star</b> 4, 1922-28	2.85	OS30005 89c OS302231.98	32336	650	8627	1.50
Terraplane 6, 1932-38	2.49	1.20	35495	75c	MS12008K	1.05
Whippet 4, 96-96a, '26-30 756	2.15	OS30226 75c	32338	55c	8990	1.30
6, 98-98a, '28-29		95c		950		75c
Willys 6, 1930-32 804 4, 77, 1933-41	3.55	OS30414 75c OS30650 49c	33483 38055	69c	9453 15006K	1.75
1, 11, 1000 11	2110		00000			-000





36x12... L24-11-...69c . 89c 18x12.



## GASKET

Heatproof and oilproof fibre paper. 1/32" thick. 89c L24-15—12x12..25c L24-16—12x24..45c L24-17—12x36..69c



### | Pep Gasket Goo |

Makes new or old gaskets and joints absolutely tight. Can be used in place of gasket. L24-13-3 oz. tube. 60c L24-14-11 oz. tube Postpaid.....\$1.55



### Bearing Blue

Used to show high spots and uneven surfaces on bearings. A necessity in bearing scraping.
L24-29—2 oz. tube......450
Postpaid.

### UALITY CAST PISTONS

Made of highest quality, special analysis, close grained, gray cast iron. Accurately ground and finished, insuring a nice fit.

Fitted with best quality precision ground wrist pins.



FOR ALL

CARS

L25-P2001—Chev. 6, 1929-36. L25-P2076—Chev. 6, 1937-41. L25-P825—Chev. 6, 1937-41. L25-P824—Chev. 6, 1942-51, 3½" bore	4.95 4.95 5.05 6.75 6.45 6.45
L25-P660 — Willys 1933-36	8.25

			7	PART	
T. OTF	D MAG	DEL		P. Lange T.	0
2510B Rear axle	felt washer	.25   3025	Con. rod	bolt and nut	.25

	2510B	Rear axle felt washer	.25	3025	Con. rod bolt and nut	.25
8	2710	King Bolt	.95	3031	Crnkshft. rear bear. cap,	
8	2711	Nut for king bolt	.06	1000	exchange	2.45
	2713	Spindle bolt bushing	.45	3032	Crnkshft. front bear. cap, exchange	.95
5	2714	Spindle arm bushing	.09	2022	Crnkshft. centre bear. cap.	.00
1	2816B	Rear hub key	.10	3033	exchange	.95
	2809	Frnt, and rear hub felt wshr.	.18	3040B	Crnkshft. start'g pin,'20-27	.10
4	2819	Hub Cap		3054	Valve spring	.15
	2828	Rear axle nut	No. of Concession, Name of Street, or other Publisher, Name of Street, Name of Street, or other Publisher, Name of Street, Name of	3068	Breather cap	.29
2		Frnt. hub R.B. cup inner	1.20	3820	Front perch bushing	.08
2	2836	Frnt. hub R.B. cup, outer	.85	3844	Rear perch bushing	.15
ś I	2834	Inner cone and roller	3.40	5007A	Coll Unit, KW	3.75
5	2837	Outer cone and roller.	0.40	5009	Coil Points, KW, pair	.35
3	200.	right thread	1.95	5016B	Ammeter	.95
É	2838	Outer cone and roller,			Large generator brush	
5		left thread	1.95	The second second	Small generator brush	
5	2908	Radiator tap	.35	5132C	Generator brush holder	1.75
-				SHAPE BELLEVISION OF	NAME AND ADDRESS OF THE OWNER, WHEN PERSON	

### ALUMINUM ALLOY

Made of finest heat treated, die cast aluminum alloy tested and finished to insure perfect fit. Pitted with best quality precision ground wrist pins.

Be sure to specify oversize required. We can supply in any oversize at no extra charge. Weight.

L25-A585	lbs.	THE PARTY OF
L25-A929 — Chrysler 6, 1942-50, 3\[ 3\] " bore   3.45     L25-A421 — Dodge Vie. and Std. 6, 1928-29, 3\[ 3\] " bore   6.95     L25-A928 — Dodge 6, 1934-38, 3\[ 3\] " bore   6.75     L25-A927 — Dodge 6, 1934-38, 3\[ 3\] " bore   5.45     L26-A929 — Dodge 6, 1938-50, 3\[ 3\] " bore   5.45     L25-A920 — Ford A and B, 1928-33   5.2     L25-A933 — Ford V8, 1932-50   3.2     L25-A3107 — Ford V8-60, 1937-40   3.9     L25-A3121 — Hudson, 1932-50   7.2     L25-A3121 — Nash, 1934-36   7.2     L25-A920 — Nash, 1937-46, 3\[ 3\] " bore   7.5     L25-A943 — Nash, 1937-46, 3\[ 3\] " bore   7.5     L25-A955 — Plymouth 4, 1929-32   6.9     L25-A8927 — Plymouth 6, 1933-38, 3\[ 3\] " bore   5.4     L25-A929 — Plymouth 6, 1933-38, 3\[ 3\] " bore   3.4     L25-A3121 — Terraplane, 1934-40   7.2     L25-A3132 — Willys, 1940-50   5.9	-A585 —Chrysler 4, 1925-28\$6.25	m
3¾" bore		
L25-A928       Dodge 6, 1934-38, 3¼" bore       6.75         L25-A927       Dodge 6, 1938-38, 3½" bore       5.45         L25-A929       Dodge 6, 1938-50, 3½" bore       3.4         L25-A320       Ford A and B, 1928-33       52         L25-A330       Ford V8, 1932-50       3.2         L25-A3107       Ford V8-60, 1937-40       3.9         L25-A3113       Mercury, 1937-51       3.9         L25-A3113       Mercury, 1937-51       3.9         L25-A920       Nash, 1934-36       7.2         L25-A920       Nash, 1937-46, 3½" bore       7.5         L25-A943       Nash, 1941-42, 3½" bore       6.9         L25-A927       Plymouth 6, 1933-38, 3½" bore       5.4         L25-A929       Plymouth 6, 1938-50, 3½" bore       5.4         L25-A929       Plymouth 6, 1938-50, 3½" bore       3.4         L25-A3121       Terraplane, 1934-40       7.2         L25-A3132       Willys, 1940-50       5.9		
L25-A929       — Dodge 6, 1938-50, 3¾" bore       3.4         L25-A320       — Ford A and B, 1928-33       5.2         L25-A333       — Ford V8, 1932-50       3.2         L25-A3107       — Ford V8-60, 1937-40       3.9         L25-A3112       — Hudson, 1932-50       7.2         L25-A373       — Nash, 1937-51       3.9         L25-A763       — Nash, 1934-36       7.2         L25-A900       — Nash, 1937-46, 3¾" bore       7.5         L25-A943       — Nash, 1941-42, 3¾" bore       6.9         L25-A585       — Plymouth 4, 1929-32       6.2         L25-A927       — Plymouth 6, 1933-38, 3½" bore       5.4         L25-A929       — Plymouth 6, 1938-50, 3½" bore       3.4         L25-A3121       — Terraplane, 1934-40       7.2         L25-A3132       — Willys, 1940-50       5.9	-A928 — Dodge 6, 1934-38, 3¼" bore 6.75	THE STREET
L25-A933 — Ford V8, 1932-50.       3.2         L25-A3107—Ford V8-60, 1937-40       3.9         L25-A3121—Hudson, 1932-50.       7.2         L25-A3113—Mercury, 1937-51       3.9         L25-A753 — Nash, 1934-36.       7.2         L25-A920 — Nash, 1937-46, 3½" bore       7.5         L25-A943 — Nash, 1941-42, 3½" bore       6.9         L25-A856 — Plymouth 4, 1929-32       6.2         L25-A927 — Plymouth 6, 1933-38, 3½" bore       5.4         L25-A929 — Plymouth 6, 1938-50, 3½" bore       3.4         L25-A3121—Terraplane, 1934-40       7.2         L25-A3132—Willys, 1940-50       5.9		.45
L25-A3107—Ford V8-60, 1937-40       3.9         L25-A3121—Hudson, 1932-50       7.2         L25-A3113—Mercury, 1937-51       3.9         L25-A753—Nash, 1934-36       7.2         L25-A920—Nash, 1937-46, 3½" bore       7.5         L25-A943—Nash, 1941-42, 3½" bore       6.9         L25-A927—Plymouth 4, 1929-32       6.2         L25-A929—Plymouth 6, 1933-38, 3½" bore       5.4         L25-A929—Plymouth 6, 1938-50, 3½" bore       3.4         L25-A3121—Terraplane, 1934-40       7.2         L25-A3132—Willys, 1940-50       5.9		
L25-A3113—Mercury, 1937-51       3.9         L25-A753—Nash, 1934-36.       7.2         L25-A920—Nash, 1937-46, 3½" bore       7.5         L25-A943—Nash, 1941-42, 3½" bore       6.9         L25-A585—Plymouth 4, 1929-32       6.2         L25-A927—Plymouth 6, 1933-38, 3½" bore       5.4         L25-A929—Plymouth 6, 1938-50, 3½" bore       3.4         L25-A3121—Terraplane, 1934-40       7.2         L25-A3132—Willys, 1940-50       5.9		
L25-A753       Nash, 1934-36.       7.2         L25-A920       Nash, 1937-46, 3½" bore       7.5         L25-A943       Nash, 1941-42, 3½" bore       6.9         L25-A585       Plymouth 4, 1929-32       6.2         L25-A927       Plymouth 6, 1933-38, 3½" bore       5.4         L25-A929       Plymouth 6, 1938-50, 3½" bore       3.4         L25-A3121       Terraplane, 1934-40       7.2         L25-A3132       Willys, 1940-50       5.9	-A3121—Hudson, 1932-50 7	.25
L25-A920 — Nash, 1937-46, 3¾" bore       7.5         L25-A943 — Nash, 1941-42, 3¾" bore       6.9         L25-A585 — Plymouth 4, 1929-32       6.2         L25-A927 — Plymouth 6, 1933-38, 3¾" bore       5.4         L25-A929 — Plymouth 6, 1938-50, 3¾" bore       3.4         L25-A3121—Terraplane, 1934-40       7.2         L25-A3132—Willys, 1940-50       5.9	-A3113-Mercury, 1937-51 3	.95
L25-A927       —Plymouth 6, 1933-38, 3\%" bore       5.4         L25-A929       —Plymouth 6, 1938-50, 3\%" bore       3.4         L25-A3121       —Terraplane, 1934-40       7.2         L25-A3132       —Willys, 1940-50       5.9	-A920 —Nash, 1937-46, 3%" bore	.50
L25-A3132—Willys, 1940-50 5.9	5-A927 —Plymouth 6, 1933-38, 31/8" bore 5	.45
	5-A3121—Terraplane, 1934-40 7	.25
All English Car Pistons and Ring Sets available. Write for price	5-A3132—Willys, 1940-50 5	.95
	English Car Pistons and Ring Sets available. Write for pr	ices.

SPECIAL ANALYSIS OIL-TEMPERED

STEEL

Our Springs are made of special analysis oil tempered, heat treated steel and will stand up under the most severe road service. The leaves are hand fitted, every eye is accurately reamed. Especially designed and constructed to conform to factory specifications of the car for which they are intended. Guaranteed for one year against sagging. Average shipping weight: Front, 20 lbs.: Rear. 35 lbs.

Lack of space prevents complete listing, but we can supply springs for most cars not listed here. Write for lowest prices.

CHEVROLET FRONTS

CHEVROLET REARS

SPRINGS

Complete Main Spring Leaf

### IMPORTANT

Pistons are finished to any desired oversize, or to standard at no extra charge. They are ground locally to the oversize specified by customers, and are not returnable for credit.

PUSTON BINS



L25-21—Heavy duty; hard-ened fibre race and case-hardened roller assures smooth, dependable ser-vice. Weight,

### Piston Pins

Well finished and specially hard-ened. Be sure to state whether you require Standard or Oversize. State year and model.

۰	year and model.	
ı	Weight, 6 oz. 	10 000
ı	L25-X2 — Chev. 4, 1917-28	79c
1	L25-X2076—Chev. 6, 1929-36	790
1	L25-X114 —Chrysler 4, 1925-28	990
١	L25-X406 —Chrysler 6, 1934-51	750
ı	L25-X406 — Dodge Vic. Std. 6.	
ı	1928-29 L25-X3017—Dodge 6, 1934-38	.750
١	L25-X3017—Dodge 6, 1934-38	.75c
١	L25-X406 — Dodge 6, 1938-51	.75c
۱	L25-X308 —Essex 6, 1925-30	.690
١	L25-X481 —Essex 6, 1932-33 L25-X1 —Ford T, 1912-27	950
1	L25-X361 —Ford A & B, 1928-33.5	.650
١	L25-X539 —Ford V8. 1932-36	590
1	L25-X539 —Ford V8, 1932-36 L25-X2079—Ford V8, 1937-51	.59c
١	L25-X3089—Ford V8-60, 1937-40	.59c
1	L25-X481 —Hudson, 1934-50	
1	L25-X550 -Nash and Lafayette	
1	1934-42	1.25
1	L25-X114 —Plymouth 4, 1929-32	890
1	L25-X3017—Plymouth 6, 1933-38 L25-X406—Plymouth 6, 1938-51	150
1	L25-X528 —Pontiac, 1929-32\$	2 25
1	125_Y554 - Ponting & 1033-36	OF
1	L25-X2013—Pontiac 6, 1935 L25-X2076—Pontiac 6, 1937-39 L25-X2013—Pontiac 6, 1939-50	950
1	L25-X2076—Pontiac 6, 1937-39	790
ì	L25-X2013—Pontiac 6, 1939-50	950
ı	L25-X481 —Terraplane, 1934-40	.950
ı	L25-X2027—Willys, 1933-36	1.19
ı	L25-X3132—Willys, 1937-50	950
1		-

### KWICK-ON SPRING CLIPS

For Quick and Easy Installation. Saves Time, Labor and Expense No cutting, trimming or punching required. Easily and quickly installed without removing or disassembling spring. No special tools, bolts, nuts or rivets needed. Ship. Wt. 4 oz. L25-22—For 134" Spring. Each.....23c L25-23—For 2" Spring. Each.....23c

### STOVE BOLTS

Sommon and Can be used for almost any purpose where a bolt is required. Keep an assortment in the car or garage as you will find use for them nearly every day. Shipping weight, per dozen, ½ lb.

### Lock Washers

L25-30-Box of asstd. sizes in 16ths, from 3/16 to 5/8. Ship. wt., 1/2 lb......25c



			Per	doz
L25-16-				
		h		
L25-19-				
L20-20-	5/8 men.			200

### Rebabbitted Connecting Rods

High quality drop forgings, accurately machined and fitted. Bearing metal especially compounded to give long srvice. Rods are duplicate of factory equipment. Guaranteed to be interchangeable. Rods to be exchanged must be in first class shape and must include old bolts.



Exchange Price

Average shipping weight, 2 lbs.

Connecting

### 1928-29 11.95 1930-35 Standard 12.45 1934-36 Master 15.45 1938-51 12.45 CHEVROLET TRUCK FRONTS 9.95 12.25 11.95 12.25 14.95 17.95

 1928-33 Master
 \$8.45
 \$2.49

 1934-35 Standard
 7.25
 2.49

 1934-35 Master
 8.45
 2.49

 1937-38
 8.95
 2.49

 1939 Standard
 8.25
 2.25

 1940 Standard
 7.75
 2.25

		FORD FRONTS		
L25-57 L25-58	7	1915-27, all models	7.95	1.98
L25-59	12	1928-31, Heavy Duty Pass. and		The same
L25-60	12	1932-34, B-4 and V-8		1.98
L25-61 L25-62	12	1935-39		2.95
L25-63	12	1941 1942-48	8.45	2.95
L25-64	11	1942-48	7.65	3.49
		FORD REARS		

-	REARS		
			3.98
			3.98
		17.45	3.98
			3.15
			3.75 3.75 3.75
		14.50	3.15

.25-70		1949-51 14.50	3.75
		FORD TRUCK FRONTS	-33.01
25-71 25-72 25-73 25-74 25-75 25-76	12 18 14 14 11 11	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.98 2.49 3.75 3.49 3.75
			PARTICIPATE OF THE PARTICIPATE O

# NING COTTERS

### Spring Cotters

Assortment consists of one hundred pins, assort-ed sizes; all the necessary sizes for automobile work. L25-31-Wt. 4-oz....25c

Cotter	Pins	Per	dozen
L25-37-3/32x3 L25-38-3/32x1			03c
L25-39-3/32x1 L25-40-1/8x1-	-1/4		050



Cotter Pin Puller

Handy pressed steel tool, pulls cotter pins in a jiffy. L25-24-Weight, 5 oz ... .....590



Spring Centre Bolts

## Forged Tinners Snips

Rod Bearings

Highest quality—Guaranteed perfect replacements for original equipment.

Highest Quality, heat treated, machine hollow 

## Replacement Parts for 4 and 6 Cyl. CHEVROLETS

Front Wheel Bearings	Differential Parts 902208 Diff, bearing, '23-29, P	Clutch Parts For Clutch Plates and Facings, see Page 23.
909601 Outer cup, '23-50, 'A	902208 Diff, bearing, '23-29, P. 5.95 902100 Diff, bearing, side, '30-40, P. 6.45 902101 Diff, bearing, side, '30-36, T. 9.45 355521 Gear, diff, side, 16 teeth, '25-29, P. 3.75 370224 Gear, diff, side, '33-39, P. 4.35 902103 Bearing, diff, side, '33-35, std. P. 5.95 127861 Bearing, diff, side, '36-49, P. 5.95	344098 Bushing, clutch pilot, '25-30, A
909621 Outer cup, '33-36, std., P	370224 Gear, diff. side, '33-39, P	835775 Throwout collar, '29-31, A
909723 Outer top, 31-30, 1-35, T	Drive Shaft Parts  BDS300 Bushing, '16-36, std., P, state year	837021 Bear, throwout, with oller, '29-37, A 1-25 346809 Sleeve, clutch throwout, '25-31, A 1-25 364495 Clutch fork with snap ring, '31-37, A 2-5 836414 Ball, clutch fork, '31-37, A
909725 Outer bear, ball assbly. '35-50, T	376021 Bushing, D.S. housing, rear, '34-36, P	C C. D
909702 Inner bear, ball assbly, '23-50, A	474909 Bushing, D.S., rear, 1936, std., P	633486 Front bearing, '25-27, A, pair
909524 Inner cone, '31-35, T 1.65 909624 Inner cup, '31-35, T 2.15 909724 Inner bear, ball assbly, '31-35, T 1.35	345734 Bushing, D.S. front, '27-32, T	615616 Centre bearing, '25-28 A, pair. 2.95 633486 Front bearing, '25-27, A, pair. 1.95 634635 Rear bearing, '25-27, A, pair. 2.75 607608 Front bearing, '25-28, A, pair. 2.65 603936 Front bearing, '29-31, A, pair. 3.45 603937 Centre bearing, '29-31, A, pair. 3.95 603938 Rear bearing, '29-31, A, pair. 3.95 603940 Centre bearing, '32-36, A, pair. 3.95 603941 Centre bearing, '32-36, A, pair. 3.95 603942 Rear bearing, '32-36, A, pair. 3.95 603942 Rear bearing, '32-36, A, pair. 3.95
909526 Inner cone, 35-50, T	370416 Bushing, D.S., front '33-39, T	603940 Centre bearing, '32, A, pair
Front Axie Parts	FOROMA Tack and D.G. Land 107 40 D	Transmission Parts
352213 King pin, '28-40, Mstr. less K.A	Drive Shaft Parts  BDS300 Bushing, 16-36, std., P, state year	590273 Main drive gear, 14 teeth, '25-28, P
For complete King Pin sets, see Page 16. 352213 King pin, '28-40, Mstr. less K.A	005205 Front 191 90 D	590276 High and interm, slid, gear, '21-28, P 5.95 328654 Low and rev. slidling gear, '21-31, P 5.95 Low speed gear, 18 teeth, '21-31, P 5.95
365312 Bushing, king pin, '31-50, T	901307 Rear, '21-32, P. 4.95 901105 Rear, '33-35, P. 6.75 905307 Front, '28-32, T. 10.95	590198 Cluster idler gear, '21-31, P
365309 Bearing, king pin, '28-40, P	905309 Front, '33-39, T	590399 Spline Shaft, 10 spline, '29 P
472622 Nut, steer knuckle, '33-35, std. P	For complete Brake Lining sets, see Page 17. 344059 Guide pin, ext. brake band, '25-30, A	328662 Shaft, idler gear '21-31, P
472624 Bushing for 472623 king pin 36 602124 Bushing for 472623 king pin 35 365312 Bushing, king pin 31-50. T	Cylinder Heads and Parts	590403 High and interm. slid. gear, '29, P 7.45 590393 Ctrshft. drive gear, 31 teeth, '29-31, P
259346 Bushing, steer, sector, 33-36, A	CH2934 W/v/s guides, '29-34, A. 42.60 CH3540 W/v/s guides, '35-40, A. 43.60 835662 Head bolt, '29-32, A. 25 836984 Head bolt, '39-34, A. 25 837263 Head bolt, long, '34-39, A. 15 837709 Head bolt, short, '35-36, A. 19	590465 High and interm. slid. gear, '30-31, P
261926 Steer, sector shaft with roller, '34, P	837863 Head bolt, '33-34, A	590626 Countershaft, '32-36, P. 2.75 950628 Main drive gear, '33-36, P. 12.45 954111 Bearing, main drive gear, '33-36, P. 6.75
343350 Bushing, main steer, shaft, '24-30, A	Engine Parts  For Valves, see Page 20.  For Pistons and Pins, see Page 25;  For Piston Rings, see Page 19.	\$903207 Main drive gear, 14 teeth, '25-28, P
552536 Shaft, Pitman arm, '29-30, A	For Piston Rings, see Page 19. For Gaskets, see Page 24. For Connecting Rods, see Page 25.	590920 Bear, retainer, main drive gear, '37-50, P . 35 590923 Bear, retainer, main drive gear, '40-50, P 1 . 49 590655 Ctrshft, gear, bushed, '33-36, Mstr
551413 Ball race, steer, worm thrust, 28-30, A	120628 Oil pan screw, 25-49, A	590676 First and rev. slid. gear, '32-36, P
269782 Race for 259783 bearing	364322 Conn. rod shim, laminated, '29-42, A45 348679 Valve spring, '16-28, A19 364912 Valve spring, '29-33, A19 837365 Valve spring, '34-37, A25	Mstr. P
Rear Axle Parts For complete Axles, see Page 21.	839304 Valve spring, '38-50, A	473214 Main drive gear, '33-34, std. P
901307 Bearing, rear axle, '23-31, P	838029 Valve key, U shape, '35-50, A	472936 Gear, first and rev. slid., '33-36, std. P
11119 Bearing, rear axie, 33-50, std., P. 4.75 111121 Bear., rear axie, 33-50, Mstr. P. 5.46 111120 Inner race for 111119 pearing 2.15	837261 Bushing rocker arm, '34-49, A	590448 Gear 3rd and 4th sliding, 20 teeth, '27-28, T
111122 Inner race for 111121 bearing 1.75 123048 Nut, rear axle, ¾"x 16, '26-31 P 1.2 125420 Nut, rear axle, 1½"x12, '30, T 1.20 374619 Nut, rear axle, 1½"x12, '30-35, T 1.29	601806 Valve stem guide, intake, '36-45, A	590417 Main drive gear, 14 teeth, '29-30, T. 10.95 590458 Main drive gear, 14 teeth, '31, T
341839 Key, rear axie, 14, X12, 30-35, 1	124929 Nut for 835664, screw, A	551930 Rev. idler gear, bushed, '27-28, T 6.95 590341 Reverse idler gear, bushed, '29-31, T
901309 Bearing, rear axle, '23-30, T	838780 Exhaust manifold nut, brass, '29-50, A10 838022 Oil filler cap, '29-50, A	551924 Ctrshft, cluster gear, '27-28, T
		551926 Gear, 1st, 2nd and rev. slid., '27-28 T10.75 551925 Gear, 3rd and 4th slid., '27-28, T
343881 1925-29, P	343116 W.P. shaft, '23-27, A	590346 Gear, 1st, 2nd and rev. sldg., '28-30,T., <b>8.95</b> 590334 Gear, 2nd speed, 19 teeth, '28-31, T <b>5.45</b> 590337 Gear, reverse, 20 teeth, '28-31, T <b>3.95</b> 590444 Gear, 1st, 2nd and rev. sldg., '31, T <b>8.95</b>
600174 1934-36, Mstr. P. 9.45 602462 1937-39, P. 9.75 606779 1940-48, P. 9.95	835565 W.P. pack nut. '29-36, A. 29 838818 W.P. rotor with shaft, '29-34, A. 1.75 836943 W.P. body with bushgs., '29-34, A. 2.95	590446 Gear, 3rd and 4th slid., '31, T
365026S 1927-31, T 10.75 364198S 1931-32, Truck, front 9.95 369542S 1931-32, Truck, rear 10.45 600865 1935-39, ¼ Ton. 4 speed 8.95	837193 Rear bushgs., W.P. body, '29-36, A	9903209 Bear, main drive gear, '31-48, T
602796 Front and rear, '34-47, T	Miscellaneous Parts 120842 Radiator drain cock, "23-30, A	590494 Rev. idler gear, bushed, '31-41, T 1 2.95 590500 Ctrshft, and low speed gear, '31-41, T10.60 590501 Ctrshft, and 2nd speed gear, '31-42, T 7.25
373526 Univ. joint housing, '34-36, P. 4.25 602688 Univ. joint housing, '37-50, P. 4.45 353896 Univ. joint ball, '26-40, T. 4.35	120842 Radiator drain cock, '23-30, A	590502 Cirshit, and ord speed gear, 31-42, 18.45 590503 Cirshit, rev. gear, 23 teeth, '31-42, T8.45 590504 Cirshit, drive gear, 40 teeth, '31-42, T8.45 442260 Bearing, ctrshit, front, '31-49, T7.95
For complete Shackle Sets, see Page 22.	SH2534 Housing, starter motor, '25-36, A	121856 Bearing, ctrshft, rear, '31-48, T 8.75 590496 Idler shaft, '31-42, T 1.65 364160 Spline shaft, '31-42, T 595
344336 Spring shackle bolt, F. & R., '25-33, A29 593990 Shackle bolt, '37-50, A	SH2534       Housing, starter motor, '25-36, A       3.75         601878       Gen. pulley, '26-31, A       1.45         597667       Generator pulley, '38-50, A       1.95         346712       Fan, 2 blade, '25-28, A       75         336968       Fan, 4 blade, '29-37, P       1.95         F42536       Fan, 4 blade, '25-36, T       2.75         152934       Ign. switch assbly, .29-34, A       3.25         153540       Ign. switch assbly, .29-34, A       4.95         SC1835       Crank, starter, Il8-35, A       98         041134       Bushing, S. A. link, '30-50, P       12         043031       Front S.A. link, with pin, '30-33, A       1.25         354564       Radiator outlet pipe, '29-34, mstr.       75         378248       Radiator outlet pipe, '35-40, A       79         3656796       Radiator outlet pipe, '41-48, A       98	590444 Gear, 1st, 2nd and rev. sldg., 3l, T. 8.95 590445 Spline shaft, '3l, T. 4.95 590446 Spline shaft, '3l, T. 4.95 590475 Main drive gear, 17 teeth, '3l-42, T. 14.75 903209 Bear, main drive gear, '3l-48, T. 4.45 364193 Gear, 1st, 2nd and rev. slid., '3l-41, Tl 4.95 590494 Rev. Idler gear, bushed, '3l-41, Tl 4.95 590500 Ctrshft, and low speed gear, '3l-41, Tl 1.295 590501 Ctrshft, and low speed gear, '3l-42, T. 7.25 590502 Ctrshft, and 3rd speed gear, '3l-42, T. 7.25 590503 Ctrshft, and 3rd speed gear, '3l-42, T. 8.45 590504 Ctrshft, and 3rd speed gear, '3l-42, T. 8.45 590504 Ctrshft, and 3rd speed gear, '3l-42, T. 8.45 590504 Gtrshft, rev, gear, 23 teeth, '3l-42, T. 8.45 590506 Gtrshft, '3l-42, T. 9.5 590506 Ctrshft, and 3rd speed gear, '3l-42, T. 8.45 590506 Ctrshft, and 3rd speed gear, '3l-42, T. 8.45 590500 Ctrshft, and 3rd speed gear, '3l-42, T. 8.45 590500 Ctrshft, and 3rd speed gear, '3l-42, T. 8.45 590500 Esaring, ctrshft, rear, '3l-48, T. 9.5 590500 Bearing, ctrshft, rear, '3l-48, T. 9.5 580496 Idler shaft, '3l-42, T. 5.75 58141 Housing, gearshift lever, '3r-47, P. 9.5 593954 Trans, rubber mount, '3r-39 A. 2.95 3663130 Trans, rubber mount, '40-46 A. 2.75
600163 Bushg, F.S. eye, 34-50, A 35 379648 Bushg, F. & R. eye, threaded, 34-50, A 25 361194 Bushg, F. & R. hanger, 25-29, A 25	152534 Ign. switch assbly., 29-34. A	593954 Trans, rubber mount, '37-39 A
344337 Shackle, front spring, '25-29, A	043031 Front S.A. link, with pin, '30-33, A	Rubber Motor Mounts
359465 Bolt, front shackle clamp. '30-35, A	378248 Radiator outlet pipe, '35-40, A	3659291 Front, 1935-50, P
368263 Spring centre bolt, F. & R., '23-35, A 15 369721 Bushing, R.S., 1st leaf, '33-50, T	360954 Oil pump assbly, '27-28, A	Replacement parts shown are fully GUARAN- TEED to give satisfactory service. Made by
344334 Shackle, rear spring, '25-29, P	838440 Oil nump asshly '37-39 A	TEED to give satisfactory service. Made by

## Replacement Parts for FORDS, A, B and V-8

Front Wheel Bearings	Cylinder Heads and Parts	Brake Parts
B1201 F.W. inner cone, '28-48, P	A6050A All 4-cyl. models, '28-31	For complete Brake Lining sets, see Page 17.  B2035B Brake return spring, long, '28-34, P
For complete King Pin sets, see Page 16.  B3106 Front spindle assbly, left, '32-34, P. 24.9  3611255 Front spindle nut, '28-35, P. 2  A3115C Spindle bolt, right, '28-31, P. 1.6  A3116C Spindle bolt, left, '28-31, P. 1.6  B3115 Spindle bolt, right, '32-34, P. 1.6  B3115 Spindle bolt, left, '32-34, P. 1.6  48-3115 Spindle bolt, right, '35-36, P. 1.4  48-3115 Spindle bolt, '35-36, P. 1.4  78-3115 A Spindle bolt, '37-41, P. 1.2  21A-3115 Spindle bolt, '37-41, P. 1.2  21A-3115 Spindle bolt, '34-46, P. 1.2	For Valves, see Page 20. For Pistons and Pins, see Page 25. For Piston Rings, see Page 19. For Gaskots, see Page 24. For Connecting Rods, see Page 25.  B5251 Muffler pipe clamp, '28-32, A, pair	For complete Brake Lining sets, see Page 17.  B2035B Brake return spring, long, '28-34, P
Front Axle Parts  For complete King Pin sets, see Page 16.  B3106 Front spindle assbly, left, '32-34, P. 24.  3511255 Front spindle nut, '28-35, P. 2  A3115C Spindle bolt, right, '28-31, P. 1.6  B3116 Spindle bolt, right, '28-31, P. 1.6  B3115 Spindle bolt, right, '32-34, P. 1.6  B3116 Spindle bolt, right, '32-34, P. 1.6  B3116 Spindle bolt, right, '32-34, P. 1.6  48-3115 Spindle bolt, right, '35-36, P. 1.4  48-3115 Spindle bolt, right, '35-36, P. 1.4  48-3115 Spindle bolt, '37-41, P. 1.2  21A-3115 Spindle bolt, '38-49, T. 2.4  83109 Spindle bush, upper, '28-36, P. 1.1  B3110 Spindle bush, upper, '28-36, P. 1.1  B3111 Spindle bolt, right, '30-34, T. 3.1  B3116 Spindle bolt, right, '30-34, T. 3.1  B3116 Spindle bolt, right, '30-34, T. 3.1  B3117 Spindle bolt, right, '30-34, T. 3.1  B3118 Spindle bolt, right, '30-37, T. 3.1  B3112 Spindle bolt, right, '35-37, T. 3.1  B3124 Nut for lock pin, '28-46, P. 1  B3123 Spindle bolt bearing, '38-46, P. 1  B3124 Nut for lock pin, '28-46, P. 1  B3128 Spindle bolt bearing, '38-37, T. 8  B3121 Spindle bolt bearing, '38-37, T. 8  B3123 Spindle bolt bearing, '38-34, P. 6  A3130B Spindle arm, nut, '28-31, P. 34  A3440 Radius rod ball cap, '28-31, A. 24  A3450 Radius rod ball cap, '28-31, A. 25  A3440 Radius rod ball cap, '28-31, A. 24  A3575 Steer, sector, '35-5B sector . 3  B346 Radius rod ball cap, '32-34, A. 3  3403 Radius rod ball	A6035A Engine frnt. suprt. spring centre.  28-31, A	Differential Parts         B4205-6 Diff. case, complete, '28-32, P       20.25         18C4240 Diff. case, complete, '32-46, P       9.30         B4211 Diff. spider, '28-32, P       8.25         18-4211 Diff. spider, '32-42, P       3.65         79-4211 Diff. spider, '30-46, T       5.40         B4215 Diff. pinion, '28-32, P       2.35         C31A-4215 Diff. pinion, '32-40, P       1.35         C31T-4215 Diff. pinion, '37-46, T       2.75         B4217 Bolt, diff. case, '28-34, P       20         B4221 Diff. bear, cone assbly, '28-32, P       5.25
A3130B Spindle arm, right, '28-31, P	52-6319A Crnkshft, ratchet, 60 H.P. 37-40, P. 59 81A-6319A Crnkshft, ratchet, 85-95 H.P. 39-48 P. 65 A6327B Crnkshft, rear bear, cap, '28-31, A. Exchange Price	B4205-6 Diff. case, complete, '28-32, P. 20.25 18C4240 Diff. case, complete, '32-46, P. 9.30 B4211 Diff. spider, '28-32, P. 3.65 79-4211 Diff. spider, '32-42, P. 3.65 79-4211 Diff. spider, '32-46, T. 3.65 79-4211 Diff. spider, '30-46, T. 3.65 C81A-4215 Diff. pinion, '32-40, P. 1.35 C81T-4215 Diff. pinion, '32-40, P. 1.35 C91T-4215 Diff. pinion, '37-46, T. 2.75 B4217 Bolt, diff. case, '28-34, P. 20 B4221 Diff. bear. cone assbly. '32-36, P. 5.35 68-4221 Diff. bear. cone assbly. '32-36, P. 5.35 68-4221 Diff. bear. cone assbly. '30-34, T. 7.95 B84221A R Diff. bear. cone assbly. '30-34, T. 7.95 B84221B Diff. bear. cup, '32-36, P. 2.95 B84221B Diff. bear. cup, '32-36, P. 3.55 B84222 Diff. bear. cup, '37-49, P. 3.55 B84222 Diff. bear. cup, '30-34, T. 7.95 B84616A Drive pinion, bear. cup, '30-34, T. 2.95 B84616A Drive pinion, bear. cup, '30-34, T. 2.95 B84616A Drive pinion, bear. cup, '30-34, T. 2.95 B84616 Drive pin, bear. cup, '30-34, T. 4.95 48-4621 Drive pin, bear. cup, '30-34, T. 4.95 48-4621 Drive pin, bear. cup, '30-34, T. 4.95 48-4621 Drive pin, bear. cup, '32-39, T. 4.95 B8655 Drive shaft roller bear. 28-46, P. 4.95 B86656 Drive shaft roller bear. 28-39, T. 4.95 B86656 Drive shaft bear. sleeve, 'front, 28-46, P. 4.9 B86656 Drive shaft bear. sleeve, 'front, 28-46, P. 4.9 B86656 Drive shaft bear. sleeve, 'front, 28-46, P. 4.9 B86656 Drive shaft bear. sleeve, 'front, 28-46, P. 4.9 B866668 Drive shaft bear. sleeve, 'front, 28-46, P. 4.9
A3678C Steer. sector, 2 teeth, 29-31, A 7.7 A3678C Bushing for A3575C sector 3 B3676B Steering sector, 32-34, P 5 B3676B Steering sector, 32-34, P 5 B3676 Bushing for B3575B sector 2 8-3576 Steer sector, 1936, P 3 8-3576 Bushing for 68-3575 sector 5 78-3576 Bushing for 68-3575 sector 1 78-3576 Bushing for 78-3575 sector 1 B3576 Bushing for 78-3575 sector 1 B35776 Steer sector, 32-34, T 7 B35776 Steer sector, 32-37, T 8 B3576A Bushing, steer sector, 32-37, T 8	56 B6330 R Frit. and centre bear. cap. '32, A, Exchange Price	
78-3524 (46 \( \frac{4}{2} \) (1937, P. 8.9 (46 \( \frac{4}{2} \) (1938-39, P. 8.9 (1938-34) (46 \( \frac{4}{2} \) (1940-41, P. 8.9 (1938-34) (47 \( \frac{4}{2} \) (1941-48, P. 8.9 (1938-34) (47 \( \frac{4}{2} \) (47 \( 4	5 88448S Stud., manifold, '28-31, A	78-8510 W.P. shaft assbly., V8-85, '37-46, P. 1, 75 A8513 W.P. impeller washer, '28-31, A. 10 B8513 W.P. thrust washer, '32-34, A. 55 B8520 W.P. bushg., front, '28-31, A. 75 40-8520 W.P. bushg., rear, '28-34, A. 75 8-8520 W.P. bushg., V8-8, '32-36, A. 45 78-8520 W.P. bushg., V8-85, '37-48, P. 29 B8523A W.P. pack nut, 4, '28-34, A. 35 B8530A W.P. shaft roller bear, '28-35, A. 98 B8535 W.P. shift. roller bear, '28-35, A. 15 B8542 W.P. bear, felt, 4, '28-34, A
## 183285 X Tie rod end, right, 28-34, P and 30-30-36, T. 2.7  ## 183286 X Same as above, left. 2.7  ## 18-3289 Tie rod end, right, 35-49, P. 2.2  ## 18-3290 Tie rod end, left. 35-49, P. 2.2  ## 18-3290 Tie rod end, left. 35-49, P. 2.2  ## 18-3290 Tie rod end, left. 35-49, P. 2.2  ## 18-3290 Tie rod end, 1942-48, P. 3-4  ## 18-3290 Tie Rod, 1937-41, P. 2.9  ## 18-3293 Tie Rod, 1937-41, P. 2.9  ## 18-3293 Tie Rod, 1937-41, P. 3-34, P. 3-4  ## 18-3293 Tie Rod, 1937-41, P. 3-34, P. 3-34  ## 18-3293 Front cross member, 33-34, P. 3-9  ## 18-3293 Front cross member, 33-39, P. 3-7  ## 18-3293 Rear Axie Parts  ## For somplete Axles, see Page 21.	A7060 Bear, rethr., main drive gear, '28-31, P	Oil Pump Parts       B6551     O.P. drive gear, '28-34, A
B1225A R.A. bearing, 28-36, P	A 7060 R Main shaft and collar assbly., '28-31, P. 8. 95 B 7061 A Main shaft, '32-42, P	Ignition and Generator Parts  A10093 Gen. shaft bear, large. '28-29, A. 2.35  B10094 Gen. shaft bear, small, '28-34 and '39-46, A. 1.65  B-10094 Gen. bearing, V-8, '32-38, A. 2.25  B10128 Gen. bushing, 4, '30-34, A. 1.25  46-10130A Gen. pulley, '28-32, A. 1.25  40-10130B Generator Pulley, '34-38, A. 2.69  A11675E Ign., switch assibly, '28-31, A. 3.95  B12132 Bushg, dist. base, '28-34, A. 10  A12148 Dist. bus. bar support, '28-31, A. 45  A12161 Dist. brkt, plate assibly, '28-31, A. 49  A12178 Dist. camshaft sleeve, '28-34, A. 25  B12245 Dist. coupling shaft, '28-34, A. 25  B12245 Dist. shaft pin, '28-34, A. 45  F28575 Dist. shaft pin, '28-34, A. 05  B122130 Dist. base assibly, '32-34, A. 05  B12130 Dist. base assibly, '32-34, A. 255  B12130 Dist. base assibly, '32-34, A. 255  B12130 Dist. cam, '28-34, A. 1.25
For complete Shackle Sets, see Page 22.  A3030 F.S. perch, '28-31, P. 5.1  40-3030 F.S. perch, '32-34, P. 4.4  A3034 F.S. perch bushing, '28-31, A. 0  B3036 F.S. perch nut. 28-48, A. 1  A5465 F.S. hanger, '28-31, P. 9  B5455B F.S. clip for 12 leaf spring, '28-34, P. 5  B55465B F.S. clip, '30-34, T. 1  B5464A F.S. shackle bar, '32-41, A. 1  B5464A R.F.S. shackle stud, '32, P. 9  40-5463 F.S. shackle stud, upper, '32-34, P. 7  48-5464 F.S. shackle, stud, lower, '32-34, P. 7  48-5464 F.S. shackle, stud, lower, '32-34, P. 7  48-5464 F.S. shackle stud, '35-48, P. 7  48-5464 F.S. shackle stud, '35-41, T. 1  B54020 F.S. perch bush, '30-34, T. 1  B36015 F.S. tie bolt and nut, '28-37, P. 1  BB6715 F.S. hanger, '30-34, T. 1	B B87100 Low and second slid, gear. 29-46, 1	A12161 Dist. brkt, plate assbly, 28-31, A
	A7140   Reverse idler shaft, 28-41, P.   -2.5	B8115 Radiator drain cock, '28-31, A
23290S R.S. tie bolt and nut, '28-37, P	B7090 All pass, '28-48	Starter Cranks A17036B Crank and wheel wrench, '29-31, P1.10 40-17036 Crank and wheel wrench, '32-48, P
Shock Absorber Parts  B18037 S.A. needle valve, '28-32. A	I A7561B Clutch release bear, hub., 29-31, P 1.55	Letter "T" at end of line indicates Passenger. Letter "T" at end of line indicates Truck. Letter "A" indicates All Models.

## at REDUCED PRICES



Guaranteed Not to Crack, Break or Spread Finest Drop Forged Chrome steel. Neat finish. Double offset heads reach sunken nuts and clear obstructions. Twelve-point openings give positive grip. Very thin, extra strong walls provide free clearance.


Long Pattern

L28-35-3/8 and 7/16, 8 1/2 in. long	.55c
L28-36—1/2 and 9/16, 9 in. long	.590
L28-37-5/8 and 11/16, 9 3/4 in. long	.69c
L28-38-3/4 and 25/32, 11 in. long	.85c
L28-39-13/16 and 7/8, 12 1/2 in, long	.95c
L28-40—15/16 and 1, 14 1/2 in. long	1.15
L28-47-1 1/16 and 1 1/8, 15 in. long	1.49
L28-48-1 1/4 and 1 7/16 in. long	2.65
Cir Diago Day Fud Wrongh	402

\$4.35

Same as above, in carbon steel. L28-51—Leader set..... \$3.98

### Short Box End Wrenches



Drop Forged Chrome Steel Ends Offset

Cadmium plated; polished 12-point ends. For close-fitting places. A handy short type wrench of the same high quality as the long pattern.

Set of three has following sizes: 3/8 and 7/16, 1/2 and 9/16, 5/8 and 11/16.

L28-87-Set of above 3.

### Starter and Manifold Wrench



Fits Buick, Chev., Essex, Pontiac Unique design and thin heads to permit reaching the unhandy places; length 9½ ins.

### 12-Point Connecting Rod Wrenches

### **Thin Tappet Wrenches**

Nickel finish, polished ends. Tough drop forged steel. Thin body and faws to reach tappets easily. L28-T1, 7/16 and 17/32 in, L28-T2, 1/2 and 9/16 in... L28-T3, 5/8 and 11/16 in... L28-T4, 3/4 and 7/8 in.....



### Adjustable End Wrench


Steel jaw, extra arge collar, guar-anteed superior strength, fully polished head.

Average weight 8 oz.	
	.29
L28-42—8-inch	.59
L28-43—10-inch	.89
L28-49—12-inch	.85

THE FINEST, THINNEST, STRONGEST

### Socket Sets Mechanic's

Superior Quality Chrome Vanadium Steel




Set contains—Ten 12-point sockets from 7/16 15/16", hinged Tee handle with slide bar. L28-88-12-piece set in steel box, wt. 6 lbs. ....\$9.95


84699999999

Set Contains—Thirteen 12-point sockets from 7/16 to 1 1/8" - 15 1/2" hinged Tee handle with slide bar, 6" extension adapter, reversible ratchet handle.


L28-89—17 pcc. set in steel box, wt., 9 lbs. ......\$18.95



Complete Master Mechanics set, including midget ignition set for fine work on electrical repairs. Set contains—Fourteen 12-point sockets from 7/16 to 11/8", reversible ratchet handle, 15 1/2" hinged Tee handle with slide bar, 18" speeder handle, 6" extension adapter, and 11 piece midget ignition set with 1/4 inch drive. Steel Mechanics tool box with lift-out tray. L28-810—30-pee. set in steel box, wt. 18 lbs.. \$32.50




SPARE PARTS FOR 1/4 INCH SOCKET SETS
Chrome alloy steel, extra tough, plated and polished.
L28-3222-A-151/2" Hinged Tee Handle\$3.15
L28-3211—B—10" Extension Adapter
L28-3216—B—6" Extension Adapter
L28-3208—C—Long Speeder Handle
1 28-3205 E Ratchet Plug Adenter
L28-3205—E—Ratchet Plug Adapter
L28-3201-G-Reversible Ratchet Handle\$5.95
(H-J)-12-POINT HOT BROACHED SOCKETS
Extra tough Chrome alloy, thin wall, heavy service
L28-1214—7/16. 59c L28-1216—1/2. 59c
L28-1216—1/259c
L28-1218-9/16   65c   L28-1220-5/8   72c   L28-1222-11/16   72c   L28-1222-11/16   85c   L28-1224-3/4   85c   L28-1226-13/16   85c   L28-1228-7/8   98c   L28-1228-7/8   98c
L28-1220—5/8
L28-1222—11/10
129-1226-12/16
1.28-1228-7/8
L28-1230—15/16.
L28-1232—198c
L28-1230—15/16 986 L28-1232—1 986 L28-1234—1 1/16 \$1.20 L28-1236—1 1/8 \$1.20
L28-1236—1 1/8\$1.20
L28-1238—1 3/16. \$1.20 L28-1240—1 1/4. \$1.20
L28-1240—1 1/4



### **Carbon Steel Socket Sets**


Designed for those who want a good utility set at a low price. For general purpose work, Made of carbon steel, heat treated and case hardened for toughness and strength. Cadmium plated rust-resistant inish.



tains—L handle, six 12-point sockets from 1/2 to 7/8", in handy metal holder.

L28-1351—7-piece set, wt., 1 ½ lbs......\$1.25

Piece Set




1451 Set Contains—L handle, ratchet handle, screw driver adapter, eight 12-point sockets from 7/16 to 15/16", in handy metal clip.

Piece Set

1452 Set—Sultable for all work, ignition or complete overhaul. Contains—Lhandle, ratchet, midget L handle, screw driver adapter, and 15 sockets from 1/4 to 15/16", in handy metal clip.


L28-1452-19 piece set, wt., 23/ lbs.



33X Set—Complete general purpose set for car owners, farmers, machinists, etc. Contains assortment of useful tools. Seventeen 12-point sockets, from 5/16 to 1", eight square sockets from 3/8 to 7/8", long speeder handle, ratchet handle, offset L handle, long and short extension, universal joint, screwdriver bit, valve grinding bit.

L28-33X-33 piece set in steel box, wt., 13 lbs.

\$11.95



### Open End Wrench Set

Set of 6 heavy duty double end wrenches of high quality steel. Plated finish.

Sizes 5/16" to 7/8". Weight, 31/2 lbs.

L28-22—Set of 6 in metal holder...\$3.15

L28-23—Same as above, with unpolished ends..\$2.49



### Crank Case Wrench

18" long and fitted with a special thin nose 15" hexagon socket, especially designed for removing bolts from the crank case of Ford A, B and V-8, 1928-48. Weight, 11/2 lbs.

L28-21-Each

### COMBINATION BOX and OPEN END WRENCHES



Combination wrenches with same opening on each end, one box type with 10° offset, the other open end. Especially useful for fast work in difficult places.

Set of 5 useful sizes, %", 7/16", ½", 9/16", %", packed in neat plastic kit. packed in near place L28-1063—5-piece Kit

### INDESTRUCTIBLE SCREW DRIVERS



ALL SIZES

Strong tempered steel blades with unbreakable shock-proof amber handles. A size for every purpose.
L29-A4225 -1/8 x 2-1/4" Midget 10c
L29-A64 -3/16 x 4"
L29-A66 —3/16 x 6"
L29-A92 —9/32 x 2"59c
L29-A94 —9/32 x 4"69c
L29-A96 —9/32 x 6"
L29-A6125 —1/4 x 1-1/4" Stubby
L29-A104 —5/16 x 4"
L29-A108 —5/16 x 8" 95c
L29-A10775-5/16 x 7-3/4", oversize grip\$1.09
L29-A10115-5/16 x 11-1/2" 1.49



### **Mechanics Screw Driver** Heavy Duty



Blade goes clear through hard-wood handle; has strong steel shank. strong steel shank. Will not break or

LL

L

L29-31-4 L29-32-5 L29-33-6 L29-47-8	inch	blade,	each \$1	95c .05 .10 .49
Name and Address of the Owner, where				-

### Cross Bit Screw Driver



### Square Bit Screw Driver

Three sizes to fit square headed screws used on Ford and other cars. Shipping weight, 8 oz.

L29-41—Small ... .. 35c L29-43—Large ... ... 35c L29-44—Set of 3 ... ... 98c

### "Grip-Lock" Plier Wrench



Five tools in one. Pliers, Locking Wrench, Hand Vise, Pipe Wrench, Toggle Press—truly a compact tool kit in one tool.

New and different from the average grip-locking wrench. Works with a short pawl against the cam handle giving it more powerful gripping action. Swivel jaws give parallel grip on either flat or irregular objects. Jaws are forged from alloy steel, specially heat-treated for toughness and durability.

L29-101—10-inch Grip-lock, ship. wt., 1 ½ lbs. \$ 1.89 L29-102— 7-inch Grip-lock, ship. wt., 1 lb...... 1.59

### Genuine Vise Grip Lock-Lever Wrench

New Improved Model has thin nose-curved jaws—side cutters. Grips firmly on square, hexagon or round work. Knurled jaws hold small work tightly at very tip. Easily adjusted, fits into tight places. Jaws open to 1 ½", lock in any position up to 1½". Useful as wrench or plier, has side cutters for wire. Plated finish. 9" long.

L29-21-Genuine Vise Grip...



### Slip-Joint Pliers

Made of durable forged steel. Handles made so that user can take many different grip positions. nickel plated. A verage weight, 10 oz.



### Round Rod Screw Driver

Shipping weight 8 oz.

L29-34—4-in, blade...25c L29-37—8-in, blade.....39c L29-36—6-in, blade...30c L29-38—Midget screw driver for small work...10c



Handy tool for motorists or mechanic. Neon tube set in shock-proof handle of high quality screwdriver; tests spark plugs and traces ignition shorts. L29-39-Size, 73/4" overall, Postpaid......\$1.15



50 inches long, fits 1/4-inch motor shaft. Composed of motor coupling and adapter with flanges, 1/4 inch to take grinding and buffing wheels, and other standard accessories

L29-22— Shipping weight, 6 lbs	\$14.95
L29-27- Drive cable only (inner c	
unit. Ship. wt., 12 oz	

Allows using flexible drive unit on motors with 5%" 

### **Hydraulic Brake Parts**



Accurately made for perfect fit. Fits brakes on these cars: Chevrolet, Chrysler, Dodge, Ford, Plymouth, Pontlac, etc. (Our numbers same as factory numbers.)

L29—(1201)—For single stoplights. Each
Master Cylinder Piston L29—(943) 1¼" Piston and Secondary Cup\$1.15 L29—(2923) 1" Piston and Secondary Cup89
Master Cylinder Piston Secondary Cups L29—(1311) 1½"

	-(1311) 1½" -(2109) 1"	200
29-	Master Cylinder Dust Boot -(927) 11/4"	35°
29- 29-	Wheel Cylinder Cups -(666) 11/4" -(1219) 1 1/16"	20c
29-	Bleeder Hose -(5343) Universal, fits all cars and trucks.	450
29-	(578) 14" (2917) 1" (3578) 1"	45°


Master Cylinder Cups -(344) 1¼".... -(2398) 1⅓"...

\$1.69 \$1.69 \$1.69 model, model, \$1.69





200



**Hacksaw Frames** 

Handy Pistol Grip, Well balanced. Nickel-plated frame adjusts from 8 to 12 inches. Shipping weight 

Hack Saw

**Blades** High grade Tungsten steel. Hard teeth, soft back.

Per doz 690 790 Each 

### Complete Hydraulic **Brake Cylinder** Repair Kits

Each kit contains all necessary parts to completely rebuild one hydraulic cylinder, either master or wheel. All Postpaid.

(A) Hydraulic Brake Master Cylinder Repair Kit. Consists of piston assembly, valve assem-bly, piston cup, return spring and dust boot.

(B) Hydraulic Brake Wheel Cylinder Repair Kit. Consists of 1 spring, 2 cups and 2 boots for one wheel cylinder. State if front or rear wheel.



### Tie Rod Ends

1.95 L29-160 75c

Replace original part; stops shimmy, prevents tire wear. Be sure to state make, year and model of car.

Chevrolet 1930-38. Master only.		ru	ISE
L29-TS29R —Right	\$2	2.8	35
L29-TS29L —Left	2	2.8	15
Chevrolet 1939-48-Passenger.		2	80
L29-TS84R —Right	\$1	. 5	35
L29-TS84L Left	1	. 5	
Chevrolet 1949-50-Passenger.		8	80
L29-TS167 RRight	1	. 5	36
L29-TS167LLeft	. 1	. 5	36
Chevrolet 1935-48-Trucks.			80

L29-16

L29-TS167LLeft
Chevrolet 1935-48—Trucks
L29-TS26R Right
L29-TS26L — Left
Ford 1936-48—Passenger
L29-TS64R — Right
L29-TS64R — Right
L29-TS64L — Left
Ford 1949-50—Passenger
L29-TS164R—Right
L29-TS164L—Left
Ford 1936-47—Trucks
L29-TS164L—Left
Ford 1936-47—Trucks
L29-TS98L Left
Plymouth 1934-38—P1-2-3-4-5-6.
L29-TS98L Left
Plymouth 1940-48—P9-10-11-12-14, Long Rod
L29-TS60R—Right
L29-TS60R—Right
L29-TS131L—Left
Pontiac 1937-38
L29-TS131L—Left
Pontiac 1937-38
L29-TS68R—Right
L29-TS68L—Left

2.95

E



SEE SAE CHART AT OUR STORE FOR PROPER GRADE FOR YOUR CAR

### BEST IN THE LONG In Bulk RUN

Empire Lubricating Oil will keep your car in the best condition for long service. It reduces your repair bill by saving friction wear. A smoother running engine—better compression and ignition, no stuck valves from oil carbon and more power from your gas are results of using Empire Oil.

Our oils are absolutely of the highest grades of motor oil on the market, made from the choicest quality materials by a process of filtering and refining that does away with acid treating, removes all free carbon and retains the essential lubricating properties of the oil.

Because of our enormous buying power and the immense quantities of oil we handle, together with our direct-from-refinery-to-car-owner system of distribution, we are able to furnish our customers this high-grade oil at a saving.

LIGHT - - SAE 20 MEDIUM - SAE 30 HEAVY - SAE 40

EX. HEAVY SAE 50

SPECIAL HEAVY DUTY MODEL FOR ALL TRACTORS FOR ALL TRACTORS

130-4—Complete with element, flexible hose and connections. \$8.25

L30-5—Replacement filter element only, to fit above. \$1.25

Oil Filter Elements for popular cars

Replacement Oil Filter Element

 Replacement
 Interplacement

 FOR PICK, FRAM, PUROLATOR AND A L30-P1X—For Pick P1 and P10 Filters.
 \$1.6

 L30-P2X—For Pick P2 and P20 Filters.
 \$1.6

 L30-P3X—For Pick P3 and 400 Filters.
 \$1.2

 L30-P5X—Replaces Fram C4
 \$1.2

 L30-P6X—Replaces Purolator N16
 \$1.5

 L30-P7X—Replaces A.C. L11
 \$1.2

 L30-P9X—Replaces Purolator N17
 \$1.2

 L30-P9X—Replaces Purolator N15
 \$1.2

 L30-P10XF—Replaces Fram C1
 \$1.2

 L30-P1XX—Replaces A.C. S11
 \$1.2

 L30-P1XX—Replaces A.C. S11
 \$1.2

 L30-P1XX—Replaces A.C. L14
 \$1.2

### AIRWAYS MOTOR OIL

Airways Oil is fortified with laboratory tested ingredients. Here's why: When selected and costly crude oils are refined, they lose many valuable properties. The fortifying agent in Airways Motor Oil scientifically replaces these properties in the correct proportions to increase oil stability, and to reduce wear in your motor. Supplied in all SAE Grades 10 to 50.

L30-51-1-Gallon Can. Wt. 11 lbs......\$1.69



### PYROIL

A Graphite Liquid to mix with lubricating oil or gasoline. Eliminates wear prolongs life of motor.

L30-19-32-oz. can.



Penetrating Oil FOR LUBRICATING SPRINGS Stops Squeaks and Dissolves Rust

Penetrates between leaves and gives complete lubrication. Lessens chance of breakage. Applied to rusty bolts and nuts, makes removal easy. Shp. weight, 1 lb., 6 oz.


L30-53-16-oz. can..........75c





### Special Oil and Grease Gun

GRAPHITE



### Filter Waste

L30-P15X—Replaces A.C. L14..... L30-P19X—Replaces Briggs G2....

A very fine quality which is made especially for Tractor Oil Filters, also used for cleaning and polishing. ..35c L30-33—1 lb... L30-34—5 lbs.

### Parts for ALEMITE and ZERK SYSTEMS



ALEMITE	
For pin type fittings on older cars.	
L30-A1039, Alemite Hose, 14" long	.50
L30-G42059, Nozzle for A1039 hose 1	.65
L30-A336, Straight nipple, 1/8 thread	100
L30-A358, 90° angle nipple, 1/8 thread	400
L30-A359, Straight nipple, 1/4 thread	230
L30-A371, 90° angle nipple, 1/4 thread	

### ZERK OR HYDRAULIC

L30-1610, Straight nipple, ½ thread..... L30-1627, Straight nipple, ½ thread.... L30-1611, 30° angle nipple, ½ thread... L30-1612, 67½° angle nipple, ½ thread... L30-1629, 67½° angle nipple, ½ thread... L30-163, 90° angle nipple, ½ thread... L30-1662, Waterpump nipple, ½ thread... L30-1669, 5/16" straight drive fitting, (used on Ford Model A)....

NIPPLES FOR LATE MODEL CARS

### **Protex Oil Filter**

Guaranteed for 10,000 miles The same general design and con-struction as other well-known oil filters. Fully guaranteed to give complete satisfaction. Fits Chev., 1927-28; Chrysler, 1927-42; Dodge, 1932-46; Plymouth, 1932-49 and many others.

L30-20—Replacement Cartridge. For all cars now equipped with throwaway oil filter......\$2.75

Important-State Year and Model of Car When Ordering!

### Steel Encased **Grease Retainers**





1	IT SAE 20 89C \$495 IUM - SAE 30 89C \$495 IV - SAE 40 Per Gallon WITH CAN	Regular type retainers, same as factory equipment.         Number       Car Used       Each         \$2510—Chevrolet, 1918-40, Front Wheel       49c         \$2598—1933-36, Std., Front Wheel       35c         \$2507—1925-32, Rear Inner       45c         \$2508—1929-32, Rear Outer       \$1.49         \$2599—1933-36, Std., Rear Axle       89c
-	Permanent Magnetic Oil Filter	\$2596     1933-35 Mstr, Rear Axle     \$1.39       \$2599     1937-42 Mstr, Rear Axle     \$9c       \$2510     Truck, 1925-29, Front Wheel     49c       \$2551     Truck, 1931-33, Front Wheel     45c       \$25511     Truck, 1925-29, Rear Inner     85c       \$2552     Truck, 1931-33, Rear Inner     95c       \$2512     Truck, 1931-33, Rear Outer     98c
	Buses — Trucks — Buses — Tractors  A modern, Permanent Magnetic Filter that filters and purifies, removes sludge, absorbs injurious acids, removes iron or steel particles, betters motor performance, lengthens motor life and	\$2525—Ford, Pass. 1928-38, Rear Outer \$1.10 \$2526—Pass. 1928-41, Rear Inner 65c \$2529—Truck, "AA" 1928-29, Rear Outer \$1.79 \$2530—Truck, "AA" 1928-29, Rear Inner 95c \$2527—Truck, 1930-37, Rear Inner \$1.19 \$25252—Truck, 1930-33, Rear Outer 1.79 \$25266—Truck, 1934-40, Rear Outer 1.85 \$25232—Plymouth, 1929-32, Front Wheel 75c \$2600—1933-35, Front Wheel 69c
	saves oil. Inexpensive, low priced filtering element replaced every 10,000 mlles. Not necessary to replace entire filter. Ship. Wt., 5 lbs.  Custom-Built Magnetic Filter  Complete with all fittings, bracket and proper length hose lines. Instruction sheet and tailored bracket makes installation easy.	\$2750
	L30-1—Fits Ford V8 and Mercury 1942-49\$9.15 L30-2—Fits Chevrolet cars and trucks 1934-49.\$9.15 L30-3—Fits Pontiac and Olds. 1934-49\$9.15 L30-U—Universal model—fits all other cars and trucks, all years, all models\$9.45 L30-P3X—Element only to fit above filters\$1.39	\$2510—Pontiac, 1926-36, Front Wheel
1	The state of the s	FILE—Chevrolet, 1920-21, Front Wheel

F172-Ch	vrolet, 1923-27, Front Wheel	c
F169— F174—	1925-32, Rear Axle	C
F179-	1ruck, 1925-29, Rear Axle	



### Axle Packing Washers

Can be trimmed to fit all popular cars. 3-in. diam. by 5/8-in. thick. L30-94—Each.......25c



698955955589999





### CUP GREASE

For use on wheels, pump, fan, bushing, etc. Assures a protective coating that will last. L30-41—1-lb. can L30-38—3-lb. can L30-40—5-lb. can L30-39—10-lb. can

### HIGH PRESSURE GREASE

Solidified to insure proper lubrication for finest bearingy under severe heat or cold. For cars with Alemite, Zerk or other high pressure systems.

L30-10—1-lb. can	29c
L30-12—3-lb. can	
L30-11—5-lb. can	
L30- 9—10-lb. can	.85

### FIBRE GREASE

For wheel bearings and universal joints. Will not turn fluid. Clings to bearing surface.

### WATERPUMP GREASE

High melting point. Will not leak into cooling system.

### GEAR COMPOUND

A very heavy, thickened oil: will not thin out and cause dripping. Will prevent "wear and tear" because it forms a cushion between the gear teeth, preventing them from coming into contact.

NOTE: This can not be shipped by mall. L30-13-5-lb. tin .....

Grease Ram For "Frozen" or Clogged Fittings



Just screw into fitting hole and strike the plunger. Will break through any frozen bearing. Postpaid.

L30-1641, ¼", 28 thread straight \_\_\_\_\_\_\_9c L30-724—For ½ Alemite and Zerk Fittings.....\$1.25

### **BATTERY CABLES**



UNIVERSAL GROUND STRAP

S.S.--STARTER TO SWITCH

### FOR ALL CARS, TRUCKS AND TRACTORS

Cables are best quality copper, with correct insulation and protection. Fully guaranteed for complete satisfaction. Measure your old cable or strap, and select proper size from the list below.

the list below.	
Woven Ground Straps	1
L31- 65-6" long	\$ .65
L31- 85—8" long	.72
1 21 106 10// 102	.82
L31-10S—10" long	
L31-12S—12" long	.85
L31-14S—14" long	.93
L31-175—17" long	.98
Insulated Cables	
L31-15C—15" long	.98
L31-19C—19" long	1.29
131 310 3111	
L31-24C—24" long	1.35
L31-27C-27" long	1.40
L31-30C—30" long	1.65
L31-37C-37" long	1.75
Armoured Cables	
L31-30A-30" long	1.95
L31-40A—40" long	2.59
L31-48A—48" long	2.95
L31-58A—58" long	3.49
L31-71A-71" long	4.45
	4.45
Starter to Switch Cables	
L31-15SS—15" long	.89
L31-225'5—22" long	1.19
L31-33SS—33" long	1.59
	1.00
Motor to Ground Straps	
Woven strap with reinforced eyelet at each end.	
L31-6MG—6" long	.45
L31-9MG—9" long	.55
L31-12MG—12" long	.65


### **Grip Tite Clips**

L31-16—Small size6	C
L31-17—Standard size 9	0
L31-18—Jumbo size, for battery charger	C
and a country of the	-



### Dash-Fit Battery Carrier

For all Models of Cars and Trucks



Cars and Irucks
Designed for models
having battery under
floor board or seat.
One size—adjustable to
any size of battery.
Easy to install—easy
to service. Puts battery under the hood—
where it belongs. Increases power by shortening cable to starter
or ground. Protects
battery from mud, rain, or ground. Protects battery from mud, rain, snow, etc. Complete with directions.

-Dash Carrier, ship. wt. 31/2 lbs.

### **Battery Pliers**

Designed to provide positive gripping of badly corroded or mutilated battery terminal nuts. Weight, 3 oz.




**Battery Wrench** 



For quicker work. More durable. Drop forged; 5/8" and 9/16" 12-point openings. L31-69-Wgt.8-oz.,ea.....89c

### Starter Drives and Parts



Cars. Postpaid \$2.95

CLUTCH TYPE STARTER DRIVE

Used on Chev. from 1938 up, most other General Motors cars from 1933 up, most Chrysler-built cars from 1933 up.

L31-(B)—Clutch Type Starter Drive Exchange.

Postpaid \$4.25

1 03chaid	э::
STARTER DRIVE PARTS	
L31-(C)—Screw for Shaft (short)	C
L31-(D)—Screw for Head (with tip)5	C
L31-(E)—Lock Washer	
L31-(C)—Ford V-8, Shaft Screw, (short)7	
L31-(D)—Ford V-8 Head Screw, (with tip)7	C
BENDIX SPRINGS (F)	
L31-33—Left. (Regular weight), will fit Ford, Model T.	
Durant, '21-29, Essex, '24-34; Star, '25-28; Whippet	
4's and 6's	C
L31-34—Left. (Heavy weight), will fit Ford A, '29-31;	
Essex, '24-34; Terraplane, '32-35; Hup. 6, '26-32;	
Nash, 26-33	0
L31-35—Right. (Regular weight), will fit Chev. '26-37; Pontiac. '26-31	
L31-36—Right (Heavy weight), fits Chev. 26-37:	0
Dodge, '26-30; Nash, '29-32; Plymouth, 28-32; Pontiac,	
'26-36, etc	ш
131-37 Charles hoover type (left) for Early D4 and M C	B

26-36, etc. L31-37-Special heavy type (left) for Ford B4 and V-8,

### BATTERY CHARGER

For . . . Maximum Performance from Electrical Accessories. Quick starting. Better Radio, Brighter Lights. Battery won't Freeze.

place. No Radio Inter-

ference. No Moving Parts...Noise-less.

Batteries



Keeps your battery fully charged at all times, and insures zero weather starting. Charger fastens to garage wall, and cord plugs into socket on 110 volt AC current. Clips attache to battery.

Impossible to overcharge. Charges at 4 amps, and tapers off to 2 amps. Has automatic circuit breaker to prevent shorting.

L31-10—Standard Charger ..... ...\$13.95

### HEAVY DUTY CHARGER

Made in Canada, for use in our cold Climate. Extra heavy transformer, built to stand up under continued heavy service. Will keep even the largest battery charged up in sub-zero weather. Complete with socket and cord. Easily installed. L31-102C-Canadian Charger. Postpaid...\$15.25

12 VOLT MODEL FOR ENGLISH CARS

EXTRA PARTS

L31-11-4 amp. fuse, each ... L31-12—Dash Outlet Clamp on Socket, L31-13—Polarized Outlet Plug, each......

### **Battery Hold-Down Clips**



Prevent Case Breakage and Loose Terminals. L31-98—Type X, Ford v-8, 55-48; Chrysler L31-99—Type X, fits Chev., 1940-48; Chrysler Dodge, Plymouth, 1935-48; state year and 

### Battery Terminals, Bolts



L31-23—Universal solderless type	29
L31-24—Bolt and Nut only	5
L31-25—Split type, Universal	25

### Battery Carrier


For All Cars

Replaces old car-riers, Easily attach-ed. Bends over old ed. B carrier.

L31-32—For all other cars using 10 1/2-inch long batteries 98c

### Heavy Duty Battery Carrier

Universal-Fits All Cars



One size. Fits all cars. No tools needed. Simply bend. Has holes punched to make bending easy and also to mark the place for bending. Made of 16 gauge steel—strong enough to support heaviest batteries.

L31-22—Heavy Duty Carrier...



### **Battery Post Shims**

Slips over battery post. Will make a loose terminal fit tight. Postpaid. L31-27-Each .50 L31-28—Box of 12 450

### Complete Cable and Housing Assemblies

To fit most all popular cars

L31—454-71" Buick 1937-48; Chev., 1937-48; Hudson, 1939-40; Olds, 1937 and 1939-48; Pontlac, 1937-48.

L31—449-68" Buick, 1934-36, 40, 60; Chev., 1933-36; Chrysler, 1931-33; De Soto, 1933; Dodge, 1932-33, GMC Truck, 1933-39; Olds, 1932-36; Plymouth, 1933, PC, PD; Pontlac 1931-36.

L31—582-62" Chrysler, 1936, C7, C8; De Soto, 1935-36; Dodge, 1936; Ford, 1930-34; Hudson, 1934-37; Plymouth, 1935-36; Terraplane, 1934-37; Plymouth, 1935-38; De Soto, 1936-38; Dodge, 1937-38; Ford, 1935-48; Graham, 1932-38; Hudson, 1932-40; Mercury, 1939-48; Plymouth, 1935-38; Plymouth, 1937-39; De Soto, 1937-39; Dodge, 1939; Plymouth, 1937-39; S1-95

L31-582-80" Chrysler, 1937-39; De Soto, 1937-39; Dodge, 1939; Plymouth, 1937-39; S1-98

L31-454-80" Buick 1937-41; Chrysler, 1940-48;

1937-39; Dodge, 1939; Plymouth, 1937-39; 1937-39; Dodge, 1940-48; Olds, 1938; Plymouth, 1940-48; Olds, 1938; Plymouth, 1940-48; S1.98

### Slip-Yoke Battery Cable Terminal

A Perfect Post Connection

Grips cable
like a
powerful
Vise

Highest quality ready to install. treated to prevent State Make, Year,

L31-100 — Buick, most h L31-102 — Chev., '25-49, h L31-103 — Chrysler, most mo L31-104 — De Soto, most mod L31-105 — Dodge, most models, '20

Saves time and labor

L31-122-Postpaid

The modern

⇔ Cable

Terminal Universal

Slip-Yoke Defies <→ corresion Eliminates

⇔ power loss ....59c

### Hydrometer and Battery Filler



BATTERY IS FULLY CHARGED



### "Quick Test" Hydrometer

Bottle Cap Type Battery Filler

A Flexible Spout Made of Rubber

Quick filling, no spilling. Fits any bottle made for a crown cap. Postpaid. L31-70—Each...29c
BULB TYPE BATTERY FILLE!



Syringe Battery Filler, large capacity-long, 9 oz. bulb, hard rubber nozzle. L31-26—Bulb Battery Filler.....



Strap

Strap with me Positive grip, e L31-15-Sta

L31-29-Heavy Duty, Vee



tite program while driving. This id engineered for long-term service cialists. Unexcelled at the price for ad performance.

ARE ALL THESE FEATURES Tubes—Not Just Five.
Speaker For Satisfying Tone.
Lake of Car—Quickly, Easily Installed.
Instituty For Superb Performance.
Last by Car Radio Specialists.
Ch Tone With Ample Volume.
Factory Warranty.

### Empire's Bargain Value

L32-25—Universal Car Radio.....\$59.50



New Modern Designs—Better Reception, easily installed on any car. Made of triple-chrome plated Admirality brass, guaranteed not to rust. Rattle-proof. Incorporate exclusive and entirely new design principles to eliminate rattling. Supplied with shielded cable, eliminating noise pick-up, equipped with both Delco and Motorola fittings.

A—Fender and Cowl Mount. Fits top of cowl or fender.

L32-41—3-section, 63"......\$5.75

B—Single Stanchion. Fits all cars including the new "rocket" models.
L32-12—3-section, 65". \$5.49
C—Concealed Fender-Mount. Most of antenna telescopes out of sight!
L32-31—3-section, 62". \$6.25

-Underhood. Delivered with both side hood and gator brackets. L32-22—3-section, 66"... \$5.75

All Postpaid.

### **Jet Aerial Booster**



Made of aluminum to act as an aerial extension—weighs only 2 ounces. Improves radio reception of hard-to-get stations. Easily and securely attached to radio aerial. Four beautiful colors—Red, Green, Blue, Gray. Complete with colorful plastic streamers. Fatte colors wanted.

### **T-V** Aerial Booster



overall: 95c
L32-44—Deluxe, 11"
overall; adds 5 feet to
your aerial \$1.75

Coleman Gasoline Camp Stove



Ideal for Camping, Picnics or Home Use

Two-burner type. Lights instantly, Quiet blue flame burners of new design. Fuel tank made of copper-bearing steel with heavy alloy coating. Removable for easy filling. Built-in pump. Sturdy steel box with built-in wind baffles. Fold up and carries like a sult case. Finished in attractive green baked enamel. Size 17x1114 inches.

L32-46-Coleman Stove, Postpaid \$19.95

### Hot-N-Cold Jugs



Equipped with a heavy ware filler, glazed white, which is absolutely guaranteed against breakage from heat or cold conditions. Has a capacity of 7 pints. One of the handlest jugs on the market. Shipping weight, 8 lbs.

L32-47-Each.....\$3.95

Deluxe Model, same as above, but has a handy spout for pouring. Aluminum Cap, plastic spout cover.

L32-49—Shipping weight, 8 lbs..... \$4.75

## Radio Batteries



Two-Volt Storage "A" Battery

120 ampere-hour capacity, 13 plate, in a neat, hard-rubber case fitted with a metal handle. Screw top radio terminals. De-signed for use on sets operating from 2-volt tubes only.

L32-34-Postpaid.....\$7.75

### **Eveready Radio Batteries**

We carry a complete stock of Eveready Radio Batteries for home and portable sets, including A, B, C, also packs and air cells. Space does not permit listing all numbers. Order what you need, giving the number on your old battery. We will ship promptly at lowest current prices. postpaid.

### **Aerial Eliminator**

FOR ALL RADIOS



It equals and even sur-passes ordinary aerial re-sults. Reduces static and other interferences. Elim-inates lightning hazards, unsightly wires, etc. .95c

L32-45—Each.....

Postpaid.

### **Auto Compass**

With Built-in Neutralizing Compensator

Compact, streamlined one-piece compass. Similar in operation to an airplane compass. Has rotating dial with jeweled pivot. Special compensator eliminates disturbance by electrical or steel equipment; assures absolute accuracy! Easily installed. Postpald. L32-26-Auto Compass.....\$4.95



### **Deluxe Illuminated Model**

Same as above, chrome plated shield and built-in reflector. Lights up for night driving. L32-33—Deluxe Compass.....

### **NEW!** Windshield Washer



Does same work as expensive models. Plastic flask clamps beneath rearview mirror. Simply press flask to squirt fluid on both sides of windshield. Installed in a jiffy, easy to refill, cannot clog.

\$1.95



### **Directional Signal** Conversion Kit

### 4 Light - Front and Rear

Adds a directional signal system to original car lighting; does not interfere with normal operation of parking or tail lights. Tailored to fit, no drilling. Parts duplicate original equipment. Simple, easy installation. Complete kit includes directional signal switch, flasher, bulbs, sockets and wiring.

Supplied for following cars: Chev., 1942-51; Chrysler, DeSoto. Dodge, 1942-51; Ford, 1942-51; Hudson, 1946-50; Mercury, 1942-49; Nash, 1942-50; Olds, 1942-51; Plymouth, 1942-51; Pontiac, 1942-51; Stude. Champion, 1946-51.

State make, year and model of car.

L32-21—Standard Signal Kit Complete......\$10.95 L32-229—Flasher only, 6 volt. A spare flasher is always handy......\$1.35

### Kit Complete with 4 Lights

Same as above, complete with two white lights for front, and two red lights for rear. For all cars and trucks not factory equipped with 2 parking lights and 2 tail lights.


L32-UN67F-Complete Light Kit......\$13.95

### **Self Cancelling Signal Kit** 1946-51

Same as standard kit shown above, but has automatic switch which turns off signal when turn is completed. For most cars, 1946-51. State make year and model of car.

-Self-Cancelling Signal Kit, complete \$13.95 L32- 8-Plug-in Flasher for above kit...

### TRUCK SIGNALS




Truck Arm Signal—Operates from Inside cab by chain attached to metal arm, which has bright reflectors for additional safety at night. Easily installed on body of any truck. Complete with all fittings.

L32-9—Truck Arm Signal, Postpaid ......\$7.50

Truck Signal Lights—Much better and safer than hand signals. Complete kit contains switch, lamps, flasher, wiring and instructions. Heavy duty switch is burnt-out proof, with adjustable clamp to fit any truck steering post. Four neat enamelled lamps, 4" dia. with 21 C.P. bulbs, aluminum reflectors, and plastic lens, can be set for best visability day or night. Completely wired ready to install. Pilot lights indicate if lamps are not working.

L32-10-Truck Signal Lights, complete set ... \$18.50

### **NEW!** Nobby Grille Guard



Real protection for expensive grilles, fenders and lamps. Made of heavy gauge steel tubing, smartly chrome-piated. Three-piece sliding cross bar and new type end brackets make this guard fully universal. No holes to drill, easy to install. Fits most cars 1941-51.

L32-11-Nobby Guard, Postpaid.....

18:	TE AU	to Supply Co. Ltd.  516 Portage Ave. WINNIPEG, MAN.	DO NOT WRITE IN THIS SPACE			
			Date Received			
		Noori Noori				
		Province		EMENT		
		Box No.				
Station Railway  Is there Agent How far do you live at Station from Station			Delivery Charges We Paid			
Parcel	SHIP BY	(Mark X in proper square)  xpress	TOTAL  Cash Received  Due You  Due Us, Please Remit.			
MPORTANT! Name of Car Year and Model			Serial No. No. of Cyl.			
ro RESI	DENTS OF vince on taxa	SASKATCHEWAN—Please add to your ble items.	r order the amount	of tax imposed by		
Quantity	Number in Catalogue	DESCRIPTION	Sale Price	TOTAL		
		Nes Stuctor Spinner	LEO OL GIANT BEGIN			
	A Property of the Control of the Con					
		7 A S S S S S S S S S S S S S S S S S S				
	28 1803 Y	The stylen was some and a com-	MAR DIRECT			
		87. Tale 2 08				
	100 00000000000000000000000000000000000					
		COLLAID A. C. C.				
	tarybed Julyana					
	3 2 2 - 31-8					
	2 86 7 46 7 4					
	8 25-35-3					
	7 6 10 70 8					
	Pess Pess	The second secon	2 100	Com about		
	OF MINE CHIMBRESTOON, PROFESSIONAL					
		Excess Of Parcel Post Charges Actu	CANCEL STREET,			

Page 25. Oils, Page 30. If you want order rushed we will ship by express and allow you what freight charges would be.



### Tractor Nichrome Sleeve Assemblies

REGULAR AND HIGH COMPRESSION

These assemblies are "factory duplicate" quality, equal in materials and finish to original. Complete with sleeve, piston, pin, rings and gasket. Shipped from Winnipeg only. When ordering, state whether standard or high compression, also year and model of Tractor.

OB-E7OHC—Allis-Chalmers, RC, C, Combine 60H	\$ 8.10
OB-E7—Case, L, LA, LAE, LAH, etc., 1929-49	12.00
OB-E8—Case, C, CC, D, etc., 1929-49	9.00
	7.75
	6.65
OB-E77-Massey-Harris, Challenger, Pacemaker, 1938-40	10.75
OB-E21A-McCormDeering, 22-36, Late 15-30	12.20
OB-E52—Oliver, 80KD, 1938-44	
OB-E35HC-Oliver Rowcrop, 70HC, 70KD, 1935-46	
- Losie - Onte Ronerop, 7011C, 70KD, 1705-40	0.10

Nu-Power Sleeves available for all Tractors. Write for prices on sleeves not listed.

### Reamers for Fords and Chevrolets

FOR PISTON PIN AND CONNECTING ROD BUSHINGS Constructed to ream both the pistons and connecting rod bushings. Front end finishes piston to size and the back end finishes connecting rod to size. The pilot on the front end makes reaming




easy.	
OB-66-Ford, 1928-33 Cars and Trucks (.002 O.S.)	.95
OB-65—Ford V8, 1932-50 Cars and Trucks	.25
OB-76-Chev. 6, 1929-36 Cars and Trucks (.005 O.S.) 3	.95
OB-88-Chev. 6, 1937-49 Cars and Trucks (.005 O.S.) 3	.75
OB-85-Plymouth 4, 1929-32 Pass. Cars	.65
OB 86Plymouth 6, 1933-49	3.75

FOR SPINDLE OR KING BOLT BUSHINGS
Designed with flutes on end of front pilot to remove burrs or excess metal and allow the pilot to enter freely. Both ends of the reamer are ground to act as pilots. This insures perfect

alignment. OB-68— Ford A, B, and V8 Passenger Cars, 1928-50
OB-69—Ford Trucks 1930-37
OB-77—Chevrolet 4 cyl. models, 1923-27
OB-75—Chevrolet 6 cyl. Passenger Cars
OB-82—Chevrolet 6 cyl. Trucks, 1½ ton, 1931-50
OB-85—Plymouth 4 cyl. Cars, 1928-32
OB-84—Plymouth and Dodge 6 cyl. Cars, 1934-49
3.65





Quality Wall Tents

Ammunition Cannot be Shipped by Mail

.80

### Made of Standard Quality White Duck

Strong and serviceable tents for harvesting, lumbering, fishing and general camping purposes. Well finished, double stitched seams.

	SIZE	8-oz.	All
OB-10-	7×7-2	23.95	
OB-11-	7×9-2	28.75	Tents
OB-12-	8×10-2	30.95	The state of the s
OB-13-	8×10-3	32.95	Prepaid
OB-14	10x12-3	38.95	riepata

### Sealed Beam Tractor Lamp

Compact design, with reversible all-purpose bracket. Neat Enamel finish, stainless steel door. Special G.E. Utility Sealed Beam Unit, 4½" diam., weatherproof, powerful, long lasting. For all tractors, trucks, farm and construction machinery. tion machinery.

OB-31—Sealed Beam Tractor Lamp.

Postpaid





### Tractor Headlight

Strong, well built lamp especially useful for farm tractors. Black enamel finish. Clear Lens. 32 c.p. bulb with silvered reflector for maximum lighting efficiency. Single contact socket requires only one wire. Light is grounded by mounting to tractor. Rigid mounting bracket. OB-32-Tractor Light. Ship. wt. 4 lbs. \$2.65

### **Tractor Swivel Spotlight**

Weatherproof enamel finish, with sealed beam unit which delivers 50,000 c.p. beam. Pistol grip handle and ball and socket joint permits full swivel action. Fits on any type of farm equipment. ment.

No. OB-33 - Swivel Spotlight, Postpaid .....

6.39



### Spotlight Bracket Assembly



Changes any tractor lamp to swivel action spotlight. Universal type, may be mounted anywhere. Ball and socket joint turns in complete circle if desired, yet holds steady in one position when needed. Long handle permits easy control. trol.

OB-34—Bracket Assembly, 2.95 No. Postpaid .....

### **Tractor Spinner**

Heavy duty spinner, for long service. Big wooden knob, with graphited metal bushing. Sturdy clamp-on base fits all steering wheels.



### Speed-E-Cut Files



These quality files are made from a special file steel and heat treated by an electrical process. The result is a faster-cutting and a more durable file.

Slim Taper	Half Round Bastard		
OB-111-51/2 inch	OB-121- 8 inch		
OB-112-6 inch	OB-122-10 inch		
OB-113—7 inch	OB-123-12 inch		
OB-114— 8 inch	Round Bastard		
0B-114— 8 inch	0B-124- 6 inch		
0B-116—12 inch	OB-125- 8 inch		
Flat Bastard	OB-126-10 inch		
OB-117- 8 inch	Square Bastard		
OB-118-10 inch	OB-127- 6 inch45		
OB-119—12 inch	OB-128- 8 inch		
OB-120—14 inch1.19	OB-129-10 inch		



### Twist Drills

Made of fine high carbon steel, properly hardened, sharpened,

OB-18 — 1/8 OB-532—5/32 OB-316—3/16 OB-732—7/32	31/8" 35/16" 39/16"	.25	OB-516—5/16 OB-38 —3/8 OB-716—7/16 OB-12 —1/2	4½" 5½" 59/16" 1	65959
OB-332—3/32	Length 27/8"	.24	OB-14 — 1/4	Length 41/4"	.45

### Electric Fence Insulators

CORNER POST INSULATORS
CLEARANCE PRICED! Good quality porcelain corner and strain insulators.

OB-9—Each OB-15—Per dozen, postpaid.....





## - GUARANTEED QUALITY - LOWEST PRICES -

Post Office....

Rush To

## Empire Auto Supply Co., Ltd.

CANADA'S LEADING AUTO ACCESSORY STORES

1832-11th Ave.

Regina, Sask.

SATISFACTION OR MONEY CHEERFULLY REFUNDED

